

Recomandări adoptate la nivelul Conferinței Europene a Administrațiilor de Poștă și Telecomunicații (CEPT) aplicabile TNABF

- ERC/REC 70-03 - ERC Recommendation 70-03 Relating to the use of Short Range Devices (SRD)
- ERC/REC 25-10 - ERC Recommendation of 1995 on frequency Ranges for the Use of Terrestrial Audio and Video Programme Making and Special Events (PMSE) applications
- ERC/REC 14-02 - ERC Recommendation of 1995 on radio frequency channel arrangements for high, medium and low capacity digital fixed service systems operating in the band 6425 to 7125 MHz
- ERC/REC 14-01 - ERC Recommendation of 1995 on radio frequency channel arrangements for high capacity analogue and digital radio-relay systems operating in the band 5925 to 6425 MHz
- ERC/REC 13-03 - ERC Recommendation of 1996 on the use of the band 14.0-14.5 GHz for Very Small Aperture Terminals (VSAT) and Satellite News Gathering (SNG)
- ERC/REC 12-12 - Radio frequency channel, arrangement for Fixed Service Systems operating in the band 55.78 to 57.0 GHz
- ERC/REC 12-11 - Radio frequency channel arrangements for Fixed Service systems operating in the bands 48.5 to 50.2 GHz / 50.9 to 52.6 GHz
- ERC/REC 12-08 - ERC Recommendation of 1997 on harmonised radio frequency channel arrangements and block allocations for low, medium and high capacity systems in the band 3600 MHz to 4200 MHz
- ERC/REC 12-05 - Harmonised radio frequency channel arrangements for digital terrestrial fixed systems operating in the band 10.0 - 10.68 GHz
- ERC/REC 12-03 - Harmonised radio frequency channel arrangements for digital terrestrial fixed systems operating in the band 17.7-19.7 GHz
- ERC/REC 12-02 - ERC Recommendation of 1997 on harmonised radio frequency channel arrangements for analogue and digital terrestrial fixed systems operating in the band 12.75 GHz to 13.25 GHz
- ECC/REC/(21)02 - ECC Recommendation of 5 November 2021 on Guidance on the application of the least restrictive technical conditions (LRTC) in ECC Decision (11)06 (amended 26 October 2018) to ensure protection of the military radiolocation systems

operating below 3400 MHz from indoor non-AAS small cells operating in the band 3400-3800 MHz

- ECC/REC/(20)03 - Frame structures to facilitate cross-border coordination of TDD MFCN in the frequency band 3400-3800 MHz
- ECC/REC/(18)02 - ECC Recommendation of 14 September 2018 on radio frequency channel/block arrangements for Fixed Service systems operating in the bands 92-94 GHz, 94.1-100 GHz, 102-109.5 GHz and 111.8-114.25 GHz
- ECC/REC/(18)01 - ECC Recommendation of 27 April 2018 on radio frequency channel/block arrangements for Fixed Service systems operating in the bands 130-134 GHz, 141-148.5 GHz, 151.5-164 GHz and 167-174.8 GHz
- ECC/REC/(17)03 - ECC Recommendation of 19 May 2017 on guidance for the harmonised use and coordination of Maritime Broadband Radio (MBR) systems on board ships and off-shore platforms operating within the frequency bands 5852-5872 MHz and 5880-5900 MHz
- ECC/REC/(16)03 - Cross-border coordination for Broadband Public Protection and Disaster Relief (BB-PPDR) systems in the frequency band 698 to 791 MHz
- ECC/REC/(15)01 - ECC Recommendation of 13 February 2015 on cross-border coordination for mobile/fixed communications networks (MFCN) in the frequency bands: 694-790 MHz, 1452-1492 MHz, 3400-3600 MHz and 3600-3800 MHz
- ECC/REC/(14)06 - Implementation of Fixed Service Point-to-Point narrow channels (3.5 MHz, 1.75 MHz, 0.5 MHz, 0.25 MHz, 0.025 MHz) in the guard bands and center gaps of the lower 6 GHz (5925 to 6425 MHz) and upper 6 GHz (6425 to 7125 MHz) bands
- ECC/REC/(14)01 - Radio frequency channel arrangements for fixed service systems operating in the band 92-95 GHz
- ECC/REC/(11)10 - ECC Recommendation of 21 October 2011 on location tracking application for emergency and disaster situations
- ECC/REC/(11)09 - ECC Recommendation of 21 October 2011 on UWB Location Tracking Systems TYPE 2 (LT2)
- ECC/REC/(11)05 - ECC Recommendation of 26 May 2011 on cross-border Coordination for Mobile/Fixed Communications Networks (MFCN) in the frequency band 2500-2690 MHz

- ECC/REC/(11)04 - ECC Recommendation of 26 May 2011 on cross-border Coordination for Mobile/Fixed Communications Networks (MFCN) in the frequency band 790-862 MHz latest updated on 18 November 2022
- ECC/REC/(11)01 – Guidelines for assignment of frequency blocks for fixed wireless systems in the bands 24.5-26.5 GHz, 27.5-29.5 GHz AND 31.8-33.4 GHz
- ECC/REC/(10)02 - ECC Recommendation of 7 October 2010 on a framework for authorisation regime of Global Navigation Satellite System (GNSS) repeaters
- ECC/REC/(10)01 - ECC Recommendation of 28 January 2010 on guidelines for compatibility between Complementary Ground Components (CGC) operating in the band 2170-2200 MHz and EESS/SOS/SRS earth stations operating in the band 2200-2290 MHz
- ECC/REC/(09)01 – Use of the 57 - 64 GHz frequency band for POINT-TO-POINT fixed wireless systems
- ECC/REC/(08)04 - ECC Recommendation of 6 October 2008 on the identification of frequency bands for the implementation of Broad Band Disaster Relief (BBDR) radio applications in the 5 GHz frequency range
- ECC/REC/(08)02 - ECC Recommendation of 21 February 2008 on cross-border coordination for Mobile/Fixed Communications Networks (MFCN) in the frequency bands 900 MHz and 1800 MHz excluding GSM vs. GSM systems
- ECC/REC/(08)01 - Use of the band 5855-5875 MHz for Intelligent Transport Systems (ITS)
- ECC/REC/(06)04 - ECC Recommendation of 14 December 2006 on use of the band 5725-5875 MHz for Broadband Fixed Wireless Access (BFWA)
- ECC/REC/(05)08 - Frequency planning and cross-border coordination between GSM Land Mobile Systems (GSM 900, GSM 1800, and GSM-R)
- ECC/REC/(05)07 – Radio frequency channel arrangements for fixed service systems operating in the bands 71-76 GHz and 81-86 GHz
- ECC/REC(05)02 – Use of the 64-66 GHz frequency band for fixed service
- ECC/REC/(02)09 - ECC Recommendation (02)09 Protection of aeronautical radio navigation service in the band 2 700 – 2 900 MHz from interference caused by the operation of cordless cameras
- ECC/REC/(02)06 - Preferred channel arrangements for digital Fixed Service Systems operating in the frequency range 7125-8500 MHz

- ECC/REC(02)02 – Preferred channel arrangements for fixed service systems (POINT-TO-POINT and POINT-TO-MULTIPOINT) operating in the frequency band 31.0 – 31.3 GHz
- ECC/REC(01)04 - Recommended guidelines for the accommodation and assignment of multimedia wireless systems (MWS) and point-to-point (P-P) fixed wireless systems in the frequency band 40.5 - 43.5 GHz
- ERC/REC/(01)02 – Preferred channel arrangements for fixed service systems operating in the frequency band 31.8 – 33.4 GHz
- ERC/REC/(01)01 - ERC Recommendation of 2001 on cross-border coordination for mobile/fixed communications networks (MFCN) in the frequency bands: 1920-1980 MHz and 2110-2170 MHz
- ERC/REC/(00)04 - ERC Recommendation of 2000 on harmonised frequencies and free circulation and use for meteor scatter applications
- Recommendation T/R 25-08 - Planning criteria and cross-border coordination of frequencies for land mobile systems in the range 29.7-470 MHz
- Recommendation T/R 13-02 - Preferred channel arrangements for Fixed Service systems in the frequency range 22.0-29.5 GHz
- Recommendation T/R 13-01 – Preferred Channel Arrangements for fixed service systems operating in the frequency range 1 - 2.3 GHz
- Recommendation T/R 12-01 - Harmonised radio frequency channel arrangements for analogue and digital terrestrial fixed systems operating in the band 37-39.5 GHz