

# THE EUROPEAN TABLE OF FREQUENCY ALLOCATIONS AND UTILISATIONS COVERING THE FREQUENCY RANGE 9 kHz TO 275 GHz

Lisboa January 2002 - Dublin 2003 - Turkey 2004 - Copenhagen 2004

## EUROPEAN TABLE OF FREQUENCY ALLOCATIONS AND UTILISATIONS FREQUENCY RANGE 9 kHz TO 275 GHz

#### **Table of contents**

1	$\mathbf{SOD}$	TANT
	 ~ ( ) ( )	 11 11

- 2 WARC-92, WRC-95, WRC-97 WRC-2000 and WRC-03
- 3 EUROPEAN TABLE OF FREQUENCY ALLOCATIONS AND UTILISATIONS
- 4 CEPT DECISIONS AND RECOMMENDATIONS
- 5 MILITARY REQUIREMENTS

ANNEX 1	EUROPEAN TABLE OF FREQUENCY ALLOCATIONS AND UTILISATIONS	7
ANNEX 2	EU FOOTNOTES	153
ANNEX 3	RELEVANT RR ARTICLE 5 FOOTNOTES	155
ANNEX 4	RELEVANT CEPT ERC DECISIONS AND RECOMMENDATIONS	180
ANNEX 5	RELEVANT HARMONISED STANDARDS.	183
ANNEX 6	LIST OF ARREVIATIONS AS LISED IN THIS DOCUMENT	185

### EUROPEAN TABLE OF FREQUENCY ALLOCATIONS AND UTILISATIONS FREQUENCY RANGE 9 kHz TO 275 GHz

#### 1 INTRODUCTION

Following the World Administrative Radio Conference in 1992 which allocated spectrum to new services in the 1 - 3 GHz frequency range CEPT began to develop a general plan to promote the harmonised European use of frequencies within the band 1350 - 2690 MHz. Particular importance was attached to the early development of such a general plan in order to provide a framework for the implementation of the decisions of WARC-92 and the consequential changes required, in a harmonised way, throughout CEPT member countries and to provide the necessary guidance for European radio equipment manufacturers to commence production.

Since then CEPT has endorsed the principle of adopting a harmonised European Table of Frequency Allocations and Utilisations by the year 2008. This work is being progressed by the CEPT European Radiocommunications Office (ERO) through a series of Detailed Spectrum Investigations (DSIs) which consider in turn different frequency ranges. The DSIs were developed as a major open and transparent consultation process in close cooperation with industry, organizations, administrations and users within the following frequency bands:

- The DSI Phase I covering the frequency range 3400 105 GHz developed in 1992-93
- The DSI Phase II covering the frequency range 29.7-960 MHz developed in 1994-95
- The DSI Phase III covering the frequency range 862-3400 MHz developed in 1998-2000

As a result of the DSIs the CEPT adopted the Harmonised European Table of Frequency Allocations and Utilisations. The first table was agreed upon in June 1994 and several updates have been agreed until the current version (Lisbon January 2002)

#### 2 WARC-92, WRC-95, WRC-97 and WRC-2000

Due account has been taken of the relevant decisions of the World Radio Conferences WARC-92, WRC-95, WRC-97, WRC-2000 and WRC-03 and of strategies developed by other international fora concerning, in particular, the introduction and development of mobile and mobile-satellite services.

#### 3 EUROPEAN TABLE OF FREQUENCY ALLOCATIONS AND UTILISATIONS

A European Table of Frequency Allocations and Utilisations for the frequency band 9 kHz to 275 GHz expected beyond the year 2008 has been developed and is attached as Annex 1 to this Report. Although the implementation of this Table has been arranged for the year 2008 it is expected that CEPT member countries will endeavor to implement, as soon as possible, as many parts of the Table as they are able. It is also expected that the Table will be used as a source document by CEPT member countries for the development of Recommendations, Decisions, and European Common Proposals (ECPs) for future Radio Conferences of the ITU and as background for development of national frequency allocation tables and national frequency usage plans.

This Report and its associated table will be reviewed periodically (once a year) and revised as necessary by the ECC taking into account the results of World Radio Conferences, future DSIs, ECC/ERC Decisions and other relevant developments.

#### 4 CEPT DECISIONS AND RECOMMENDATIONS

During the preparation of the Table account was taken of work already completed by CEPT in respect of systems expected to operate in this frequency range. The ECC/ERC Decisions and ECC/ERC Recommendations, which are relevant to frequency management issues, have been incorporated into the Table and are listed in Annex 4.

#### 5 MILITARY REQUIREMENTS

Liaison with military authorities from CEPT countries has also been necessary in view of their use of, and requirements in, this frequency range. Although no single representative military body exists for all CEPT member countries, the North Atlantic Treaty Organisation (NATO) has a Joint Civil/Military Frequency Agreement (NJFA) which was felt to be a useful basis from which to develop a view of military frequency requirements. A forum that allows both civil and military frequency managers from all CEPT countries to meet has also been established by CEPT. This forum established a project team (JPT1) which has looked in detail at the requirements for harmonised military usage of spectrum to meet the needs of both NATO and non-NATO CEPT countries. The results of the studies by JPT1 are reflected in the Table.

Military requirements vary both between activities and countries. In some countries national requirements may be more than the harmonised band, in other countries for the time being there may be no national requirements in a specific harmonised band.

In general, the harmonised military bands should provide *a common military frequency resource* in order to allow systems to operate in common border areas, facilitate common exercises and Peace Keeping Operations (PKO), include the core frequency assets for day-to-day training, exercise, combat readiness and employment and support electronic countermeasures (ECM) training.

Any spectrum reorganisation should aim at a provision of a common military frequency resource in accordance with the ECA.

4

#### ANNEX 1

### EUROPEAN TABLE OF FREQUENCY ALLOCATIONS AND UTILISATIONS IN THE RANGE 9 kHz TO 275 GHz EXPECTED BEYOND THE YEAR 2008

#### EXPLANATORY NOTES TO THE TABLE

The heading of this table includes a number of columns, with the following contents:

Column 1: Frequency Band

Indicates the frequency band referred to in that row of the table

Column 2: RR Region 1 Allocations and relevant footnotes

Contains in each frequency band:

- Current RR Article 5 allocations which correspond to Region 1.

- Current RR Article 5 footnotes relevant to CEPT countries

See Annex 3 for description of the RR Article 5 footnotes included in the table.

#### Column 3: <u>European Common Allocation (ECA)</u>

Contains in each frequency band:

- Allocations of major use or major interest in CEPT member countries expected beyond 2008.
- RR Art. 5 footnotes affecting a major number of CEPT countries beyond 2008. RR Art 5 footnotes with general provisions applicable to CEPT countries are only included in the European Table if 10 or more CEPT countries are included in the footnote
- EU footnotes relevant to the European allocation. See Annex 2

#### Column 4: Major utilisation

This column includes where appropriate in each frequency band and for the services allocated in the European Common Allocation:

- The major uses in CEPT member countries expected beyond 2008.
- Mention of systems expected to be in use in a major number of CEPT member countries beyond the year 2008.

Mention of specific utilisations of a given service does not preclude the use of other services mentioned in the European Common Allocation.

Column 5: EU footnotes

This column contains EU footnotes relevant to the particular utilization.

Column 6: ECC/ERC document

This column contains information about ECC/ERC Decisions and Recommendations relevant to the particular utilization. The ECC/ERC

documents are described in Annex 4

Column 7: Standards

This column contains information about the relevant standards.

For Harmonised Standards as defined in the R&TTE Directive see Annex 5

#### Column 5: Notes

This column indicates where appropriate in each frequency band:

Where applicable, the date of entry into force of:

- a) a specific allocation of the European Common Allocation column.
- b) ERC Decision / ERC Recommendation mentioned in the utilisations column
- c) major utilisation contained in the utilisation column.

Any other relevant information such as the nature of use of a major utilisation.

In respect of **defence systems** two terms are used with the associated definitions:

- 1) <u>Common military tuning range</u>:- A common military tuning range is normally a recommended tuning range for radio equipment operating across harmonised military bands. Such a tuning range forms the basis for planning of future military equipment procurement.
- 2) <u>Harmonised military band</u>:- A frequency band which is in general military use in Europe and identified for military utilisation in the European Common Allocation Table (ECA). Such a frequency band forms a basis for military use and planning. The band can be shared between civil and military users according to national requirements and legislation.

### European Common Allocation Table - Frequency bands within 9 kHz - 275 GHz

#### ERC Report 25 Annex 1

RR Region 1 Allocations and RR footnotes relevant to CEPT and frequency band	European Common Allocation	Utilisation	ERC Document	t Standard	Note	
9 - 14 kHz						
RADIONAVIGATION	RADIONAVIGATION EU2	Inductive SRD		ERC REC 70-03 ERC DEC (01)13	EN 300 330	
		ISM applications				
		Ultra Low Power Active Medical		ERC REC 70-03	EN 300 330	
14 - 19.95 kHz						
FIXED MARITIME MOBILE 5.57	FIXED MARITIME MOBILE 5.57	Inductive SRD		ERC REC 70-03 ERC DEC (01)13	EN 300 330	
5.55 5.56	5.56 EU2	Maritime applications				
3.30		Military applications				
		Ultra Low Power Active Medical	Implants	ERC REC 70-03	EN 300 330	
19.95 <i>-</i> 20.05 kHz						
STANDARD FREQUENCY AND TIME SIGNAL (20 kHz)	STANDARD FREQUENCY AND TIME SIGNAL (20 kHz)					
20.05 - 70 kHz						
FIXED MARITIME MOBILE 5.57	FIXED MARITIME MOBILE 5.57	Inductive SRD		ERC REC 70-03 ERC DEC (01)13	EN 300 330	
5.56 5.58	5.56 EU2	Maritime applications				
3.38		Military applications				
		Ultra Low Power Active Medical	Implants	ERC REC 70-03	EN 300 330	

RR foo	RR Region 1 Allocations and RR footnotes relevant to CEPT and frequency band		European Common Allocation	Utilisation E	U-footnote	ERC Document	Standard	Note
70	- 72	kHz						
RADION	NAVIGATION 5.6	60	RADIONAVIGATION 5.60 EU2	Inductive SRD		ERC REC 70-03 ERC DEC (01)13	EN 300 330	
				Ultra Low Power Active Medical Im	plants	ERC REC 70-03	EN 300 330	
72	- 84	kHz						
FIXED MARITI	ME MOBILE 5.57	7	FIXED MARITIME MOBILE 5.57	DCF time signal				77.5 kHz
	NAVIGATION 5.6		RADIONAVIGATION 5.60 5.56 EU2	Inductive SRD		ERC REC 70-03 ERC DEC (01)13	EN 300 330	
				Maritime applications				
				Military applications				
				Ultra Low Power Active Medical In		ERC REC 70-03	EN 300 330	
84	- 86	kHz						
RADION	NAVIGATION 5.6	50	RADIONAVIGATION 5.60 EU2	Inductive SRD		ERC REC 70-03 ERC DEC (01)13	EN 300 330	
				Military applications				
				Ultra Low Power Active Medical In		ERC REC 70-03	EN 300 330	

RR fo	RR Region 1 Allocations and RR footnotes relevant to CEPT and frequency band		European Common Allocation	Utilisation	EU-footnote	ERC Document	Standard	Note
86	- 90	kHz						
FIXED MARITI	IME MOBILE 5.57		FIXED MARITIME MOBILE 5.57	Inductive SRD		ERC REC 70-03 ERC DEC (01)13	EN 300 330	
	NAVIGATION		RADIONAVIGATION	Maritime applications				
5.56			5.56 EU2	Military applications				
				Ultra Low Power Active		ERC REC 70-03	EN 300 330	
90	<b>-</b> 110	kHz						
RADIO	NAVIGATION 5.6	2	RADIONAVIGATION 5.62	Inductive SRD		ERC REC 70-03	EN 300 330	
Fixed			Fixed			ERC DEC (01)13		
5.64			5.64 EU2	LORAN-C				
				Military applications				
				Ultra Low Power Active	Medical Implants	ERC REC 70-03	EN 300 330	
110	- 112	kHz						
FIXED			FIXED	Inductive SRD		ERC REC 70-03	EN 300 330	
MARITI	IME MOBILE		MARITIME MOBILE			ERC DEC (01)13		
	NAVIGATION		RADIONAVIGATION 5.64 EU2	Maritime applications				
5.64			3.04	Military applications				
				Ultra Low Power Active	Medical Implants	ERC REC 70-03	EN 300 330	

RR fo	RR Region 1 Allocations and RR footnotes relevant to CEPT and frequency band		European Common Allocation	Utilisation	EU-footnote	ERC Document	nt Standard	Note
112	- 115	kHz						
RADIO	RADIONAVIGATION 5.60		RADIONAVIGATION 5.60 EU2	Inductive SRD		ERC REC 70-03 ERC DEC (01)13	EN 300 330	
				Maritime applications				
				Military applications				
				Ultra Low Power Active	Medical Implants	ERC REC 70-03	EN 300 330	
115	<i>-</i> 117.6	kHz						
RADIO Fixed	NAVIGATION 5.0	50	RADIONAVIGATION 5.60 Fixed	Inductive SRD		ERC REC 70-03 ERC DEC (01)13	EN 300 330	
	ne mobile		Maritime mobile 5.64 EU2	Maritime applications				
5.64 5.66			5.04	Military applications				
				Ultra Low Power Active	Medical Implants	ERC REC 70-03	EN 300 330	
117.6	<b>-</b> 126	kHz						
FIXED		KIIZ	FIXED	Inductive SRD		ERC REC 70-03	EN 300 330	
	TME MOBILE		MARITIME MOBILE			ERC DEC (01)13		
5.64	NAVIGATION 5.0	50	RADIONAVIGATION 5.60 5.64 EU2	Maritime applications				
				Military applications				
				Ultra Low Power Active	Medical Implants	ERC REC 70-03	EN 300 330	

Common Allocation	Utilisation	EU-footnote	ERC Document	Standard	Note
RADIONAVIGATION 5.60 EU2			ERC REC 70-03 ERC DEC (01)13	EN 300 330	
	Maritime applications				
	Military applications				
	Ultra Low Power Active M	ledical Implants	ERC REC 70-03	EN 300 330	
	Inductive SRD		ERC REC 70-03	EN 300 330	
MARITIME MOBILE RADIONAVIGATION 5.60 5.64 EU2			ERC DEC (01)13		
	Maritime applications				
	Military applications				
	Ultra Low Power Active M	ledical Implants	ERC REC 70-03	EN 300 330	
To Vonu F	Amateur applications		ERC REC 62-01	EN 301 783	Within the band 135.7-137.8 kHz
ME MOBILE EU2	Inductive SRD		ERC REC 70-03 ERC DEC (01)13	EN 300 330	
	Maritime applications				
	Military applications				
			ERC REC 70-03	EN 300 330	
7	ME MOBILE NAVIGATION 5.60 EU2  ME MOBILE ME MOBILE	MAVIGATION 5.60 EU2  Maritime applications  Military applications  Ultra Low Power Active M  MARITIME applications  Ultra Low Power Active M  Maritime applications  EU2  Military applications  Ultra Low Power Active M  Amateur applications  ME MOBILE  EU2  Inductive SRD  Maritime applications  Ultra Low Power Active M  Military applications  Military applications  Military applications  Military applications  Ultra Low Power Active M	MAVIGATION 5.60 EU2  Maritime applications  Military applications  Ultra Low Power Active Medical Implants  ME MOBILE BAVIGATION 5.60 EU2  Maritime applications  Ultra Low Power Active Medical Implants  Ultra Low Power Active Medical Implants  ME MOBILE EU2  Inductive SRD  Maritime applications  Ultra Low Power Active Medical Implants  ME MOBILE EU2  Inductive SRD  Maritime applications  Military applications  Military applications  Ultra Low Power Active Medical Implants	EU2 Inductive SRD ERC REC 70-03  EU2 ERC DEC (01)13  Maritime applications  Military applications  Ultra Low Power Active Medical Implants ERC REC 70-03  ME MOBILE ERC DEC (01)13  Maritime applications  Ultra Low Power Active Medical Implants ERC REC 70-03  MIlitary applications  Ultra Low Power Active Medical Implants ERC REC 70-03  Maritime applications  Ultra Low Power Active Medical Implants ERC REC 70-03  ME MOBILE  Amateur applications  EU2 Inductive SRD ERC REC 70-03  ME MOBILE  Amateur applications  Military applications  Ultra Low Power Active Medical Implants  ERC REC 70-03	AAVIGATION 5.60

RR foot	RR Region 1 Allocations and RR footnotes relevant to CEPT and frequency band		European Common Allocation	Utilisation	EU-footnote	ERC Document	Standard	Note
148.5	<i>-</i> 255	kHz						
BROADC	ASTING		BROADCASTING	Broadcasting				Assignment plan GE75 Digital systems to be introduced
				Ultra Low Power Active	Medical Implants	ERC REC 70-03	EN 300 330	
255	- 283.5	kHz						
AERONA BROADC		ONAVIGATION	AERONAUTICAL RADIONAVIGATION BROADCASTING	Aeronautical Radio Beaco	ons			
BROADC	ASTING		BROADCASTING	Broadcasting				Frequency assignment plan GE75 Digital systems to be introduced
				Ultra Low Power Active 1		ERC REC 70-03	EN 300 330	
MARITIM	- 315 UTICAL RADIO ME RADIONAV EACON) 5.73	<b>kHz</b> ONAVIGATION TGATION	AERONAUTICAL RADIONAVIGATION MARITIME RADIONAVIGATION (RADIOBEACON) 5.73 5.74 EU2	Aeronautical Radio Beacons  Maritime Radio Beacons  Ultra Low Power Active I		ERC REC 70-03	EN 300 330	Frequency assignment plan GE85 NDB  Frequency Assignment plan GE85 IALA - plan to allow differential GPS
315	<b>-</b> 325	kHz						
		ONAVIGATION	AERONAUTICAL RADIONAVIGATION	Aeronautical Radio Beaco	ons			NDB
Maritime I	Kadionavigation	r (radiobeacons) 5.73	Maritime Radionavigation (radiobeacons) 5.73	Maritime Radio Beacons				
5.72 5.75			EU2					IALA - plan to allow differential GPS
325	- 405	kHz						
	UTICAL RADI	ONAVIGATION	AERONAUTICAL RADIONAVIGATION EU2	Aeronautical Radio Beaco				
5.72			LUZ					

RR fa	RR Region 1 Allocations and RR footnotes relevant to CEPT and frequency band		European Common Allocation	Utilisation	EU-footnote	ERC Document	Standard	Note		
405	<b>-</b> 415	kHz								
RADIO	ONAVIGATION 5.	76	RADIONAVIGATION 5.76	Aeronautical Radio Beacons						
5.72			EU2	Maritime Radio Beacons						
415	<b>-</b> 435	kHz								
	AERONAUTICAL RADIONAVIGATION AERONAUTICAL RADIONAVIGATION Aeronautical MARITIME MOBILE 5.79 MARITIME MOBILE 5.79							Frequency Assignment plan GE85		
5.72			EU2	Maritime applications				Frequency assignment plan GE85		
	– <b>495</b> FIME MOBILE 5.7 autical Radionaviga		MARITIME MOBILE 5.79 5.79A Aeronautical Radionavigation 5.82 EU2	Detection of avalanche victing Maritime applications  Navtex transmissions national		ERC REC 70-03	EN 300 718 EN 300 065	457 kHz  Frequency assignment plan GE85  490 kHz		
<b>495</b> MOBIL 5.83	- 505 LE (distress and cal	<b>kHz</b> ling)	MOBILE (distress and calling) 5.83	Receiver IF  Maritime GMDSS				455-457 kHz		
	- <b>526.5</b> NAUTICAL RADI FIME MOBILE 5.7		AERONAUTICAL RADIONAVIGATION MARITIME MOBILE 5.79 5.79A 5.84 EU2	Aeronautical Radio Beacons  Maritime applications				Frequency assignment plan GE85 Frequency assignment plan GE85		
				Navtex transmissions Interna	ntional		EN 300 065	518 kHz		

RR foo	RR Region 1 Allocations and RR footnotes relevant to CEPT and frequency band		European Common Allocation	Utilisation	EU-footnote	ERC Document	ument Standard	Note	
526.5	- 1606.5	kHz							
BROADO	CASTING		BROADCASTING	Broadcasting				Assignment plan GE75 Digital systems to be introduced	
1606.5	- 1625	kHz							
FIXED LAND M	IOBII F		FIXED LAND MOBILE	Maritime applications				Frequency assignment plan GE85	
	ME MOBILE 5.90		MARITIME MOBILE 5.90 5.92 EU2	Military applications					
				Radiodetermination application	ons				
<b>1625</b> RADIOL 5.93	<b>- 1635</b> OCATION	kHz	RADIOLOCATION 5.93 EU2	Radiodetermination application	ons			Brussels Agreement 67	
1635	- 1800	kHz							
FIXED			FIXED	Maritime applications				Frequency assignment plan GE85	
LAND M MARITII 5.92	IOBILE ME MOBILE 5.90		LAND MOBILE MARITIME MOBILE 5.90 5.92 EU2	Military applications					
5.96			5.96	Radiodetermination application				Brussels Agreement 67	
1800	<i>-</i> 1810	kHz							
	OCATION		RADIOLOCATION	Radiodetermination application	ons			Brussels Agreement 67	
5.93			5.93 EU2						

RR foo	RR Region 1 Allocations and RR footnotes relevant to CEPT and frequency band		European Comm	non Allocation	Utilisation	EU-footnote	ERC Document	Standard	Note
1810	<b>-</b> 1850	kHz							
AMATE	UR		AMATEUR		Amateur applications			EN 301 783	
5.98			5.100	EU2					
5.99			5.98						
5.100									
1850	- 2000	kHz							
FIXED			FIXED		Amateur applications			EN 301 783	
MOBILE	E except aeronaut	ical mobile	MOBILE						
5.92			5.103	EU2	Maritime applications				
5.96			5.92						
5.103			5.96		Military applications				
					Radiodetermination applications	: 			Brussels Agreement 67
2000	- 2025	kHz							
FIXED			FIXED		Maritime applications				
MOBILE	E except aeronaut	ical mobile (R)	-	aeronautical mobile (R)					
5.92			5.103	EU2	Military applications				
5.103			5.92		Radiodetermination applications	i			Brussels Agreement 67
2025	<b>-</b> 2045	kHz							
FIXED			FIXED		Maritime applications				
MOBILE	E except aeronaut	ical mobile (R)	MOBILE						
Meteorol	logical Aids 5.104	1		aeronautical mobile (R)	Military applications				
5.92 5.103			5.103 5.92	EU2	Radiodetermination applications	:			Brussels Agreement 67

RR foo	RR Region 1 Allocations and RR footnotes relevant to CEPT and frequency band		European Common Allocation	Utilisation	Note		
2045	- 2160	kHz					
FIXED LAND N	MOBILE		FIXED LAND MOBILE	International Merchand sh	nipping	 	International telephony frequencies (ship TX) in accordance with RR 52.202 - 52.204
MARITI	ME MOBILE		MARITIME MOBILE	Maritime applications		 	Frequency assignment plan GE85
5.92			5.92	Military applications		 	
2160	- 2170	kHz					
RADIOI	LOCATION		RADIOLOCATION	Radiodetermination applic	cations	 	Brussels Agreement 67
5.93			5.93 EU2				
2170	- 2173.5	kHz					
MARITI	ME MOBILE		MARITIME MOBILE EU2	Maritime applications		 	Frequency assignment plan GE85
2173.5	- 2190.5	kHz					
MOBILI	E (distress and call	ling)	MOBILE (distress and calling)	DSC distress and calling			2187.5 kHz
5.108			5.108 EU2				
5.109			5.109 5.110	Maritime GMDSS			2182 kHz distress and calling
5.110 5.111			5.111	Telex distress traffic		 	2174.5 kHz
2190.5	<b>-</b> 2194	kHz					
	IME MOBILE	1112	MARITIME MOBILE	Maritime applications			
			EU2	apprections		 	

RR Region 1 Allocations and RR footnotes relevant to CEPT and frequency band			European Common Allocation	Utilisation	EU-footnote	ERC Document	Standard	Note
2194	- 2300	kHz						
FIXED MOBILE 5.92 5.103 5.112	except aeronaution	cal mobile (R)	FIXED MOBILE except aeronautical mobile (R) 5.103 EU2 5.92	Maritime applications  Military applications				
2300	- 2498	kHz						
	CASTING 5.113		FIXED	Maritime applications				
FIXED MOBILE 5.103	except aeronauti	cal mobile (R)	MOBILE except aeronautical mobile (R) 5.103 EU2	Military applications				
2498	- 2501	kHz						
	ARD FREQUENC (2500 kHz)	Y AND TIME	STANDARD FREQUENCY AND TIME SIGNAL (2500 kHz)					
2501	- 2502	kHz						
STANDA SIGNAL Space Re		Y AND TIME	STANDARD FREQUENCY AND TIME SIGNAL Space Research					
2502	- 2625	kHz						
FIXED	l avaant aananti	ool mobile (D)	FIXED  MODIL E avecent accompanies   makile (B)	Military applications				
5.92 5.103	except aeronaution	cai mobile (K)	MOBILE except aeronautical mobile (R) 5.103 EU2 5.92	Radiodetermination applica	ations			

5.114

RR Region 1 Allocations and RR footnotes relevant to CEPT and frequency band		t to	European Common Allocation	Utilisation	EU-footnote	ERC Document	Standard	Note
2625	<b>-</b> 2650	kHz						
	ME MOBILE ME RADIONAV	IGATION	MARITIME MOBILE MARITIME RADIONAVIGATION 5.92 EU2	Maritime applications  Military applications				
2650 FIXED MOBILE 5.92 5.103	- 2850	kHz ical mobile (R)	FIXED MOBILE except aeronautical mobile (R) 5.103 5.92	Military applications  Radiodetermination applicat	tions			
2850 AERONA 5.111 (5.115)	- 3025 AUTICAL MOB	<b>kHz</b> ILE (R)	AERONAUTICAL MOBILE (R) 5.111 5.115	Aeronautical Mobile (R) app  (Telephony distress traffic an rescue centers)				Appendix 27 Allotment Plan  3023 kHz
<b>3025</b> AERONA	<b>- 3155</b> AUTICAL MOB	<b>kHz</b> ILE (OR)	AERONAUTICAL MOBILE (OR)	Aeronautical Mobile (OR) a	pplications			Appendix 26 Allotment Plan
3155 FIXED MOBILE 5.116 5.117	- 3200	<b>kHz</b> ical mobile (R)	FIXED MOBILE except aeronautical mobile (R) 5.116 EU2	Inductive SRD  Maritime applications  Military applications		ERC REC 70-03	EN 300 330	

RR Region 1 Allocations and RR footnotes relevant to CEPT and frequency band	European Common Allocation	Utilisation EV	U-footnote	ERC Document	Standard	Note
3200 - 3230 kHz						
BROADCASTING 5.113 FIXED	FIXED  MOBILE except aeronautical mobile (R)	Inductive SRD		ERC REC 70-03	EN 300 330	
MOBILE except aeronautical mobile (R)	5.116 EU2	Maritime applications				
5.116		Military applications				
3230 - 3400 kHz						
BROADCASTING 5.113	FIXED  MOBILE except aeronautical mobile	Inductive SRD		ERC REC 70-03	EN 300 330	
FIXED  MOBILE except aeronautical mobile	5.116 EU2	Maritime applications				
5.116		Military applications				
<b>3400 - 3500 kHz</b> AERONAUTICAL MOBILE (R)	AERONAUTICAL MOBILE (R)	Aeronautical Mobile (R) application	s			Appendix 27 Allotment Plan Inleuding HF Data Links
3500 - 3800 kHz						
AMATEUR	AMATEUR	Amateur applications			EN 301 783	
FIXED MOBILE except aeronautical mobile 5.92	FIXED MOBILE except aeronautical mobile 5.92 EU2	Military applications				
3800 <i>-</i> 3900 kHz						
AERONAUTICAL MOBILE (OR) FIXED LAND MOBILE	AERONAUTICAL MOBILE (OR) FIXED LAND MOBILE EU2	Aeronautical Mobile (OR) applicatio	ons			

RR Region 1 Allocations and RR footnotes relevant to CEPT and frequency band	European Common Allocation	Utilisation EU-footnote ERC D	ocument Standard Note
3900 - 3950 kHz			
AERONAUTICAL MOBILE (OR)	AERONAUTICAL MOBILE (OR)	Aeronautical Mobile (OR) applications	Appendix 26 Allotment Plan
<b>3950 - 4000 kHz</b> BROADCASTING FIXED	BROADCASTING FIXED EU2	Broadcasting  Military applications	Digital systems to be introduced
<b>4000 - 4063 kHz</b> FIXED  MARITIME MOBILE 5.127	FIXED MARITIME MOBILE 5.127 EU2	Maritime applications	Appendix 17 channeling plan Appendix 25 allotment plan
<b>4063 - 4438 kHz</b> MARITIME MOBILE 5.79A 5.109 5.110	MARITIME MOBILE 5.79A 5.109 5.110	DSC calling	4208, 4208.5, 4209, 4219.5, 4220, 4220.5 kHz
5.130 5.131 5.132 5.128	5.130 5.131 5.132 5.129 EU2	DSC distress traffic	4207.5 kHz
5.129		Maritime applications	Appendix 17 channeling plan Appendix 25 allotment plan
		Maritime Safety Information (MSI)	4210 kHz
		Meteorological and navigational warnings	4209.5 kHz
		Telephony distress traffic and calling by rescue centers	(4125 kHz)
		Telex distress traffic	4177.5 kHz

RR footno	RR Region 1 Allocations and RR footnotes relevant to CEPT and frequency band		European Common Allocation	Utilisation	EU-footnote	ERC Document	Standard	Note
FIXED			FIXED  MOBILE except aeronautical mobile (R)  EU2	Military applications  Railway applications		ERC REC 70-03	EN 300 330	4515 kHz Euroloop
	<b>- 4700</b> TICAL MOBIL	<b>kHz</b> E (R)	AERONAUTICAL MOBILE (R)	Aeronautical Mobile (R)	applications			Appendix 27 Allotment Plan Inlcuding HF Data Links
	<b>- 4750</b> TICAL MOBIL	<b>kHz</b> E (OR)	AERONAUTICAL MOBILE (OR)	Aeronautical Mobile (OR	R) applications			Appendix 26 Allotment Plan
AERONAUT	- 4850 TICAL MOBIL STING 5.113 BILE	<b>kHz</b> E (OR)	AERONAUTICAL MOBILE (OR) FIXED LAND MOBILE	Aeronautical Mobile (OR	R) applications			
	- <b>4995</b> STING 5.113 BILE	kHz	FIXED LAND MOBILE EU2	Military applications				
	- 5003 D FREQUENCY 000 kHz)	<b>kHz</b> Y AND TIME	STANDARD FREQUENCY AND TIME SIGNAL (5000 kHz)					

RR Region 1 Allocations and RR footnotes relevant to CEPT and frequency band	European Common Allocation	Utilisation 1	EU-footnote ERC D	ocument Standard	Note
5003 - 5005 kHz  STANDARD FREQUENCY AND TIN SIGNAL Space Research	ME STANDARD FREQUENCY AND TIME SIGNAL Space Research				
<b>5005 - 5060 kHz</b> BROADCASTING 5.113  FIXED	FIXED EU2	Military applications			
5060 - 5250 kHz FIXED Mobile except aeronautical mobile 5.133	FIXED Mobile except aeronautical mobile EU2	Military applications			
<b>5250 - 5450 kHz</b> FIXED MOBILE except aeronautical mobile	FIXED MOBILE except aeronautical mobile EU2	Military applications			
5450 - 5480 kHz  AERONAUTICAL MOBILE (OR)  FIXED  LAND MOBILE	AERONAUTICAL MOBILE (OR) FIXED LAND MOBILE EU2	Aeronautical Mobile (OR) applicated Military applications			
5480 - 5680 kHz  AERONAUTICAL MOBILE (R)  5.111  (5.115)	AERONAUTICAL MOBILE (R) 5.111 5.115	Aeronautical Mobile (R) application  (Telephony distress traffic and calliferescue centers)	ng by		Appendix 27 Allotment Plan Inleuding HF Data Links

Sebul   1	RR foo	RR Region 1 Allocations and RR footnotes relevant to CEPT and frequency band		European Common Allocation		Utilisation	EU-footnote	Note	
SIII	5680	- 5730	kHz						
	AERONA	AUTICAL MOBII	LE (OR)	AERONAUTIO	CAL MOBILE (OR)	Aeronautical Mobile (OR	) applications		
FORT   FIXED	5.111								
FIXED   LAND MOBILE   LAND MOBILE   EU2	(5.115)			5.115			and calling by		(3080 KHZ)
LAND MOBILE   LAND MOBILE   EU2	5730	_ 5900	kHz						
### PROJECT STING 5.134   BROADCASTING 5.134   BROADCASTING 5.134   BROADCASTING 5.136   S136   S13	FIXED			FIXED		Military applications			
BROADCASTING 5.134	LAND M	IOBILE		LAND MOBIL					
Side	5900	<b>-</b> 5950	kHz						
Signature   Sign	BROADO	CASTING 5.134			TING 5.134	Broadcasting			
BROADCASTING  BROADCASTING  Broadcasting  Broadcasting  Article 12 planning procedure Digital systems to be introduced  Article 12 planning procedure Digital systems to be introduced  Broadcasting  Article 12 planning procedure Digital systems to be introduced  Broadcasting  Article 12 planning procedure Digital systems to be introduced  Broadcasting  Broadcasting	5.136			5.136				 	Digital systems to be introduced
Form   Digital systems to be introduced	5950	- 6200	kHz						
MARITIME MOBILE 5.109 5.110 5.130         MARITIME MOBILE 5.109 5.110 5.130         DSC calling         6312.5, 6313, 6331.5, 6331, 6331.5, 6332           5.137         EU2         DSC distress traffic         6312 kHz           Maritime applications         Appendix 17 channeling plan Appendix 25 allotment plan           Maritime Safety Information (MSI)         6314 kHz           Telephony distress traffic and calling by rescue centers         6215 kHz           Telex distress traffic         6268 kHz	BROADO	CASTING		BROADCAST	TING	Broadcasting		 	
5.132 5.137 EU2 DSC distress traffic  Maritime applications  Maritime Safety Information (MSI)  Telephony distress traffic and calling by rescue centers  Telex distress traffic  6312 kHz  Appendix 17 channeling plan Appendix 25 allotment plan  6314 kHz  (6215 kHz)	6200	<b>-</b> 6525	kHz						
Maritime applications  Maritime Safety Information (MSI)  Telephony distress traffic and calling by rescue centers  Telex distress traffic  6312 kHz  Appendix 17 channeling plan Appendix 25 allotment plan  6314 kHz  (6215 kHz)		ME MOBILE 5.10	9 5.110 5.130		MOBILE 5.109 5.110 5.130	_		 	
Appendix 25 allotment plan  Maritime Safety Information (MSI)  (Telephony distress traffic and calling by rescue centers)  (6215 kHz)  Telex distress traffic  6268 kHz	5.137			5.137	EU2			 	
Telephony distress traffic and calling by rescue centers  Telex distress traffic 6268 kHz						Maritime applications		 	Appendix 17 channeling plan Appendix 25 allotment plan
Telex distress traffic 6268 kHz								 	
							and calling by		(6215 kHz)

RR Region 1 Allocations and RR footnotes relevant to CEPT and frequency band	European Common Allocation	Utilisation EU-footnote	ERC Document	Standard	Note
AERONAUTICAL MOBILE (R)  AERONAUTICAL MOBILE (R)  AERONAUTICAL MOBILE (R)  Aeronautical Mobile (R) applications					Appendix 27 Allotment Plan Inlcuding HF Data Links
6685 - 6765 kHz AERONAUTICAL MOBILE (OR)	AERONAUTICAL MOBILE (OR)	Aeronautical Mobile (OR) applications			Appendix 26 Allotment Plan
6765 - 7000 kHz  FIXED  Land Mobile 5.139  5.138  (5.138A)	FIXED (Land Mobile) 5.138 EU2 (5.138A)	Inductive SRD  ISM applications  Military applications  Non Specific SRD applications	ERC REC 70-03  ERC DEC (01)14  ERC REC 70-03  ERC DEC (01)01	EN 300 330 EN 300 330	6765-6795 kHz 6765-6795 kHz
<b>7000 - 7100 kHz</b> AMATEUR  AMATEUR-SATELLITE	AMATEUR AMATEUR-SATELLITE	Amateur applications  Amateur-satellite applications		EN 301 783	
7100 - 7200 kHz AMATEUR (5.141C)	AMATEUR (5.141C)	Amateur applications		EN 301 783	
<b>7200 - 7300 kHz</b> BROADCASTING	BROADCASTING	(Broadcasting)			

RR Region 1 Alloo RR footnotes relev CEPT and frequen	vant to	European Common Allocation	Utilisation	EU-footnote	ERC Document	Standard	Note
7300 - 7400	0 kHz						
BROADCASTING 5.1	134	BROADCASTING 5.134	Broadcasting				WARC92 bands to be implemented 2007
5.143		5.143					Digital systems to be introduced
(5.143B)		(5.143B)					
7400 - 7450	0 kHz						
BROADCASTING		BROADCASTING 5.134	Broadcasting				
5.143B		(5.143B)					
7450 - 8100	0 kHz						
FIXED		FIXED	Inductive SRD		ERC REC 70-03	EN 300 330	7400-8800 kHz
MOBILE except aeron	nautical mobile (R)	MOBILE except aeronautical mobile (R)  (5.143E) EU2	MC141141		ERC DEC (01)15		
(5.143E)		(5.143E) EU2	Military applications				
8100 <i>-</i> 8195	5 kHz						
FIXED		FIXED	Inductive SRD		ERC REC 70-03	EN 300 330	7400-8800 kHz
MARITIME MOBILE	3	MARITIME MOBILE			ERC DEC (01)15		
		EU2	Maritime applications				Appendix 17 channeling plan

RR foo	RR Region 1 Allocations and RR footnotes relevant to CEPT and frequency band		European Common Allocation	Utilisation	EU-footnote	ERC Document	Standard	Note
8195	- 8815	kHz						
MARITI 5.145	IME MOBILE 5.109	5.110 5.132	MARITIME MOBILE 5.109 5.110 5.132 5.145	DSC calling				8415, 8415.5, 8416, 8436.5, 8437, 8437.5 kHz
5.111			5.111 EU2	DSC distress traffic				8364 kHz and 8414.5 kHz
				Inductive SRD		ERC REC 70-03 ERC DEC (01)15	EN 300 330	
				Maritime applications				Appendix 17 channeling plan Appendix 25 allotment plan
				Maritime Safety Informat	tion (MSI)			8416.5 kHz
				Telephony distress traffic rescue centers	c and calling by			8291 kHz
				Telex distress traffic				8376.5 kHz
8815 AERON. 8965	<ul><li>8965</li><li>AUTICAL MOBILE</li><li>9040</li></ul>	kHz E(R) kHz	AERONAUTICAL MOBILE (R)	Aeronautical Mobile (R)	applications			Appendix 27 Allotment Plan Inlcuding HF Data Links
AERON	AUTICAL MOBILE	E (OR)	AERONAUTICAL MOBILE (OR)	Aeronautical Mobile (OR	R) applications			Appendix 26 Allotment Plan
				Military applications				
<b>9040</b> FIXED	<b>- 9400</b>	kHz	FIXED EU2	Military applications				
<b>9400</b> BROAD 5.146	<b>- 9500</b> CASTING 5.134	kHz	BROADCASTING 5.134 5.146	Broadcasting				WARC92 bands to be implemented 2007 Digital systems to be introduced

RR Region 1 Allocations and RR footnotes relevant to CEPT and frequency band			European Common Allocation	Utilisation	EU-footnote	ERC Document	Standard	Note
9500	- 9900	kHz						
BROAD	CASTING		BROADCASTING	Broadcasting				Article 12 planning procedure
5.147			5.147					Digital systems to be introduced
9900	- 9995	kHz						
FIXED			FIXED EU2	Military applications				
			102					
9995	- 10003	kHz						
	ARD FREQUENC (10000 kHz)	Y AND TIME	STANDARD FREQUENCY AND TIME SIGNAL (10000 kHz)					
10003	<b>-</b> 10005	kHz						
STAND. SIGNAL	ARD FREQUENC	Y AND TIME	STANDARD FREQUENCY AND TIME SIGNAL					
Space Re			Space Research					
5.111			5.111					
10005	- 10100	kHz						
AERON	AUTICAL MOBIL	E(R)	AERONAUTICAL MOBILE (R)	Aeronautical Mobile (R) applica	ations			Appendix 27 Allotment Plan Inleuding HF Data Links
5.111			5.111					incumg iii Data Liiks
10100	- 10150	kHz						
Amateur			Amateur	Amateur applications			EN 301 783	
FIXED			FIXED EU2	Military applications				

RR Region 1 Allocations and RR footnotes relevant to CEPT and frequency band	European Common Allocation	Utilisation	EU-footnote	ERC Document Standard	Note
10150 - 11175 kHz FIXED Mobile except aeronautical mobile (R)	FIXED  Mobile except aeronautical mobile (R)  EU2	Inductive SRD  Military applications		ERC REC 70-03	10.2-11 MHz
11175 - 11275 kHz AERONAUTICAL MOBILE (OR)	AERONAUTICAL MOBILE (OR)	Aeronautical Mobile (OR)			Appendix 26 Allotment Plan
<b>11275 - 11400 kHz</b> AERONAUTICAL MOBILE (R)	AERONAUTICAL MOBILE (R)	Aeronautical Mobile (R) a	pplications		Appendix 27 Allotment Plan Inleuding HF Data Links
<b>11400 - 11600 kHz</b> FIXED	FIXED EU2	Military applications			
<b>11600 - 11650 kHz</b> BROADCASTING 5.134 5.146	BROADCASTING 5.134 5.146	Broadcasting			WARC92 bands to be implemented 2007 Digital systems to be introduced
<b>11650 - 12050 kHz</b> BROADCASTING 5.147	BROADCASTING 5.147	Broadcasting			Article 12 planning procedure Digital systems to be introduced
<b>12050 - 12100 kHz</b> BROADCASTING 5.134 5.146	BROADCASTING 5.146	Broadcasting			WARC92 bands to be implemented 2007 Digital systems to be introduced

RR Region 1 Allocations and RR footnotes relevant to CEPT and frequency band	European Common Allocation	Utilisation EU-footnote ERC Document Star	ndard Note
<b>12100 - 12230 kHz</b> FIXED	FIXED EU2	Military applications	
<b>12230 - 13200 kHz</b> MARITIME MOBILE 5.109 5.110 5.132 5.145	MARITIME MOBILE 5.109 5.110 5.132 5.145	DSC calling	12577.5, 12578, 12578.5, 12657, 12657.5, 12658 kHz
	EU2	DSC distress traffic	12577 kHz
		Maritime applications	Appendix 17 channeling plan Appendix 25 allotment plan
		Maritime Safety Information (MSI)	12579 kHz
		Telephony distress traffic and calling by rescue centers	12290 kHz
		Telex distress traffic	12520 kHz
<b>13200 - 13260 kHz</b> AERONAUTICAL MOBILE (OR)	AERONAUTICAL MOBILE (OR)	Aeronautical Mobile (OR) applications	Appendix 26 Allotment Plan
<b>13260 - 13360 kHz</b> AERONAUTICAL MOBILE (R)	AERONAUTICAL MOBILE (R)	Aeronautical Mobile (R) applications	Appendix 27 Allotment Plan Inlcuding HF Data Links
<b>13360 - 13410 kHz</b> FIXED RADIO ASTRONOMY 5.149	FIXED RADIO ASTRONOMY 5.149 EU2	Military applications Radioastronomy	

RR Region 1 Allocations and RR footnotes relevant to CEPT and frequency band	European Common Allocation	Utilisation	EU-footnote	ERC Document	Standard	Note
13410 - 13570 kHz	FIXED	Inductive SRD		ERC REC 70-03	EN 300 330	13553-13567 kHz
Mobile except aeronautical mobile (R) 5.150	Mobile except aeronautical mobile (R) 5.150 EU2	ISM applications		ERC DEC (01)14		 13553-13567 kHz
5.150		Military applications				
		Non Specific SRD applications		ERC REC 70-03 ERC DEC (01)01	EN 300 330	13553-13567 kHz
13570 - 13600 kHz BROADCASTING 5.134 5.151	BROADCASTING 5.134 5.151	Broadcasting				WARC92 bands to be implemented 2007 Digital systems to be introduced
<b>13600 - 13800 kHz</b> BROADCASTING	BROADCASTING	Broadcasting				Article 12 planning procedure Digital systems to be introduced
<b>13800 - 13870 kHz</b> BROADCASTING 5.134 5.151	BROADCASTING 5.134 5.151	Broadcasting				WARC92 bands to be implemented 2007 Digital systems to be introduced
13870 - 14000 kHz FIXED Mobile except aeronautical mobile (R)	FIXED Mobile except aeronautical mobile (R) EU2	Military applications				
14000 - 14250 kHz AMATEUR AMATEUR-SATELLITE	AMATEUR AMATEUR-SATELLITE	Amateur applications  Amateur-satellite applications			EN 301 783	

RR Region 1 Allocations and RR footnotes relevant to CEPT and frequency band	European Common Allocation	Utilisation	EU-footnote	ERC Document	Standard	Note
14250 - 14350 kHz						
AMATEUR	AMATEUR	Amateur applications			EN 301 783	
5.152						
14350 <i>-</i> 14990 kHz						
FIXED	FIXED	Military applications				
Mobile except aeronautical mobile (R)	Mobile except aeronautical mobile (R) EU2					
14990 <i>-</i> 15005 kHz						
STANDARD FREQUENCY AND TIME SIGNAL (15000 kHz)	STANDARD FREQUENCY AND TIME SIGNAL (15000 kHz)					
5.111	5.111					
15005 _ 15010 kHz						
STANDARD FREQUENCY AND TIME SIGNAL	STANDARD FREQUENCY AND TIME SIGNAL					
Space Research	Space Research					
15010 - 15100 kHz						
AERONAUTICAL MOBILE (OR)	AERONAUTICAL MOBILE (OR)	Aeronautical Mobile (OR) applic	cations			Appendix 26 Allotment Plan
15100 - 15600 kHz						
BROADCASTING	BROADCASTING	Broadcasting				Article 12 planning procedure Digital systems to be introduced
						<i>5 2,</i>
15600 - 15800 kHz						
BROADCASTING 5.134 5.146	BROADCASTING 5.134 5.146	Broadcasting				WARC92 bands to be implemented 2007 Digital systems to be introduced
2.1.0						

RR Region 1 Allocations and RR footnotes relevant to CEPT and frequency band	European Common Allocation	Utilisation EU-footnote ERC Docume	nt Standard Note
<b>15800 - 16360 kHz</b> FIXED	FIXED EU2	Military applications	
16360 - 17410 kHz			
MARITIME MOBILE 5.109 5.110 5.132 5.145	MARITIME MOBILE 5.109 5.110 5.132 5.145	DSC calling	16805, 16805.5, 16806, 16903, 16903.5, 16904 kHz
	EU2	DSC distress traffic	16804.5 kHz
		Maritime applications	Appendix 17 channeling plan Appendix 25 allotment plan
		Maritime Safety Information (MSI)	16806.5 kHz
		Telephony distress traffic and calling by rescue centers	(16420 kHz)
		Telex distress traffic	16695 kHz
<b>17410 - 17480 kHz</b> FIXED	FIXED EU2	Military applications	
<b>17480 - 17550 kHz</b> BROADCASTING 5.134 5.146	BROADCASTING 5.134 5.146	Broadcasting	WARC92 bands to be implemented 2007 Digital systems to be introduced
17550 - 17900 kHz BROADCASTING	BROADCASTING	Broadcasting	Article 12 planning procedure Digital systems to be introduced

RR Region 1 Allocations and RR footnotes relevant to CEPT and frequency band	European Common Allocation	Utilisation EU-footnote EI	PC Document Standard Note
17900 - 17970 kHz AERONAUTICAL MOBILE (R)	AERONAUTICAL MOBILE (R)	Aeronautical Mobile (R) applications	Appendix 27 Allotment Plan Inleuding HF Data Links
17970 - 18030 kHz AERONAUTICAL MOBILE (OR)	AERONAUTICAL MOBILE (OR)	Aeronautical Mobile (OR) applications	Appendix 26 Allotment Plan
<b>18030 - 18052 kHz</b> FIXED	FIXED EU2	Military applications	
18052 - 18068 kHz FIXED Space Research	FIXED Space Research EU2	Military applications	
18068 - 18168 kHz  AMATEUR  AMATEUR-SATELLITE  5.154	AMATEUR AMATEUR-SATELLITE	Amateur applications  Amateur-satellite applications	EN 301 783
<b>18168 - 18780 kHz</b> FIXED Mobile except aeronautical mobile	FIXED  Mobile except aeronautical mobile	DSC calling  Military applications	18898.5, 18899, 18899.5 kHz

RR Region 1 Allocations and RR footnotes relevant to CEPT and frequency band	European Common Allocation	Utilisation EU-footnote ERC Document Standard	d Note
<b>18780 - 18900 kHz</b> MARITIME MOBILE	MARITIME MOBILE EU2	Maritime applications	Appendix 17 channeling plan
<b>18900 - 19020 kHz</b> BROADCASTING 5.134 5.146	BROADCASTING 5.134 5.146	Broadcasting	WARC92 bands to be implemented 2007 Digital systems to be introduced
<b>19020 - 19680 kHz</b> FIXED	FIXED EU2	Military applications	
<b>19680 - 19800 kHz</b> MARITIME MOBILE 5.132	MARITIME MOBILE 5.132 EU2	DSC calling  Maritime applications  Maritime Safety Information (MSI)	19703.5, 19704, 19704.5 kHz  Appendix 17 channeling plan Appendix 25 allotment plan 19680.5 kHz
<b>19800 - 19990 kHz</b> FIXED	FIXED EU2	Military applications	
19990 - 19995 kHz  STANDARD FREQUENCY AND TIME SIGNAL Space Research 5.111	STANDARD FREQUENCY AND TIME SIGNAL Space Research 5.111	Search and rescue applications	19993 kHz (+/- 3 kHz) concerning manned space vehicles

RR Region 1 Allocations and RR footnotes relevant to CEPT and frequency band	European Common Allocation	Utilisation	EU-footnote	ERC Document	Standard	Note
19995 - 20010 kHz						
STANDARD FREQUENCY AND TIME SIGNAL (20000 kHz) 5.111	STANDARD FREQUENCY AND TIME SIGNAL (20000 kHz) 5.111					
<b>20010 - 21000 kHz</b> FIXED  Mobile	FIXED Mobile EU2	Military applications				
21000 - 21450 kHz AMATEUR AMATEUR-SATELLITE	AMATEUR AMATEUR-SATELLITE	Amateur applications  Amateur-satellite applications			EN 301 783	
<b>21450 - 21850 kHz</b> BROADCASTING	BROADCASTING	Broadcasting				Article 12 planning procedure Digital systems to be introduced
21850 - 21870 kHz (FIXED 5.155A) (5.155)	FIXED EU2	Military applications				
<b>21870 - 21924 kHz</b> FIXED 5.155B	FIXED 5.155B EU2	Military applications				
<b>21924 - 22000 kHz</b> AERONAUTICAL MOBILE (R)	AERONAUTICAL MOBILE (R)	Aeronautical Mobile (R) applica				Appendix 27 Allotment Plan Inlcuding HF Data Links

RR Region 1 Allocations and RR footnotes relevant to CEPT and frequency band	European Common Allocation	Utilisation	EU-footnote	ERC Document	Standard	Note
22000 - 22855 kHz						
MARITIME MOBILE 5.132	MARITIME MOBILE 5.132 EU2	DSC calling				22374.5, 22375, 22375.5, 22444, 22444.5, 22445 kHz
		Maritime applications				Appendix 17 channeling plan Appendix 25 allotment plan
		Maritime Safety Information	on (MSI)			22376 kHz
22855 - 23000 kHz						
FIXED	FIXED EU2	Military applications				
23000 - 23200 kHz						
FIXED  Mobile except aeronautical mobile (R)	FIXED  Mobile except aeronautical mobile (R)  EU2	Military applications				
23200 - 23350 kHz AERONAUTICAL MOBILE (OR)	AERONAUTICAL MOBILE (OR)	Aeronautical Mobile (OR)	applications			
FIXED 5.156A	FIXED 5.156A	Military applications				
23350 - 24000 kHz						
FIXED MOBILE except aeronautical mobile 5.15	FIXED  MOBILE except aeronautical mobile 5.157  EU2	Military applications				
24000 - 24890 kHz		No.				
FIXED LAND MOBILE	FIXED LAND MOBILE EU2	Military applications				

RR Region 1 Allocations and RR footnotes relevant to CEPT and frequency band	European Common Allocation	Utilisation	EU-footnote	ERC Document	Standard	Note
24890 - 24990 kHz AMATEUR AMATEUR-SATELLITE	AMATEUR AMATEUR-SATELLITE	Amateur applications  Amateur-satellite applications			EN 301 783	
24990 - 25005 kHz STANDARD FREQUENCY AND TIME SIGNAL (25000 kHz)	STANDARD FREQUENCY AND TIME SIGNAL (25000 kHz)					
25005 - 25010 kHz  STANDARD FREQUENCY AND TIME SIGNAL  Space Research	STANDARD FREQUENCY AND TIME SIGNAL Space Research	Space Research				Scientific and medical space research
25010 - 25070 kHz FIXED MOBILE except aeronautical mobile	FIXED  MOBILE except aeronautical mobile  EU2	Military applications				
<b>25070 - 25210 kHz</b> MARITIME MOBILE	MARITIME MOBILE EU2	DSC calling  Maritime applications				25208.5, 25209, 25209.5 kHz  Appendix 17 channeling plan
25210 - 25550 kHz FIXED MOBILE except aeronautical mobile	FIXED MOBILE except aeronautical mobile EU2	Military applications				

RR foo	RR Region 1 Allocations and RR footnotes relevant to CEPT and frequency band		European Common Allocation	Utilisation	ERC Document	Standard	Note	
25550	- 25670	kHz						
RADIO A	ASTRONOMY		RADIO ASTRONOMY	Radioastronomy				
5.149			5.149					
25670	- 26100	kHz						
BROADO	CASTING		BROADCASTING	Broadcasting				Article 12 Planning procedure Digital systems to be introduced
26100	- 26175	kHz						
MARITI	ME MOBILE 5.13	2	MARITIME MOBILE 5.132	DSC calling				26121, 26121.5, 16122 kHz
			EU2	Maritime applications				Appendix 17 channeling plan Appendix 25 allotment plan
				Maritime Safety Information	n (MSI)			26100.5 kHz
26175	<b>-</b> 27500	kHz						
FIXED MOBILE	except aeronautic	al mobile	FIXED  MOBILE except aeronautical mobile	СВ		ERC DEC (98)11 ERC REC T/R 20-09	ETS 300 135 EN 300 433	26.960-27.410 MHz
5.150			5.150 EU2	Inductive SRD		ERC REC 70-03 ERC DEC (01)16	EN 300 330	26.957-27-283 MHz
				ISM applications				26.957-27.283 MHz
				Military applications				
				Model control SRD		ERC REC 70-03 ERC DEC (01)10	EN 300 220	26.995, 27.045, 27.095, 27.145, 27.195 MHz
				Non Specific SRD applicati		ERC REC 70-03 ERC DEC (01)02	EN 300 330	26.957-27.283 MHz
				Railway applications		ERC REC 70-03	EN 300 330	27.095 MHz Eurobalise

RR foo	RR Region 1 Allocations and RR footnotes relevant to CEPT and frequency band		European Common Allocation	Utilisation	EU-footnote	ERC Document	ent Standard	Note
27500	- 28000	kHz						
FIXED			FIXED	Military applications				
METEOI	ROLOGICAL AID	S	METEOROLOGICAL AIDS					
MOBILE	Ξ		MOBILE					
			EU2					
28000	<i>-</i> 29700	kHz						
AMATE	UR		AMATEUR	Amateur applications			EN 301 783	
AMATE	UR-SATELLITE		AMATEUR-SATELLITE					
				Amateur-satellite application				

RR Region 1 Allocation and RR footnotes relevant to CEPT and frequency band		Europea	n Common Allocation	Utilisation	EU footnote	ECC/ERC document	Standard	Note	
29.7	- 30.005	MHz							
FIXED			MOBILE		Defence systems	EU1			
MOBILE				EU2	Radio microphones		ERC REC 70-03	EN 300 422	Narrow band audio systems including tour guide systems on a tuning range basis
0.005	- 30.01	MHz							
FIXED			MOBILE		Defence systems	EU1			
		ite identification)			Radio microphones		ERC REC 70-03	EN 300 422	Narrow band audio systems including tour guide systems on a tuning range basis
PACE RESEARCH			EU2						
0.01	- 37.5	MHz							
<b>0.01</b> FIXED MOBILE	- 37.5	MHz	MOBILE		Defence systems	EU1			The bands 30.3-30.5 MHz and 32.15-32.45 MHz are harmonised military bands
IXED	- 37.5	MHz	MOBILE	EU2 EU27	Model control		ERC REC 70-03 ERC DEC (01)11	EN 300 220	
XED	- 37.5	MHz	MOBILE					EN 300 086	military bands
XED	- 37.5	MHz	MOBILE		Model control			EN 300 086 EN 300 113	military bands
XED	- 37.5	MHz	MOBILE		Model control			EN 300 086 EN 300 113 EN 300 219	military bands
XED	- 37.5	MHz	MOBILE		Model control			EN 300 086 EN 300 113 EN 300 219 EN 300 296	military bands
XED	- 37.5	MHz	MOBILE		Model control			EN 300 086 EN 300 113 EN 300 219 EN 300 296 EN 300 341	military bands
IXED	- 37.5	MHz	MOBILE		Model control			EN 300 086 EN 300 113 EN 300 219 EN 300 296	military bands

footnotes	RR Region 1 Allocation and RR footnotes relevant to CEPT and frequency band		European Common Allocation	Utilisation	EU footnote	note ECC/ERC document	Standard	Note
37.5	- 38.25	MHz						
FIXED			MOBILE except Aeronautical Mobile	Defence systems	EU1			
MOBILE			Radio Astronomy	PMR			EN 300 086	
Radio Astro	onomy						EN 300 113	
5.149			5.149 EU2				EN 300 219	
							EN 300 296	
							EN 300 341	
							EN 300 390	
							EN 300 471	
				Radio astronomy appl				Continuum measurements
				Radio microphones		ERC REC 70-03	EN 300 422	Narrow band audio systems including tour guide systems on a tuning range basis
38.25	- 39.986	MHz						
FIXED			MOBILE	Defence systems	EU1			
MOBILE			EU2	Meteor-scatter applica		ERC REC 00-04		Within the band 39.0-39.2 MHz
			202	PMR			EN 300 086	
							EN 300 113	
							EN 300 219	
							EN 300 296	
							EN 300 341	
							EN 300 390	
				Radio microphones		ERC REC 70-03	EN 300 471 EN 300 422	Narrow band audio systems including tour guide systems on a
								tuning range basis
9.986	- 40.02	MHz						
FIXED			MOBILE	Defence systems	EU1			
MOBILE			Space Research	PMR			EN 300 086	
Space Resea	arch						EN 300 113	
			EU2				EN 300 219	
							EN 300 296	
							EN 300 341	
							EN 300 390	
							EN 300 471	
				Radio microphones		ERC REC 70-03	EN 300 422	Narrow band audio systems including tour guide systems on a tuning range basis

RR Region 1 Allocation and RR footnotes relevant to CEPT and frequency band		European Common	Allocation Utilisati	on EU footnote	ECC/ERC document	Standard	Note	
40.02	- 40.66	MHz						
FIXED			MOBILE	Defence sy				
MOBILE				PMR			EN 300 086	
			EU2				EN 300 113	
							EN 300 219	
							EN 300 296	
							EN 300 341	
							EN 300 390	
							EN 300 471	
				Radio mice	ophones	ERC REC 70-03	EN 300 422	Narrow band audio systems including tour guide systems on a tuning range basis
40.66	- 40.7	MHz						
FIXED			MOBILE	Defence sy				
MOBILE				ISM				
5.150			5.150 EU2				EN 200 220	
				Model con	trol	ERC DEC (01)12	EN 300 220	
				Non specif	ic SRD	ERC REC 70-03	EN 300 220	
						ERC DEC (01)03		
				Radio mice		ERC REC 70-03	EN 300 422	Narrow band audio systems including tour guide systems on a tuning range basis
40.7	- 40.98	MHz						
FIXED			MOBILE	Defence sy	stems EU1			
MOBILE				PMR			EN 300 086	
			EU2				EN 300 113	
							EN 300 219	
							EN 300 296	
							EN 300 341	
							EN 300 390	
							EN 300 471	
				Radio mice	rophones	ERC REC 70-03	EN 300 422	Narrow band audio systems including tour guide systems on a tuning range basis

footnotes	RR Region 1 Allocation and RR footnotes relevant to CEPT and frequency band		European Common Allocation	ean Common Allocation Utilisation EU footnote docum				Note
40.98	- 41.015	MHz						
FIXED			MOBILE	Defence systems	EU1			
MOBILE			Space Research	PMR			EN 300 086	
Space Rese	earch			1 11110			EN 300 113	
			EU2				EN 300 219	
							EN 300 296	
							EN 300 341	
							EN 300 390	
							EN 300 471	
				Radio microphones		ERC REC 70-03	EN 300 422	Narrow band audio systems including tour guide systems on a tuning range basis
41.015	- 44	MHz						
FIXED			MOBILE	Defence systems	EU1			Harmonised military band
MOBILE							EN 200 007	
			EU27	PMR			EN 300 086 EN 300 113	
							EN 300 219	
							EN 300 296	
							EN 300 341	
							EN 300 390	
							EN 300 471	
				Radio microphones		ERC REC 70-03	EN 300 422	Narrow band audio systems including tour guide systems on a tuning range basis
44	- 46.4	MHz						
FIXED			MOBILE	Defence systems	EU1			Harmonised military band
MOBILE				PMR			EN 300 086	
5.162A			5.162A EU27	1 17113			EN 300 080 EN 300 113	
							EN 300 219	
							EN 300 296	
							EN 300 341	
							EN 300 390	
							EN 300 471	
				Radio microphones		ERC REC 70-03	EN 300 422	Narrow band audio systems including tour guide systems on a tuning range basis
				Wind profiler radars				In the range 46-68 MHz. Geographical sharing with other services.

RR Region 1 Allocation and RR footnotes relevant to CEPT and frequency band			European Common Allocation	Utilisation	EU footnote	ECC/ERC document	Standard	Note
46.4	- 47	MHz						
FIXED			MOBILE except Aeronautical Mobile	Defence systems	EU1			Harmonised military band
MOBILE				PMR			EN 300 086	
5.162A			5.162A EU27				EN 300 113	
							EN 300 219	
							EN 300 296	
							EN 300 341	
							EN 300 390	
							EN 300 471	
				Radio microphones		ERC REC 70-03	EN 300 422	Narrow band audio systems including tour guide systems on a tuning range basis
				Wind profiler radars				In the range 46-68 MHz. Geographical sharing with other services.
7	- 48	MHz						
<b>r</b> Broadca		1411.12	LAND MOBILE	Defence systems	EU1			
5.162A			5.162A EU2	On-site paging			EN 300 224	Onsite paging in the band 47.0-47.25 MHz
5.163			5.163 EU3					
5.164			5.164	PMR		ERC REC T/R 25-0		Single frequency applications
							EN 300 113	
							EN 300 219 EN 300 296	
							EN 300 240 EN 300 341	
							EN 300 341 EN 300 390	
							EN 300 471	
				Wind profiler radars				In the range 46-68 MHz. Geographical sharing with other services.
8	<i>-</i> 48.5	MHz						
BROADCA	ASTING		LAND MOBILE	Defence systems	EU1			
5.162A			5.162A EU2	PMR		ERC REC T/R 25-0		Single frequency applications
5.163			5.163 EU3				EN 300 113	7 - 9 mr
5.164			5.164				EN 300 219	
							EN 300 296	
							EN 300 341	
							EN 300 390	
							EN 300 471	
				Wind profiler radars				In the range 46-68 MHz. Geographical sharing with other services.

RR Region 1 Allocation and RR footnotes relevant to CEPT and frequency band		n and RR EPT and	European Common Allocation	Utilisation	EU footnote	ECC/ERC document	Standard	Note
48.5	- 50	MHz						
BROADC	ASTING		LAND MOBILE	Defence systems	EU1			
5.162A			5.162A EU2	Non specific SRD				Non specific SRD in 49.5-50 MHz
5.164			5.164 EU3	PMR				
				PMK		ERC REC T/R 25-08	EN 300 086 EN 300 113	Single frequency applications
							EN 300 219	
							EN 300 296	
							EN 300 341	
							EN 300 390	
							EN 300 471	
				Wind profiler radars				In the range 46-68 MHz. Geographical sharing with other services
50	<b>-</b> 51	MHz						
BROADC	ASTING		LAND MOBILE	Amateur applications			EN 301 783	
			Amateur	Defence systems	EU1			
5.162A			5.162A EU2	PMR		ERC REC T/R 25-08		Single frequency applications
5.164			5.164 EU3	TWIK		ERC REC 1/R 25-00	EN 300 113	Single frequency applications
							EN 300 219	
							EN 300 296	
							EN 300 341	
							EN 300 390	
							EN 300 471	
				Wind profiler radars				In the range 46-68 MHz. Geographical sharing with other services
31	- 52	MHz						
BROADC	ASTING		LAND MOBILE	Amateur applications			EN 301 783	
5.160.4			Amateur	Defence systems	EU1			
5.162A			5.162A EU2	PMR		ERC REC T/R 25-08		Single frequency applications
5.164			5.164 EU3	* *****			EN 300 113	
							EN 300 219	
							EN 300 296	
							EN 300 341	
							EN 300 390	
							EN 300 471	
				Wind profiler radars				In the range 46-68 MHz. Geographical sharing with other services

RR Region 1 Allocation and RR footnotes relevant to CEPT and frequency band			European Common Allocation	Utilisation	EU footnote	ECC/ERC document	Standard	Note
52	- 54	MHz						
BROADC	ASTING		LAND MOBILE	Defence systems	EU1			
5.162A			5.162A EU2	PMR		ERC REC T/R 25-08	FN 300 086	single frequency applications
5.164			5.164 EU3	THIC		ERC REC 1/R 25 00	EN 300 113	single requerey appreautons
							EN 300 219	
							EN 300 296	
							EN 300 341	
							EN 300 390	
							EN 300 471	
				Wind profiler radars				In the range 46-68 MHz. Geographical sharing with other services
54	- 61	MHz						
BROADC	ASTING		LAND MOBILE	Defence systems	EU1			
5.162A			5.162A EU2	PMR		ERC REC T/R 25-08		ML paired with 61-68 MHz
5.163			5.163 EU3	FIVIK		ERC REC 1/R 23-06	EN 300 080 EN 300 113	ML paned with 01-06 MHZ
5.164			5.164				EN 300 219	
							EN 300 296	
							EN 300 341	
							EN 300 390	
							EN 300 471	
				Wind profiler radars				In the range 46-68 MHz. Geographical sharing with other services
61	- 68	MHz						
BROADC	CASTING		LAND MOBILE	Defence systems	EU1			
5.162A			5.162A EU2	PMR		ERC REC T/R 25-08		FB paired with 54-61 MHz
5.164			5.164 EU3	1 IVIIC		ERC REC 1/R 23-08	EN 300 080 EN 300 113	1 b paired with 54-01 Willz
							EN 300 219	
							EN 300 296	
							EN 300 341	
							EN 300 390	
							EN 300 471	
				Wind profiler radars				In the range 46-68 MHz. Geographical sharing with other services

RR Region 1 Allocation and RR footnotes relevant to CEPT and frequency band		and RR PT and	European Common Allocation	Utilisation	EU footnote	ECC/ERC document	Standard	Note
88	- 70.45	MHz						
FIXED			MOBILE	Defence systems	EU1			
MOBILE exc	cept Aeronautic	al Mobile		PMR		ERC REC T/R 25-08	EN 300 086	ML paired with 77.8-80.25 MHz
5.149			EU2	FIVIK		ERC REC 1/R 23-06	EN 300 080 EN 300 113	IVIL paned with 77.0-80.23 WIIIZ
5.174			EU4				EN 300 219	
5.175							EN 300 296	
5.176							EN 300 341	
5.177							EN 300 390	
5.179							EN 300 471	
0.45	- 74.8	MHz						
FIXED			MOBILE except Aeronautical Mobile	Defence systems	EU1			Harmonised military band 73.3-74.1 MHz
√OBILE exc	cept Aeronautic	al Mobile	Radio Astronomy	PMR		ERC REC T/R 25-08		ML paired with 80.25-84.6 MHz
5.149			5.149 EU2				EN 300 113	
5.174			EU4				EN 300 219	
5.175			EU27				EN 300 296	
5.176							EN 300 341	
5.177							EN 300 390	
5.179							EN 300 471	
				Radio astronomy appli	cations			Continuum measurements. In 73-74.6 MHz RA for solar wind monitoring
_	- 75.2	MHz						
5.180	ΓICAL RADIO!	NAVIGATION	AERONAUTICAL RADIONAVIGATION 5.180	ILS/marker beacons				
<b>'5.2</b>	- 77.7	MHz						
FIXED			MOBILE	Defence systems	EU1			
	cept Aeronautic	al Mobile				ED C DEC T/D 25 00		NG - 1 14 05 0 05 NG
5.175	1		EU2	PMR		ERC REC T/R 25-08		ML paired with 85.0-87.5 MHz
5.179							EN 300 113	
5.184							EN 300 219	
5.187							EN 300 296 EN 300 341	
,,							EN 300 341 EN 300 390	
							EN 300 471	

footnotes	RR Region 1 Allocation and RR footnotes relevant to CEPT and frequency band		European Common Allocation	Utilisation	EU footnote	te ECC/ERC document	Standard	Note
77.7	- 77.8	MHz						
FIXED			MOBILE	Defence systems	EU1			
MOBILE e	xcept Aeronauti	cal Mobile		PMR		ERC REC T/R 25-08	EN 200 086	Single frequency applications
5.175			EU2	TWIK		ERC REC 1/R 23-00	EN 300 080 EN 300 113	Single frequency applications
5.179							EN 300 219	
5.184							EN 300 296	
5.187							EN 300 341	
							EN 300 390	
							EN 300 471	
77.8	- 84.6	MHz						
FIXED			MOBILE	Defence systems	EU1			Harmonised military band 79.0-79.7 MHz
MOBILE e	xcept Aeronauti	cal Mobile		PMR		ERC REC T/R 25-08	EN 300 086	FB paired with 68-74.8 MHz
5.175			EU2	TWIR		ERC REC 1/10 25 00	EN 300 113	1 B paned with 60 7 1.0 MHz
5.179			EU27				EN 300 219	
5.184							EN 300 296	
5.187							EN 300 341	
							EN 300 390	
							EN 300 471	
84.6	- 85	MHz						
FIXED			MOBILE	Defence systems	EU1			
MOBILE e	xcept Aeronauti	cal Mobile		PMR		ERC REC T/R 25-08	EN 300 086	Single frequency applications
5.175			EU2			2 2 20 00	EN 300 113	2 - 4 - 4 - 4 - 4 - 4 - 4 - 4 - 4 - 4 -
5.179							EN 300 219	
5.184							EN 300 296	
5.187							EN 300 341	
							EN 300 390	
							EN 300 471	

footnote	RR Region 1 Allocation and RR footnotes relevant to CEPT and frequency band		European Common Allocation	Utilisation	EU footnote	ECC/ERC document	Standard	Note
85	- 87.5	MHz						
FIXED			MOBILE	Defence systems	EU1			
	except Aeronautic	cal Mobile		PMR		ERC REC T/R 25-08		FB paired with 75.2-77.7 MHz
5.175			EU2				EN 300 113	F
5.179							EN 300 219	
5.184							EN 300 296	
5.187							EN 300 341	
							EN 300 390	
							EN 300 471	
87.5	- 100	MHz						
5.190	CASTING		BROADCASTING	FM Sound Broadcast Agreement 1984	ing, Geneva			
<b>100</b> BROADO 5.194	- 108 CASTING	MHz	BROADCASTING	FM Sound Broadcast Agreement 1984	ing, Geneva			
108	- 117.975							
5.197A	AUTICAL RADIO	NAVIGATION	AERONAUTICAL RADIONAVIGATION (5.197A)	ILS/Localiser				Within the band 108-112 MHz
3.17/12			(3.197A)	VOR				Within the band 108-117.975 MHz
	5 - 121.45 AUTICAL MOBIL	<b>MHz</b> E (R)	AERONAUTICAL MOBILE (R) 5.200	Aeronautical mobile communications for s regularity of flights	-			

footnotes r	RR Region 1 Allocation and RR footnotes relevant to CEPT and frequency band		European Common Allocation	Utilisation	EU footnote	te ECC/ERC document	V tandaud	Note
121.45	- 121.55	MHz						
AERONAU	TICAL MOBII	E(R)	AERONAUTICAL MOBILE MOBILE-SATELLITE (E/S)	EPIRB			EN 300 152	Band only available for distress and safety
5.111 5.198			5.111 5.199					
5.199 5.200 5.201			5.200					
121.55	- 136	MHz						
AERONAU 5.198 5.200 5.201	TICAL MOBII	E (R)	AERONAUTICAL MOBILE (R) 5.200 5.201	Aeronautical mobile communications for safety regularity of flights, airlin business and airport mobi communications	ne			
136	- 137	MHz						
5.202 5.203	TICAL MOBII	E (R)	AERONAUTICAL MOBILE (R) 5.202	Aeronautical mobile communications for safety regularity of flights, airlin business and airport mobi communications	ne			
137	- 137.02	5 MHz						
METEORO	LOGICAL-SA	TELLITE (S/E)	METEOROLOGICAL-SATELLITE (S/E)	Low earth orbiting satellit		ERC DEC (99)06	EN 301 721	
	ATELLITE (S/I ERATION (S/E	E) 5.208A 5.209	MOBILE MOBILE-SATELLITE (S/E) 5.208A 5.209	Meteorological Satellite				
SPACE RES	SEARCH (S/E)  pt Aeronautica		Space Operation (S/E) Space Research (S/E)	Mobile applications				Mobile restricted to Aeronautical Mobile (OR), including air sport
5.204 5.206 5.208	_	. ,	5.206 5.208					

RR Region 1 Allocation and RR footnotes relevant to CEPT and frequency band	European Common Allocation	Utilisation	EU footnote	ECC/ERC document	Standard	Note
137.025 - 137.175 MHz						
METEOROLOGICAL-SATELLITE (S/E) SPACE OPERATION (S/E) SPACE RESEARCH (S/E) Fixed Mobile except Aeronautical mobile (R) Mobile-Satellite (S/E) 5.208A 5.209 5.204 5.206 5.208	METEOROLOGICAL-SATELLITE (S/E) MOBILE Mobile-Satellite (S/E) 5.208A 5.209 Space Operation (S/E) Space Research (S/E)  5.206 5.208	Meteorological Satellite  Mobile applications				Mobile restricted to Aeronautical Mobile (OR), including air sport
137.175 - 137.825 MHz  METEOROLOGICAL-SATELLITE (S/E)  MOBILE-SATELLITE (S/E) 5.208A 5.209  SPACE OPERATION (S/E)	METEOROLOGICAL-SATELLITE (S/E) MOBILE MOBILE-SATELLITE (S/E) 5.208A 5.209	Meteorological Satellite				
SPACE RESEARCH (S/E) Fixed Mobile except Aeronautical mobile (R) 5.204 5.206 5.208	Space Operation (S/E) Space Research (S/E)  5.206 5.208	Mobile applications				Mobile restricted to Aeronautical Mobile (OR), including air sport
137.825 - 138 MHz  METEOROLOGICAL-SATELLITE (S/E) SPACE OPERATION (S/E) SPACE OPERATION (S/E) Fixed Mobile except Aeronautical mobile (R) Mobile-Satellite (S/E) 5.208A 5.209	METEOROLOGICAL-SATELLITE (S/E) MOBILE Mobile-Satellite (S/E) 5.208A 5.209 Space Operation (S/E) Space Research (S/E)	Meteorological Satellite  Mobile applications				Mobile restricted to Aeronautical Mobile (OR), including air sport
5.204 5.206 5.208	5.206 5.208					

RR Region 1 Allocation and RR footnotes relevant to CEPT and frequency band	European Common Allocation	Utilisation	EU footnote	ECC/ERC document	Standard	Note
138 - 143.6 MHz						
AERONAUTICAL MOBILE (OR)	AERONAUTICAL MOBILE (OR)	Air operation control	EU5			
	LAND MOBILE	Defence systems				Harmonised military band
5.210	Space Research (S/E) 5.211 EU2	Mobile applications				
5.211	EU27	Short Range Devices		ERC REC 70-03	EN 300 220	SRDs in the band 138.2-138.45 MHz
5.214						
143.6 - 143.65 MHz						
AERONAUTICAL MOBILE (OR)	AERONAUTICAL MOBILE (OR)	Air operation control	EU5			
SPACE RESEARCH (S/E)	LAND MOBILE SPACE RESEARCH (S/E)	Defence systems				Harmonised military band
5.211	5.211 EU2	Mobile applications				
5.214	EU27					
143.65 - 144 MHz						
	AFRONAUTICAL MODILE (OD)	A**	EUG			
AERONAUTICAL MOBILE (OR)	AERONAUTICAL MOBILE (OR) LAND MOBILE	Air operation control	EU5			**
5.210	5.211 EU2					Harmonised military band
5.211 5.214	EU27	Mobile applications				
144 - 146 MHz						
AMATEUR	AMATEUR	Amateur applications			EN 301 783	
AMATEUR-SATELLITE	AMATEUR-SATELLITE		ations			
46 - 146.8 MHz						
FIXED	MOBILE	PMR	EU7	ERC REC T/R 25-0		Single frequency applications
MOBILE except Aeronautical Mobile (R)					EN 300 113 EN 300 219	
					EN 300 219 EN 300 296	
					EN 300 341	
					EN 300 390	
					EN 300 471	

RR Region 1 Allocation and RR footnotes relevant to CEPT and frequency band			European Common Allocation	Utilisation	EU footnote	ootnote ECC/ERC document	Standard	Note
146.8	- 148	MHz						
FIXED MOBILE e	xcept Aeronautic	al Mobile (R)	MOBILE	PMR	EU7	ERC REC T/R 25-08	EN 300 086 EN 300 113 EN 300 219 EN 300 296 EN 300 341 EN 300 390 EN 300 471	ML paired with 151.4-152.6 MHz
148	- 148.4	MHz						
	xcept Aeronautic ATELLITE (E/S		MOBILE MOBILE-SATELLITE (E/S) 5.209 5.218 5.219 5.221	Low earth orbiting satellit		ERC DEC (99)06 ERC REC T/R 25-08		ML paired with 152.6-153 MHz
48.4	- 149.9	MHz						
	xcept Aeronautic ATELLITE (E/S		MOBILE MOBILE-SATELLITE (E/S) 5.209 5.218 5.219 5.221	Low earth orbiting satellit		ERC DEC (99)06 ERC REC T/R 25-08		ML paired with 153.0-154.5 MHz
149.9	- 150.05	MHz						
	ATELLITE (E/S VIGATION-SAT	) 5.209 5.224A TELLITE 5.224B	MOBILE MOBILE-SATELLITE (E/S) 5.209 5.224A RADIONAVIGATION-SATELLITE 5.224B 5.220 5.222 5.223	Low earth orbiting satellit PMR		ERC REC T/R 25-08		Single frequency applications

RR Region 1 Allocation and RR footnotes relevant to CEPT and frequency band		nd RR PT and	European Common Allocation	Utilisation	EU footnote	te ECC/ERC document	Standard	Note
150.05	- 151.4	MHz						
FIXED MOBILE ex	cept Aeronautica	l Mobile	MOBILE except Aeronautical Mobile RADIO ASTRONOMY	PMR	EU7	ERC REC T/R 25-08	EN 300 086 EN 300 113	ML paired with 154.65-156.0 MHz
RADIO AST	ΓRONOMY						EN 300 219	
5.149			5.149				EN 300 296	
							EN 300 341 EN 300 390	
							EN 300 390 EN 300 471	
				Radio astronomy ap	plications			Continuum measurement and pulsar/solar observations
151.4	- 153	MHz						
FIXED			MOBILE except Aeronautical Mobile	PMR	EU7	ERC REC T/R 25-08	EN 300 086	FB paired with 146.8-148.4 MHz
	cept Aeronautica	l Mobile	RADIO ASTRONOMY				EN 300 113	
RADIO AST 5.149	TRONOMY		5.149				EN 300 219 EN 300 296	
3.149			5.149				EN 300 296 EN 300 341	
							EN 300 390	
							EN 300 471	
				Radio astronomy ap				Continuum measurement and pulsar/solar observations
	454	BA11-						
153	<b>-</b> 154	MHz						
FIXED		1.M. 1.T. (D)	MOBILE except Aeronautical Mobile	PMR	EU7	ERC REC T/R 25-08		FB paired with 148.4-149.4 MHz
Meteorologic	cept Aeronautica	i Mobile (K)					EN 300 113 EN 300 219	
Wickediologi	cai / tius						EN 300 219 EN 300 296	
							EN 300 341	
							EN 300 390	
							EN 300 471	
154	- 154.5	MHz						
	104.0			D1 (D	777.5		T11 200 006	TD
FIXED	aant Aaranautica	l Mobile (D)	MOBILE except Aeronautical Mobile	PMR	EU7	ERC REC T/R 25-08	EN 300 086 EN 300 113	FB paired with 149.4-149.9 MHz
MODILE ex	cept Aeronautica	i iviouiie (K)					EN 300 113 EN 300 219	
							EN 300 219 EN 300 296	
							EN 300 341	
							EN 300 390	
							EN 300 471	

RR Region 1 Allocation and RR footnotes relevant to CEPT and frequency band	European Common Allocation	Utilisation	EU footnote	ECC/ERC document	Standard	Note
154.5 - 154.65 MHz						
FIXED MOBILE except Aeronautical Mobile (R)	MOBILE except Aeronautical Mobile	PMR	EU7		EN 300 113	Single frequency applications
					EN 300 219 EN 300 296	
					EN 300 341	
					EN 300 390	
					EN 300 471	
154.65 - 156 MHz						
FIXED	MOBILE except Aeronautical Mobile	PMR	EU7	ERC REC T/R 25-08	EN 300 086	FB paired with 150.05-151.4 MHz
MOBILE except Aeronautical Mobile (R)					EN 300 113	
					EN 300 219	
					EN 300 296 EN 300 341	
					EN 300 341 EN 300 390	
					EN 300 471	
156 - 156.5125 MHz						
FIXED	MOBILE except Aeronautical Mobile	RR Appendix 18	EU7 EU8		EN 300 162	Ship stations paired with 160.6-160.625. Single frequency in 156.375-156.500 MHz
MOBILE except Aeronautical Mobile (R) 5.226	5.226		EU8		EN 300 698	130.375-130.300 MHZ
3.220	3.220				EN 301 178	
					EN 301 025	
156.5125 - 156.5375 MHz						
FIXED	MARITIME MOBILE	Digital selective calling for	ar.		EN 301 025	The frequency 156.525 MHz
MOBILE except Aeronautical Mobile (R)	MAKITIME MOBILE	distress, safety	)1		EN 301 023	The frequency 130.323 MHz
5.226	5.226					
5.227	5.227					
156.5375 - 156.7625 MHz						
FIXED	MOBILE except Aeronautical Mobile	RR Appendix 18	EU7		EN 300 162	Single frequency applications
MOBILE except Aeronautical Mobile (R)			EU8		EN 300 698	
5.226	5.226				EN 301 178	
					EN 301 025	

RR Region 1 Allocation and RR footnotes relevant to CEPT and frequency band	European Common Allocation	Utilisation	EU footnote	ECC/ERC document	Standard	Note
156.7625 - 156.8375 MHz						
MARITIME MOBILE (distress and calling) 5.111 5.226	MARITIME MOBILE 5.111 5.226	International distress, calling frequency	safety and		EN 300 162	The frequency 156.8 MHz + single frequencies
FIXED MOBILE except Aeronautical Mobile 5.226	MOBILE except Aeronautical Mobile 5.226	RR Appendix 18	EU7 EU8	I I	EN 300 162 EN 300 698 EN 301 178 EN 301 025	Ship stations paired with 161.5-162.0 MHz and Single frequencies
157.45 - 160.6 MHz						
FIXED MOBILE except Aeronautical Mobile	MOBILE except Aeronautical Mobile	PMR	EU7	H H H	EN 300 086 EN 300 113 EN 300 219 EN 300 296 EN 300 341 EN 300 390 EN 300 471	ML paired with 162.05-165.2 MHz
160.6 - 160.975 MHz						
FIXED MOBILE except Aeronautical Mobile 5.226	MOBILE except Aeronautical Mobile 5.226	RR Appendix 18	EU7 EU8	I I	EN 300 162 EN 300 698 EN 301 178 EN 301 025	Cost stations, paired with 156.250-156.350 MHz
160.975 - 161.475 MHz						
FIXED MOBILE except Aeronautical Mobile	MOBILE except Aeronautical Mobile	PMR	EU7	H H H H	EN 300 113 EN 300 219 EN 300 296 EN 300 341 EN 300 390 EN 300 471	Single frequency applications

RR Region 1 Allocation and RR footnotes relevant to CEPT and frequency band			European Common Allocation	Utilisation	EU footnote	ECC/ERC document	Standard	ard Note
161.475	- 162.05	MHz						
FIXED			MOBILE except Aeronautical Mobile	RR Appendix 18	EU7		EN 300 162	Cost stations, paired with 156.9-157.4 MHz For DSC
MOBILE exc	cept Aeronautical	l Mobile			EU8		EN 301 025	
5.226			5.226				EN 300 698	
							EN 301 178	
				Shipborne Automatic Identification System (A	AIS)	ERC DEC (99)17		161.975 MHz and 162.025 MHz
62.05	- 165.2	MHz						
FIXED			MOBILE except Aeronautical Mobile	PMR	EU7	ERC REC T/R 25-08		FB paired with 157.45-160.6 MHz
MOBILE exc	cept Aeronautical	l Mobile					EN 300 113	
							EN 300 219	
							EN 300 296 EN 300 341	
							EN 300 341 EN 300 390	
							EN 300 471	
165.2	- 165.225	MHz						
FIXED			MOBILE except Aeronautical Mobile	PMR		ERC REC T/R 25-08	EN 300 086	Single frequency applications
MOBILE exc	ept Aeronautical	l Mobile					EN 300 113	
							EN 300 219	
							EN 300 296	
							EN 300 341	
							EN 300 390 EN 300 471	
							EN 300 4/1	
65.225	- 169.4	MHz						
FIXED			MOBILE except Aeronautical Mobile	PMR	EU7	ERC REC T/R 25-08	EN 300 086	ML paired with 169.825-174.0 MHz
MOBILE exc	ept Aeronautical	l Mobile					EN 300 113	
							EN 300 219	
							EN 300 296	
							EN 300 341	
							EN 300 390	
							EN 300 471	

RR Region 1 Allocation and RR footnotes relevant to CEPT and frequency band			European Common Allocation	Utilisation	EU footnote	cootnote ECC/ERC document	Standard	Note
169.4	- 169.825	MHz						
FIXED			MOBILE except Aeronautical Mobile	ERMES	EU7	ERC DEC (94)02		169.4125-169.8125 MHz
MOBILE ex	xcept Aeronautica	ıl Mobile		PMR	EU7	ERC REC T/R 25-08	EN 300 086	Single frequency applications
							EN 300 113	
							EN 300 219	
							EN 300 296	
							EN 300 341 EN 300 390	
							EN 300 390 EN 300 471	
							EN 300 471	
169.825	- 174	MHz						
FIXED			MOBILE except Aeronautical Mobile	Aids for handicapped		ERC REC 70-03	EN 300 422	Within 173.965-174.015 MHz
MOBILE ex	xcept Aeronautica	ıl Mobile		PMR	EU7	ERC REC T/R 25-08	EN 300 086	FB paired with 165.225-169.4 MHz
							EN 300 113	
							EN 300 219	
							EN 300 296	
							EN 300 341	
							EN 300 390	
							EN 300 471	
174	- 216	MHz						
BROADCA	STING		BROADCASTING	Aids for handicapped		ERC REC 70-03	EN 300 422	Within 173.965-174.015 MHz
5.235			LAND MOBILE 5.235 EU9	Radio microphones		ERC REC 70-03	EN 300 422	On a tuning range basis
3.233			3.233	T-DAB Wiesbaden specie Arrangement, 1995 revise Maastricht 2002	al ed			
				TV Stockholm Agreemer				The band 174-230 MHz be reviewed for possible future applications after the introduction of T-DAB and DVB-T
216	- 223	MHz						
BROADCA	STING		BROADCASTING	T-DAB Wiesbaden speci	al			Existing TV transmitters according to stockholm Agreement 1961.
5.235			5.235	Arrangement, 1995 revise Maastricht 2002	ed			The band 174-230 MHz be reviewed for possible future applications after the introduction of T-DAB and DVB-T

	on 1 Allocation of relevant to CEI y band		European Common Allocation	Utilisation	EU footnote	ECC/ERC document	Standard	Note
223	- 225	MHz						
BROADCA Fixed Mobile 5.246	ASTING		BROADCASTING	T-DAB Wiesbaden spe Arrangement, 1995 rev Maastricht 2002			The band 174-230 MHz be reviewed for possible future applications after the introduction of T-DAB and DVB-T	
225	- 230	MHz						
BROADCA Fixed Mobile 5.246	ASTING		BROADCASTING Land Mobile EU10	T-DAB Wiesbaden spe Arrangement, 1995 rev Maastricht 2002				This band is within the military tuning range 225-400 MHz. T-DAB sharing with defence on national basis.  The band 174-230 MHz be reviewed for possible future applications after the introduction of T-DAB and DVB-T
230	- 235	MHz	MODIL F	Defense				Harmania dan Bernahan d
FIXED MOBILE			MOBILE  EU10  EU27	Defence systems  T-DAB Wiesbaden spe Arrangement, 1995 rev Maastricht 2002	cial ised			Harmonised military band  T-DAB sharing with defence on a national basis
235	- 240	MHz						
FIXED			MOBILE	Defence systems				Harmonised military band.
MOBILE 5.254			5.254 EU10 EU27	T-DAB Wiesbaden spe Arrangement, 1995 rev Maastricht 2002	cial			T-DAB sharing with defence on a national basis
240	- 242.95	MHz						
FIXED MOBILE			MOBILE	Defence systems				Harmonised military band. Air traffic control.
5.254			5.254 EU10 EU27					

RR Region footnotes r frequency	n 1 Allocation a relevant to CEP band	nd RR T and	European Common Allocation	Utilisation	EU footnote	ECC/ERC document	Standard	Note
242.95	- 243.055	MHz						
FIXED MOBILE 5.111			AERONAUTICAL MOBILE MOBILE-SATELLITE (E/S) 5.111	EPIRB			EN 300 152	Band only available for distress and safety purposes
5.199 5.254			5.199 5.254					
5.256			5.256					
243.055	- 267	MHz						
FIXED MOBILE ex	cept Aeronautical	Mobile	MOBILE	Defence systems				Harmonised military band. Air traffic control.
5.254 (5.256A)			5.254 EU10 (EU27)					
267	- 272	MHz						
FIXED MOBILE	.: (0.17)		MOBILE	Defence systems				Harmonised military band. Air traffic control
Space Opera 5.254 5.257	uion (S/E)		5.254 EU10 5.257 EU27					
272	- 273	MHz						
FIXED MOBILE	MOBILE		MOBILE	Defence systems				Harmonised military band. Air traffic control
5.254	ERATION (S/E)		5.254 EU10 EU27					

	on 1 Allocation s relevant to CE cy band		European Common Allocation	Utilisation EU footnot	e ECC/ERC document	Standard	Note
273	- 312	MHz					
FIXED MOBILE			MOBILE	Defence systems			Harmonised military band Air traffic control
5.254			5.254 EU10 EU27				
312	- 315	MHz					
FIXED MOBILE			MOBILE	Defence systems			Harmonised military band. Air traffic control.
	atellite (E/S) 5.254	1 5 255					An dance conton
WOONC-50	atemie (L/3) 3.23-	7 3.233	5.254 EU10				
			5.255 EU27				
315	- 322	MHz					
FIXED MOBILE			MOBILE	Defence systems			Harmonised military band Air traffic control.
5.254			5.254 EU10 EU27				
322	- 328.65	MHz					
FIXED			MOBILE	Defence systems			Harmonised military band
MOBILE			RADIO ASTRONOMY	Radio astronomy applications			Continuum measurements, also VLBI
	STRONOMY		5 140 FULO				
5.149			5.149 EU10 EU27				
328.65	- 335.4	MHz					
	UTICAL RADIO		AERONAUTICAL RADIONAVIGATION	ILS/Glide path			
5.258	TO HEAL KADIO	MINIOATION	5.258 EU2				

footnotes	RR Region 1 Allocation and RR footnotes relevant to CEPT and frequency band		Europe	an Common Allocation	Utilisation	EU footnote	ECC/ERC document	Standard	Note
335.4	- 380	MHz							
FIXED MOBILE			MOBILE		Defence systems	EU7			Harmonised military band Air traffic control
5.254			5.254	EU10 EU27					
380	- 385	MHz							
FIXED			MOBILE		Defence systems				Harmonised military band
MOBILE 5.254			5.254	EU2 EU10	Emergency AGA		ERC DEC (01)20	EN 300 113 EN 300 390	384.8-385/394.8-395 MHz for AGA emergency
				EU27	Emergency DMO		ERC DEC (01)19	EN 300 113 EN 300 390	380-380.15/390-390.15 MHz for DMO emergency
					Emergency services		ERC DEC (96)01	EN 303 035	ML paired with 390.0-395.0 MHz. Emergency services sharing with defence applications.
							ERC REC T/R 02-02	2	
385	- 387	MHz							
FIXED			MOBILE		Defence systems				Harmonised military band
MOBILE 5.254			5.254	EU2	Digital land mobile PM		ERC DEC (96)04	EN 303 035	ML Paired with 395-397 MHz
3.234			3.234	EU10			ERC REC T/R 02-02	2	
				EU27					
387	- 390	MHz							
FIXED			MOBILE		Defence systems				Harmonised military band
Mobile-Sat	ellite (S/E) 5.208	3A			Digital land mobile PM		ERC DEC (96)04	EN 303 035	
5.254			5.254	EU2	Digital land modific I W		ERC REC T/R 02-02		nie panea min 577 577.7 min
5.255			5.255	EU10					
				EU27					

footnotes 1	RR Region 1 Allocation and RR footnotes relevant to CEPT and frequency band		European Common Allocation Utilisation EU footnote	ECC/ERC document	Standard	Note			
390	- 395	MHz							
FIXED MOBILE			MOBILE		Defence systems				Harmonised military band Emergency services sharing with defence applications.
5.254			5.254	EU2 EU10	Emergency AGA		ERC DEC (01)20	EN 300 113 EN 300 390	384.8-385/394.8-395 MHz for AGA emergency
				EU27	Emergency DMO		ERC DEC (01)19	EN 300 113 EN 300 390	380-380.15/390-390.15 MHz for DMO emergency
					Emergency services		ERC DEC (96)01	EN 303 035	FB paired with 380-385 MHz. Emergency services sharing with defence applications.
							ERC REC T/R 02-02		
395	- 399.9	MHz							
FIXED			MOBILE		Defence systems				Harmonised military band
MOBILE 5.254			5.254	EU2	Digital land mobile PM		ERC DEC (96)04 ERC REC T/R 02-02	EN 303 035	FB paired with 385-389.9 MHz
				EU10 EU27	••••••				

**-** 400.05 MOBILE-SATELLITE (E/S) 5.209 5.224A

MOBILE-SATELLITE (E/S) 5.209 5.224A RADIONAVIGATION-SATELLITE 5.222 RADIONAVIGATION-SATELLITE 5.222 5.224B 5.260 5.224B 5.260 5.220 5.220

MHz

**-** 400.15 MHz 400.05

STANDARD FREQUENCY AND TIME STANDARD FREQUENCY AND TIME SIGNAL-SATELLITE (400.1 MHz) SIGNAL-SATELLITE (400.1 MHz)

5.261 5.262

399.9

RR Region 1 Allocation and RR footnotes relevant to CEPT and frequency band	European Common Allocation	Utilisation	EU footnote	ECC/ERC document	Standard	Note		
400.15 - 401 MHz								
METEOROLOGICAL AIDS	METEOROLOGICAL AIDS	Low earth orbiting satel		ERC DEC (99)06	EN 301 721			
METEOROLOGICAL-SATELLITE (S/E) MOBILE-SATELLITE (S/E) 5.208A 5.209 SPACE RESEARCH (S/E) 5.263 Space Operation (S/E) 5.262 5.264	METEOROLOGICAL-SATELLITE (E/S) MOBILE-SATELLITE (S/E) 5.208A 5.209 SPACE OPERATION (S/E) SPACE RESEARCH (S/E) 5.263 5.264	Meteorological radio so	ondes					
401 - 402 MHz								
EARTH EXPLORATION-SATELLITE (E/S) METEOROLOGICAL AIDS	EARTH EXPLORATION-SATELLITE (E/S)	Meteorological radio so						
METEOROLOGICAL-SATELLITE (E/S)	METEOROLOGICAL AIDS METEOROLOGICAL-SATELLITE (E/S)	Meteorological satellite collection platform				301 721		
SPACE OPERATION (S/E) Fixed								
Mobile except Aeronautical Mobile	EU2							
402 - 403 MHz								
EARTH EXPLORATION-SATELLITE (E/S) METEOROLOGICAL AIDS	EARTH EXPLORATION-SATELLITE (E/S) METEOROLOGICAL AIDS	Medical implants SRD		ERC DEC (01)17 ERC REC 70-03	EN 300 220	Medical implants within 402-405 MHz		
METEOROLOGICAL-SATELLITE (E/S) Fixed	METEOROLOGICAL-SATELLITE (E/S)	Meteorological radio so	ondes					
Mobile except Aeronautical Mobile	EU2	Meteorological satellite collection platform						
403 - 406 MHz METEOROLOGICAL AIDS	METEOROLOGICAL AIDS	Medical implants SRD		ERC DEC (01)17	EN 300 220	Medical implants within 402-405 MHz		
Fixed  Mobile except Agrapautical Mobile				ERC REC 70-03				
Mobile except Aeronautical Mobile	EU2	Meteorological radio so	ondes					

footnotes	RR Region 1 Allocation and RR footnotes relevant to CEPT and frequency band  06 - 406.1 MHz		Tand European Common Allocation Utilisation EU footnote	ECC/ERC document	Standard	Note				
406	- 406.1	MHz								
MOBILE-S	SATELLITE (E/S)		MOBILE-SATELLITE (E/S)	EPIRB			EN 300 066	Band only available for distress and safety purposes		
5.266			5.266							
5.267			5.267							
406.1	- 410	MHz								
FIXED MOBILE 6	except Aeronautica	al Mobile	LAND MOBILE RADIO ASTRONOMY	Anagolue and digital lan PMR/PAMR	nd mobile	ERC REC T/R 25-08	EN 300 086	Single frequency applications		
	OBILE except Aeronautical Mobile ADIO ASTRONOMY						EN 300 113			
5.149			5.149				EN 300 219			
							EN 300 296			
							EN 300 341			
							EN 300 390			
							EN 300 471			
				Radio astronomy applica	ations			Continuum measurement and pulsar observation		
410	- 420	MHz								
FIXED MOBILE 6	except Aeronautica	al Mobile	MOBILE except Aeronautical Mobile	Analogue and digital lan PMR/PAMR	nd mobile EU7	ERC REC T/R 25-08	EN 300 086	ML paired with 420-430 MHz		
SPACE RE	ESEARCH (S/S) 5	.268					EN 300 113			
							EN 300 219			
							EN 300 296			
							EN 300 341 EN 300 390			
							EN 300 390 EN 300 471			
				Digital land mobile PMI		ERC DEC (96)04	EN 303 035	ML paired with 420 420 MHz		
				Digital land mobile PMF	N/FAWIK	ECC DEC (03)01	EW 202 022	ML paired with 420-430 MHz		
						ECC DEC (02)03				
						ECC DEC (02)03				

RR Regio footnotes frequency	on 1 Allocation relevant to CE y band	and RR PT and	European Common All	ocation	Utilisation	EU footnote	ECC/ERC document	Standard	Note
420	- 430	MHz							
FIXED		13/(17)	MOBILE except Aeronautical	Mobile	Analogue and digital PMR/PAMR	land mobile EU7	ERC REC T/R 25-08	EN 300 086	FB paired with 410-420 MHz
Radiolocati	except Aeronaution	cai Mobile	Radiolocation		(I MICI / IIIIC)			EN 300 113	
5.269								EN 300 219 EN 300 296	
(5.271)								EN 300 296) EN 300 341	
								EN 300 390	
								EN 300 471	
					Digital land mobile P	MR/PAMR	ERC DEC (96)04 ECC DEC (03)01	EN 303 035	FB paired with 410-420 MHz
							ECC DEC (02)03		
430	- 432	MHz							
AMATEUI			AMATEUR		Amateur applications			EN 301 783	
RADIOLO			RADIOLOCATION						
5.271			5.277 EU2						
5.272			EU12						
5.273 5.274									
5.275									
5.276									
5.277									
422	- 433.05	MHz							
432	455.05	IVII IZ							
AMATEUI	R		AMATEUR						
RADIOLO		( ,: )(5.070 A	RADIOLOCATION	· \( \sigma \)	Amateur applications			EN 301 783	
Earth Explo	oration-Satellite	(active) (5.2/9A)	Earth Exploration-Satellite (ac	(3.2/9A)					
5.138			5.277 EU2						
5.271			EU12						
5.272									
5.276 5.277									
5.280									
5.281									
5.282									

RR Region 1 Allocation and RR footnotes relevant to CEPT and frequency band	European Common Allocation	Utilisation	EU footnote	ECC/ERC document	Standard	Note
433.05 - 434.79 MHz						
AMATEUR	AMATEUR	Amateur applications			EN 301 783	
RADIOLOCATION Earth Exploration-Satellite (active) 5.279A	RADIOLOCATION Land Mobile	ISM				
Earth Exploration-Satellite (active) 3.279A	Earth Exploration-Satellite (active) 5.279A	Non specific SRD		ERC REC 70-03	EN 300 220	
5.138	5.138 EU2					
5.271	5.277 EU12					
5.272	5.280					
5.276						
5.277 5.280						
5.281						
434.79 - 438 MHz						
AMATEUR	AMATEUR	Amateur applications			EN 301 783	Amateur Satellite Service restricted to 435-438 MHz
RADIOLOCATION Earth Exploration-Satellite (active) 5.279A	AMATEUR-SATELLITE RADIOLOCATION	Amateur Satellite applica			EN 301 783	
Earth Exploration Stateme (active) (5.2771)	Earth Exploration-Satellite (active) (5.279A)					
5.138	5.277 EU2					
5.271	EU12					
5.272						
5.276						

5.277 5.280 5.281 5.282 5.282

	n 1 Allocation relevant to CI band		European Common Allocation Utilisation EU footnote		ECC/ERC document	Standard	Note	
438	- 440	MHz						
AMATEUR RADIOLOCATION 5.271 5.273 5.274 5.275 5.276 5.277 5.283		AMATEUR Amateur applications  RADIOLOCATION  5.277 EU2  EU12					EN 301 783	
<b>440</b> FIXED	- 450	MHz	MOBILE except Aeronautical Mobile	Analogue and digital land mob	oile EU7	ERC REC T/R 25-08	EN 300 086	Single frequency operation
	xcept Aeronauti	cal Mobile	Radiolocation	PMR/PAMR				
Radiolocati	on						EN 300 113	
5.269			EU31				EN 300 219 EN 300 296	
5.271							EN 300 290 EN 300 341	
5.286							EN 300 390	
							EN 300 471	
				Digital Land Mobile DMO		ERC DEC (01)21		Within the band 445.2-445.3 MHz
				On-site paging			EN 300 224	Call-out & answer-back
				PMR 446		ERC DEC (98)25	EN 300 296	In the band 446-446.1 MHz

RR Region footnotes i frequency	n 1 Allocation celevant to CE band	and RR EPT and	European Common Allocation	Utilisation	Iltilisation FII footnote		ECC/ERC document	Standard	Note
450	- 455	MHz							
FIXED			MOBILE						
MOBILE								TD 7 400 00 6	
5.209			EU31	Analogue and digital land PMR/PAMR		U7 U34	ERC REC T/R 25-08	EN 300 086	ML paired with 460-465 MHz
5.271					L.	034		EN 300 113	
5.286								EN 300 219	
5.286A								EN 300 296	
5.286B								EN 300 341	
								EN 300 390	
								EN 300 471	
				Digital land mobile PMR			ERC DEC (96)04	EN 303 035	ML paired with 460-465 MHz
							ECC DEC (03)01		
							ECC DEC (02)03		
				On-site paging				EN 300 224	Call-out & answer-back
	- 450	B411-							
455	- 456	MHz							
FIXED MOBILE			MOBILE	Analogue and digital land PMR/PAMR		U7 U34	ERC REC T/R 25-08	EN 300 086	ML paired with 465-466 MHz
5.209			EU31					EN 300 113	
5.271								EN 300 219	
5.286A								EN 300 296	
5.286B								EN 300 341	
								EN 300 390	
				71 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1				EN 300 471	
				Digital land mobile PMR	R/PAMR		* /	EN 303 035	ML paired with 465-466 MHz
							ECC DEC (03)01		
				Existing public cellular n	natworke		ECC DEC (02)03		
				On-site paging				EN 300 224	Call-out & answer-back

RR Region footnotes i frequency	n 1 Allocation relevant to CE band	and RR PT and	European Common Allocation	Utilisation	Litilisation FI tootnote	ECC/ERC document	Standard	Note
456	- 459	MHz						
FIXED MOBILE			MOBILE	Analogue and digital land PMR/PAMR	d mobile EU7 EU34	ERC REC T/R 25-08		ML paired with 466-469 MHz. ERC REC T/R 22-01 to be withdrawn 2005 after implementation of GSM-R
5.271			5.287 EU31			ERC REC T/R 22-01		
5.287							EN 300 219	
							EN 300 296	
							EN 300 341	
							EN 300 390	
							EN 300 471	
				Digital land mobile PMR	/PAMR	( )	EN 303 035	ML paried with 466-469 MHz
						ECC DEC (03)01		
						ECC DEC (02)03		
				Existing public cellular n	etworks EU7			
				Maritime on board communications		ERC REC T/R 32-02	EN 300 720	Within the band 457.525-457.575 MHz
				On-site paging			EN 300 224	Call-out & answer-back
459	- 460	MHz						
FIXED MOBILE			MOBILE	Analogue and digital land PMR/PAMR	d mobile EU7	ERC REC T/R 25-08		ML paired with 469-470 MHz
5.209			EU31				EN 300 113	
5.271							EN 300 219	
5.286A							EN 300 296	
5.286B							EN 300 341	
							EN 300 390 EN 300 471	
				Digital land mobile PMR	/PAMR	ERC DEC (96)04 ECC DEC (03)01	EN 303 035	ML paired with 469-470 MHz
						* *		
				7		ECC DEC (02)03		
				Existing public cellular n				
				On-site paging			EN 300 224	Call-out & answer-back

RR Region 1 Allocation and RR footnotes relevant to CEPT and frequency band			European Common Allocation	Utilisation EU footno		ECC/ERC document	Standard	Note
460	- 470	MHz						
FIXED MOBILE			MOBILE	Analogue and digital land mo	bbile EU7 EU34	ERC REC T/R 25-08	EN 300 086	FB paired with 450-460 MHz ERC REC T/R 22-01 to be withdrawn 2005 after implementation of GSM-R
	gical-Satellite (S/I	Ξ)				ERC REC T/R 22-01	EN 300 113	of GSW-K
5.287			5.287 EU31			ERC REC 17R 22 01	EN 300 219	
5.289			5.289				EN 300 296	
5.290							EN 300 341	
							EN 300 390	
							EN 300 471	
				Digital land mobile PMR/PA	MR	ERC DEC (96)04	EN 303 035	FB paired with 450-460 MHz
						ECC DEC (03)01		
				Printing multiple allular materi		ECC DEC (02)03		
				Existing public cellular netw				
				Maritime on board communications		ERC REC T/R 32-02		Within the band 467.525-467.575 MHz
				On-site paging			EN 300 224	Call-out & answer-back
	<b>- 608</b> ASTING	MHz	BROADCASTING Mobile 5.291A	Radio microphones SAP/SAB		ERC REC 70-03	EN 300 422	On a tuning range basis  Mobile applications restricted to SAB/SAP including radio microphones
5.149 5.291A 5.296 5.302		MHz	Mobile	Radio microphones	EU9	ERC REC 70-03	EN 300 422	On a tuning range basis  Mobile applications restricted to SAB/SAP including radio
5.291A 5.296		MHz	Mobile 5.291A	Radio microphones  SAP/SAB  Stockholm Agreement 1961 complemented by the Cheste 1997 Agreement	EU9	ERC REC 70-03	EN 300 422	On a tuning range basis  Mobile applications restricted to SAB/SAP including radio microphones  The band 470-862 be reviewed for possible future applications
5.149 5.291A 5.296 5.302 5.306	- 614		Mobile 5.291A	Radio microphones  SAP/SAB  Stockholm Agreement 1961 complemented by the Cheste 1997 Agreement	EU9	ERC REC 70-03	EN 300 422	On a tuning range basis  Mobile applications restricted to SAB/SAP including radio microphones  The band 470-862 be reviewed for possible future applications
5.149 5.291A 5.296 5.302 5.306	- 614		Mobile 5.291A 5.296	Radio microphones SAP/SAB Stockholm Agreement 1961 complemented by the Cheste 1997 Agreement Radio astronomy application	EU9	ERC REC 70-03	EN 300 422	On a tuning range basis  Mobile applications restricted to SAB/SAP including radio microphones  The band 470-862 be reviewed for possible future applications after the introduction of DVB-T
5.149 5.291A 5.296 5.302 5.306	- 614		Mobile 5.291A 5.296  BROADCASTING Mobile Radio Astronomy	Radio microphones  SAP/SAB  Stockholm Agreement 1961 complemented by the Cheste 1997 Agreement  Radio astronomy application  Radio microphones	EU9	ERC REC 70-03  ERC REC 70-03	EN 300 422 EN 300 422	On a tuning range basis  Mobile applications restricted to SAB/SAP including radio microphones  The band 470-862 be reviewed for possible future applications after the introduction of DVB-T  Continuum measurements and VLBI  On a tuning range basis
5.149 5.291A 5.296 5.302 5.306	- 614		Mobile 5.291A 5.296  BROADCASTING Mobile	Radio microphones  SAP/SAB  Stockholm Agreement 1961 complemented by the Cheste 1997 Agreement  Radio astronomy application  Radio microphones	EU9	ERC REC 70-03  ERC REC 70-03	EN 300 422 EN 300 422	On a tuning range basis  Mobile applications restricted to SAB/SAP including radio microphones  The band 470-862 be reviewed for possible future applications after the introduction of DVB-T  Continuum measurements and VLBI  On a tuning range basis  Mobile applications restricted to SAB including radio microphon

	on 1 Allocation relevant to Cl y band		European Common Allocation	Utilisation E	EU footnote	ECC/ERC document	Standard	Note
614	- 790	MHz						
BROADC	ASTING		BROADCASTING	Radio microphones		ERC REC 70-03	EN 300 422	On a tuning range basis
			Mobile	SAP/SAB				Mobile applications restricted to SAB including radiomicrophones
5.149			5.296 EU13	Stockholm Agreement 1961				The band 470-862 be reviewed for possible future applications
5.291A 5.296			5.312	complemented by the Cheste				after the introduction of DVB-T
5.311				1997 Agreement				
5.312								
790	- 838	MHz						
BROADC. FIXED	ASTING		BROADCASTING Mobile	Defence systems				Mobile applications restricted to tactical links and SAB/SAP including radio microphones
5.312			5.312 EU2	Radio microphones		ERC REC 70-03	EN 300 422	On a tuning range basis
5.314 5.315			5.316 EU13	SAP/SAB				Mobile applications restricted to tactical links and SAB/SAP including radio microphones
5.316 5.319				Stockholm Agreement 1961 complemented by the Cheste 1997 Agreement	EU9 er			The band 470-862 be reviewed for possible future applications after the introduction of DVB-T
838	- 862	MHz						
BROADC	ASTING		BROADCASTING	Defence systems				Mobile applications restricted to tactical links and SAB/SAP
FIXED			MOBILE					including radio microphones
5.312			(5.312) EU2	Radio microphones		ERC REC 70-03	EN 300 422	On a tuning range basis
5.314			(5.316) EU13	SAP/SAB				Mobile applications restricted to tactical links and SAB/SAP including radio microphones
5.319 5.321				Stockholm Agreement 1961 complemented by the Cheste 1997 Agreement	EU9 er			The band 470-862 be reviewed for possible future applications after the introduction of DVB-T

footnotes	RR Region 1 Allocation and RR footnotes relevant to CEPT and frequency band  862 - 870 MHz		European Common Allocation	an Common Allocation	Utilisation	EU footnote	ECC/ERC document	Standard	Note
862	- 870	MHz							
	ASTING 5.322		MOBILE		Cordless Telephones		ECC DEC (01)02	EN 301 797	To be phased out in accordance with ECC Decisions (01)02
FIXED MODILE o	except aeronautica	l mobile 5 217 A			Defence systems				
5.319 5.323	except aeronautica	i moone 3.517A	5.323	EU2 EU13	Narrow band analogue devices	voice	ERC REC 70-03	EN 300 220	864.8-865 MHz
3.323				2013	Radio microphones		ERC REC 70-03	EN 300 422 EN 301 357	Within the band 863-865 MHz
					Social Alarms		ERC DEC (97)06 ERC REC 70-03	EN 300 220	Within the band 869.2-869.25 MHz
					SRD in 868-870 MHz		ERC REC 70-03	EN 300 220	Strategic Plan for the use of SRD within the band 862-870 MHz adopted
							ERC DEC (01)04		
					Wireless Audio		ERC DEC (01)18 ERC REC 70-03	EN 301 357	Within the band 863-865 MHz
870	- 876	MHz							
FIXED	ASTING 5.322		MOBILE		Defence systems				The band 870-876 / 915-921 MHz is identified as a preferred band for Tactical Radio Relays (TRR), in particular for cross-border operations. In countries where this band is or will be in civil use
5.319	except aeronautica	I mobile 5.31/A	5.323	EU2					according to ERC / ECC Decisions (e.g. digital PAMR), shared use of the band should be considered on a national basis. Other
5.323			3.323	EU13					sub-bands within the tuning range 610-960 MHz may also be used on a national basis according to the national requirements
					Digital land mobile PN		ERC DEC (96)04 ECC DEC (03)01	EN 303 035	ML paired with 915-921 MHz
876	- 880	MHz							
BROADCA	ASTING 5.322		MOBILE		Defence systems				Sharing on a national basis
FIXED		1 17 5015:			Digital land mobile				
	except aeronautica	I mobile 5.317A	5 323	FI12	UIC Railway systems				ML paired with 921-925 MHz
5.323			3.343	EU2 EU13	<b>,</b> - <b>y</b>		ECC DEC (02)05	EN 301 511	
MOBILE e 5.319	except aeronautica	ll mobile 5.317A	5.323	EU2 EU13	Digital land mobile		ERC REC T/R 25-09	EN 301 502	

footnotes			European Common Allocation	European Common Allocation Utilisation EU footnote d			Standard	Note	
880	- 890	MHz							
BROADC	ASTING 5.322		MOBILE		Defence systems				Sharing on a national basis
FIXED					EGSM	EU32	ERC DEC (97)02	EN 301 502	ML paried with 925-935 MHz
5.319	except aeronautica	il mobile 5.317A	5.317A	EU2				EN 301 511	
5.323			5.323	EU13					
3.323			3.323	EU29					
890	- 915	MHz							
BROADC	ASTING 5.322		MOBILE		GSM	EU32	ERC DEC (94)01	EN 301 502	ML paired with 935-960 MHz
FIXED			Radioloca	tion				EN 301 511	
MOBILE 6	except aeronautica	il mobile 5.317A							
5.323	non		5.317A	EU13					
			5.323	EU14					
				EU29					
FIXED	- <b>921</b> ASTING 5.322 except aeronautication	MHz al mobile 5.317A	MOBILE Radioloca 5.323	EU2 EU13	Defence systems				The band 870-876 / 915-921 MHz is identified as a preferred band for Tactical Radio Relays (TRR), in particular for cross-border operations. In countries where this band is or will be in civil use according to ERC / ECC Decisions (e.g. digital PAMR), shared use of the band should be considered on a national basis. Other sub-bands within the tuning range 610-960 MHz may also be used on a national basis according to the national requirements
				EU14	Digital land mobile PM		ERC DEC (96)04 ECC DEC (03)01	EN 303 035	FB paired with 870-876 MHz
921	- 925	MHz							
	ASTING 5.322		MOBILE		Defence systems				Sharing on a national basis
FIXED		1 17 62174	Radioloca	tion	Digital land mobile				FB paired with 876-880 MHz
Radiolocat	except aeronautication	и шовие 5.31/А			UIC Railway systems		ERC REC T/R 25-09	9 EN 301 502	FB paired with 876-880 MHz
5.323			5.323	EU2			ECC DEC (02)05	EN 301 511	
				EU13					
				EU14					

RR Regi footnote frequen	ion 1 Allocation es relevant to CE cy band	and RR PT and	European Common Allocation	Utilisation	EU footnote	ECC/ERC document	Standard	Note
925	- 935	MHz						
	CASTING 5.322		MOBILE	Defence systems	EU30			Sharing on a national basis
FIXED MOBILE Radioloca	E except aeronautica	al mobile 5.317A	Radiolocation	EGSM	EU30 EU32	ERC DEC (97)02	EN 301 502 EN 301 511	FB paired with 880-890 MHz
5.323			5.317A EU2					
			5.323 EU13					
			EU14					
			EU29					
935	- 942	MHz						
BROADO FIXED	BROADCASTING 5.322		MOBILE Radiolocation	GSM	EU32	ERC DEC (94)01	EN 301 502 EN 301 511	FB paired with 890-897 MHz
	E except aeronautica	al mobile 5.317A						
Radioloca								
5.323			5.317A EU13					
			5.323 EU14					
			EU29					
942	- 960	MHz						
FIXED	CASTING 5.322		MOBILE	GSM	EU32	ERC DEC (94)01	EN 301 502 EN 301 511	FB paired with 897-915 MHz
	E except aeronautica	al mobile 5.317A						
5.323			5.317A EU13 5.323 EU29					
			5.325 EU29					
960	- 1164	MHz						
AERON / (5.328)	AUTICAL RADIO!	NAVIGATION	AERONAUTICAL RADIONAVIGATION  (5.328)	Flight Safety, Navigatio Information Distributio (DME,TACAN,SSR,M	n systems			

RR Region 1 Allocation and RR ECC/ERC footnotes relevant to CEPT and **European Common Allocation** Utilisation Note EU footnote Standard document frequency band - 1215 MHz 1164 Flight Safety, Navigation and AERONAUTICAL RADIONAVIGATION AERONAUTICAL RADIONAVIGATION Information Distribution systems (DME,TACAN,SSR,MIDS) RADIONAVIGATION-SATELLITE (\$/E) RADIONAVIGATION-SATELLITE (\$/E) (Satellite Navigation) (S/S) 5.328B (S/S) 5.328B 5.328A 5.328A - 1240 MHz 1215 EARTH EXPLORATION-SATELLITE EARTH EXPLORATION-SATELLITE Defence systems (active) (active) Radar and Navigation systems and RADIOLOCATION RADIOLOCATION Active Sensors RADIONAVIGATION-SATELLITE (S/E) RADIONAVIGATION-SATELLITE (S/E) (S/S) 5.329 5.329A 5.328B (S/S) 5.329 5.329A 5.328B Satellite Navigation SPACE RESEARCH (active) SPACE RESEARCH (active) 5.331 5.331 (EU2) 5.332 5.332 **- 1260** MHz 1240 EARTH EXPLORATION-SATELLITE EARTH EXPLORATION-SATELLITE Amateur applications EN 301 783 \_\_\_\_\_\_ (active) (active) Defence systems RADIOLOCATION RADIOLOCATION RADIONAVIGATION-SATELLITE (S/E) RADIONAVIGATION-SATELLITE (S/E) Radar and Navigation systems and (S/S) 5.329 5.329A 5.328B (S/S) 5.329 5.329A 5.328B Active Sensors SPACE RESEARCH (active) SPACE RESEARCH (active) Satellite Navigation Amateur Amateur 5.282 5.331 (EU2)

5.331

5.332 5.335A 5.332

	on 1 Allocation s relevant to CE cy band		European Common Allocation	Utilisation	EU footnote	ECC/ERC document	Standard	Note
1260	- 1270	MHz						
	EXPLORATION-S	SATELLITE	EARTH EXPLORATION-SATELLITE	Amateur applications			EN 301 783	
(active) RADIOLO	OCATION		(active) RADIOLOCATION	Amateur Satellite app			EN 301 783	
	AVIGATION-SA	TELLITE (S/E)	RADIONAVIGATION-SATELLITE (S/E)	Defence systems				
	9 5.329A 5.328B		(S/S) 5.329 5.329A 5.328B		gristoms and			
	ESEARCH (active	e)	SPACE RESEARCH (active)	Radar and Navigation (Active Sensors)	systems and			
Amateur			Amateur Amateur-Satellite					
5.282			5.282 EU2					
5.331			5.331					
5.335A			5.335A					
(active) RADIOLO			EARTH EXPLORATION-SATELLITE (active) RADIOLOCATION PARIONALICATION SATELLITE (S/E)		avetome and		EN 301 783	
	AVIGATION-SA 9 5.329A 5.328B		RADIONAVIGATI <u>ON-SA</u> TELLITE (S/E) (S/S) 5.329 5.329A (5.328B)	Radar and Navigation Active Sensors	systems and			
SPACE R	ESEARCH (active	e)	SPACE RESEARCH (active)	Wind profiler radars				Within the band 1270-1295 MHz
Amateur			Amateur					
5.282 5.331			5.331 (EU2) 5.335A					
5.335A			3.333A					
1300	- 1350	MHz						
AERONA (5.337)	UTICAL RADIO	NAVIGATION	AERONAUTICAL RADIONAVIGATION (5.337)	(Defence systems)				
RADIOLO	OCATION		RADIOLOCATION	Radar and Navigation				
RADION	AVIGATION-SA	TELLITE (E/S)	RADIONAVIGATION-SATELLITE (E/S)	Radio astronomy appl	ications			Spectral line observations 1330-1400 MHz
5.149			5.149 EU2	Satellite Navigation				
5.337A	L		5.337A					

	n 1 Allocation relevant to Cl band		European Common Allocation	Utilisation	EU footnote	ECC/ERC document	Standard	Note
1350	- 1400	MHz						
FIXED MOBILE			FIXED MOBILE					
RADIOLO	CATION		RADIOLOCATION	Low capacity fixed lin		ERC REC T/R 13-0		
5.149			5.149 EU2	Radio astronomy appl				Spectral line observations in 1330-1400 MHz
5.338			5.339 EU15					
5.339 (5.339A)								
1400	- 1427	MHz						
EARTH EX	KPLORATION-	SATELLITE	EARTH EXPLORATION-SATELLITE	Passive applications				
(passive)	TRONOMY		(passive) RADIO ASTRONOMY					
	SEARCH (pass	ive)	SPACE RESEARCH (passive)					
5.340	•	,	5.340 EU15					
5.341			5.341					
1427	- 1429	MHz						
FIXED			FIXED	Defence systems	EU15A			
	xcept Aeronauti		MOBILE except Aeronautical Mobile	Low capacity fixed lin	nks	ERC REC T/R 13-0	01 EN 301 751	
5.341	ERATION (E/S	»)	SPACE OPERATION (E/S) 5.341 EU2 EU15					
1429	- 1452	MHz						
FIXED			FIXED	Defence systems	EU15A			
	xcept Aeronauti	ical Mobile	MOBILE except Aeronautical Mobile	Low capacity fixed lin	nks	ERC REC T/R 13-0	01 EN 301 751	
(5.339A) (5.341) (5.342)			5.341 EU2 (EU15)					

	n 1 Allocation relevant to CE band		European Common Allocation	Utilisation	EU footnote	ECC/ERC document	Standard	Note
1452	- 1492	MHz						
BROADCA	ASTING 5.345 5.	347	BROADCASTING 5.345	S-DAB		ECC DEC (03)02		1479.5 - 1492 MHz
BROADCA FIXED	ASTING-SATEL	LITE 5.345 5.347	BROADCASTING-SATELLITE 5.345 Fixed	T-DAB Maastricht 2 arrangement	2002 special			1452-1479.5 MHz
MOBILE e 5.341	xcept Aeronautic	eal Mobile	Mobile except Aeronautical Mobile 5.341 EU15					
5.342 (5.347A)								
<b>1492</b> FIXED MOBILE e	- 1518	<b>MHz</b> cal Mobile	FIXED MOBILE except Aeronautical Mobile 5.341 EU2	Defence systems  Low capacity fixed	inks	ERC REC T/R 13-0	01 EN 301 751	
5.342			EU15					
1518	- 1525	MHz						
FIXED			FIXED	Defence systems	EU15A			
MOBILE-S 5.348C 5.3	xcept Aeronautic SATELLITE (S/E 48B)		MOBILE except Aeronautical Mobile MOBILE-SATELLITE (S/E) 5.348 5.348A (5.348C)(5.348B)	Unidirectional fixed	links		EN 301 751	
5.341 5.342			5.341 EU2 EU15					

RR Regio footnotes frequenc	on 1 Allocation relevant to CI y band	and RR EPT and	European Common Allocation	Utilisation	EU footnote	ECC/ERC document	Standard	Note
1525	- 1530	MHz						
FIXED		E) 5.2514	FIXED	Mobile satellite appli	cations		EN 301 426	
	SATELLITE (S/I		MOBILE-SATELLITE (S/E) 5.351A				EN 301 444	
	PERATION (S/E loration-Satellite		SPACE OPERATION (S/E)				EN 301 681 EN 301 473	
-	cept Aeronautica			TI : 1: 4: 1.6: 11				
5.341	•		5.341 EU15	Unidirectional fixed	inks		EN 301 751	
5.342			5.351					
5.347A			5.354					
(5.350)								
5.351								
5.352A								
5.354								
SPACE OF Earth Expl Fixed	- 1533 SATELLITE (S/APERATION (S/E) Ioration-Satellite Cept Aeronautica		MOBILE-SATELLITE (S/E) 5.353A 5.351A SPACE OPERATION (S/E) Earth Exploration-Satellite Fixed Mobile except Aeronautical Mobile 5.341 EU15 5.351 5.354	Mobile satellite appli	cations		EN 301 426 EN 301 444 EN 301 681 EN 301 473	Priority for GMDSS Distress and safety communications
SPACE O	- 1535 SATELLITE (S/PERATION (S/E oration-Satellite		MOBILE-SATELLITE (S/E) 5.353A 5.351A SPACE OPERATION (S/E) Earth Exploration-Satellite Mobile except Aeronautical Mobile	Mobile satellite appli	cations		EN 301 426 EN 301 444 EN 301 681 EN 301 473	(Priority for GMDSS Distress and safety communications)
Mobile exc	cept Aeronautica	l Mobile						
5.341			5.341 EU15					
5.342			5.351					
5.351			5.354					
5.354								

RR Regi footnotes frequenc	on 1 Allocation s relevant to CI cy band	and RR EPT and	European Common Allocation	Utilisation	EU footnote	ECC/ERC document	Standard	Note
1535	- 1544	MHz						
MOBILE-	SATELLITE (S/	E) 5.351A	MOBILE-SATELLITE (S/E) 5.351A	Mobile satellite app	plications		EN 301 426	Priority for GMDSS Distress and safety communications
5.341			5.341 EU15				EN 301 444	
5.351			5.351				EN 301 681	
5.353A	L		5.353A				EN 301 473	
5.354			5.354					
5.355								
1544	- 1545	MHz						
	-SATELLITE (S/	E) 5.351A	MOBILE-SATELLITE (S/E)	Mobile satellite app			EN 301 426	
5.341			5.341 EU15	limited to distress c	ommunications		EN 301 444)	
5.354			5.354				EN 301 (681)	
5.355			5.356				EN 301 473	
5.356				Search and rescue s systems (incl GMD	atellite SS)			
1545	- 1555	MHz						
MOBILE-	SATELLITE (S/	E) 5.351A	MOBILE-SATELLITE (S/E) 5.351A	Mobile satellite app	olications		EN 301 426	
5.341			5.341 EU15				EN 301 444	
5.351			5.351				EN 301 681	
5.354			5.354				EN 301 473	
5.355			5.357					
5.357			5.357A					
5.357A 5.359			5.359					
3.337								
1555	- 1559	MHz						
	-SATELLITE (S/I	E) 5.351A	MOBILE-SATELLITE (S/E) 5.351A	Mobile satellite app	blications		EN 301 426	
5.341			5.341 EU15				EN 301 444	
5.351			5.351				EN 301 681	
5.354			5.354				EN 301 473	
5.355			5.359					
5.359								

RR Region 1 Allocation and RR ECC/ERC footnotes relevant to CEPT and **European Common Allocation** Utilisation EU footnote Standard Note document frequency band **-** 1610 MHz 1559 AERONAUTICAL RADIONAVIGATION AERONAUTICAL RADIONAVIGATION Satellite Navigation RADIONAVIGATION-SATELLITE (S/E) RADIONAVIGATION-SATELLITE (S/E) (S/S) 5.329A 5.328B (S/S) 5.329A 5.328B 5.341 5.341 EU15 5.362B 5.362B 5.362C 5.363 - 1610.6 MHz 1610 AERONAUTICAL RADIONAVIGATION ERC DEC (97)03 AERONAUTICAL RADIONAVIGATION Mobile satellite applications EN 301 441 EN 301 473 MOBILE-SATELLITE (E/S) 5.351A MOBILE-SATELLITE (E/S) 5.351A 5.341 EU15 5.341 5.355 5.359 5.359 5.364 5.363 5.366 5.364 5.367 5.366 5.368 5.367 5.371 5.368 5.372 5.371 5.372

RR Region 1 Allocation and RR footnotes relevant to CEPT and frequency band	European Common Allocation	Utilisation	EU footnote	ECC/ERC document	Standard	Note
1610.6 - 1613.8 MHz						
AERONAUTICAL RADIONAVIGATION MOBILE-SATELLITE (E/S) 5.351A	AERONAUTICAL RADIONAVIGATION MOBILE-SATELLITE (E/S) 5.351A	Mobile satellite applica		ERC DEC (97)03	EN 301 441 EN 301 473	
RADIO ASTRONOMY	RADIO ASTRONOMY	Radio astronomy applic	ations			Spectral line observations
5.149	5.149 EU15					
5.341	5.341					
5.355	5.359					
5.359	5.364					
5.363	5.366					
5.364 5.366	5.367 5.368					
5.367	5.371					
5.368	5.372					
5.371	3.372					
3.371						
5.372						
1613.8 - 1626.5 MHz AERONAUTICAL RADIONAVIGATION	AERONAUTICAL RADIONAVIGATION	Mobile satellite applica	tions	ERC DEC (97)03	EN 301 441 FN 301 473	
1613.8 - 1626.5 MHz AERONAUTICAL RADIONAVIGATION MOBILE-SATELLITE (E/S) 5.351A	MOBILE-SATELLITE (E/S) 5.351A	Mobile satellite applica		ERC DEC (97)03	EN 301 473	
1613.8 - 1626.5 MHz AERONAUTICAL RADIONAVIGATION	MOBILE-SATELLITE (E/S) 5.351A Mobile-Satellite (S/E)	Mobile satellite applica			EN 301 473	
1613.8 - 1626.5 MHz  AERONAUTICAL RADIONAVIGATION MOBILE-SATELLITE (E/S) 5.351A Mobile-Satellite (S/E) 5.341	MOBILE-SATELLITE (E/S) 5.351A Mobile-Satellite (S/E)	Mobile satellite applica			EN 301 473	
1613.8 - 1626.5 MHz  AERONAUTICAL RADIONAVIGATION  MOBILE-SATELLITE (E/S) 5.351A  Mobile-Satellite (S/E)	MOBILE-SATELLITE (E/S) 5.351A Mobile-Satellite (S/E) 5.341 EU15	Mobile satellite applica			EN 301 473	
AERONAUTICAL RADIONAVIGATION MOBILE-SATELLITE (E/S) 5.351A Mobile-Satellite (S/E) 5.341 (5.347A)	MOBILE-SATELLITE (E/S) 5.351A Mobile-Satellite (S/E) 5.341 EU15 (5.359)	Mobile satellite applica			EN 301 473	
AERONAUTICAL RADIONAVIGATION MOBILE-SATELLITE (E/S) 5.351A Mobile-Satellite (S/E) 5.341 (5.347A) 5.355	MOBILE-SATELLITE (E/S) 5.351A  Mobile-Satellite (S/E)  5.341 EU15  (5.359)  (5.364)	Mobile satellite applica			EN 301 473	
AERONAUTICAL RADIONAVIGATION MOBILE-SATELLITE (E/S) 5.351A Mobile-Satellite (S/E) 5.341 5.347A 5.355 5.359	MOBILE-SATELLITE (E/S) 5.351A  Mobile-Satellite (S/E)  5.341 EU15  (5.359)  (5.364) (5.365)	Mobile satellite applica			EN 301 473	
AERONAUTICAL RADIONAVIGATION MOBILE-SATELLITE (E/S) 5.351A Mobile-Satellite (S/E) 5.341 (5.347A) 5.355 5.359 5.363	MOBILE-SATELLITE (E/S) 5.351A  Mobile-Satellite (S/E)  5.341 EU15  (5.359)  (5.364)  (5.365)  (5.366)	Mobile satellite applica			EN 301 473	
1613.8 - 1626.5 MHz  AERONAUTICAL RADIONAVIGATION  MOBILE-SATELLITE (E/S) 5.351A  Mobile-Satellite (S/E)  5.341  (5.347A)  5.355  5.359  5.363  5.364	MOBILE-SATELLITE (E/S) 5.351A  Mobile-Satellite (S/E)  5.341 EU15  (5.359)  (5.364)  (5.365)  (5.366)  (5.367)	Mobile satellite applica			EN 301 473	
1613.8 - 1626.5 MHz  AERONAUTICAL RADIONAVIGATION  MOBILE-SATELLITE (E/S) 5.351A  Mobile-Satellite (S/E)  5.341  (5.347A)  5.355  5.359  5.363  5.364  5.365	MOBILE-SATELLITE (E/S) 5.351A  Mobile-Satellite (S/E)  5.341 EU15  (5.359)  (5.364)  (5.365)  (5.366)  (5.367)  (5.368)	Mobile satellite applica			EN 301 473	
1613.8 - 1626.5 MHz  AERONAUTICAL RADIONAVIGATION  MOBILE-SATELLITE (E/S) 5.351A  Mobile-Satellite (S/E)  5.341  (5.347A)  5.355  5.359  5.363  5.364  5.365  5.366  5.367  (5.368)	MOBILE-SATELLITE (E/S) 5.351A  Mobile-Satellite (S/E)  5.341 EU15  (5.359)  (5.364)  (5.365)  (5.366)  (5.367)  (5.368)  (5.371)	Mobile satellite applica			EN 301 473	
1613.8 - 1626.5 MHz  AERONAUTICAL RADIONAVIGATION  MOBILE-SATELLITE (E/S) 5.351A  Mobile-Satellite (S/E)  5.341  (5.347A)  5.355  5.359  5.363  5.364  5.365  5.366  5.367	MOBILE-SATELLITE (E/S) 5.351A  Mobile-Satellite (S/E)  5.341 EU15  (5.359)  (5.364)  (5.365)  (5.366)  (5.367)  (5.368)  (5.371)	Mobile satellite applica			EN 301 473	

	1 Allocation of elevant to CEI band		European Common Allocation	Utilisation	EU footnote	ECC/ERC document	Standard	Note
1626.5	- 1631.5	MHz						
MOBILE-SA	ATELLITE (E/S)	5.351A	MOBILE-SATELLITE (E/S) 5.351A	Mobile satellite appl	ications		EN 301 426	Priority for GMDSS Distress and safety communications
5.341			5.341 EU15				EN 301 444	
5.351			5.351				EN 301 681	
5.353A			5.353A				EN 301 473	
5.354			5.354					
5.355			5.359					
5.359								
1631.5	- 1636.5	MHz						
MOBILE-SA	ATELLITE (E/S)	5.351A	MOBILE-SATELLITE (E/S) 5.351A	Mobile satellite appl	ications		EN 301 426	Priority for GMDSS Distress and safety communications
5.341			5.341 EU15				EN 301 444	
5.351			5.351				EN 301 681	
5.353A			5.353A				EN 301 473	
5.354			5.354					
5.355			5.359					
5.359			5.374					
5.374								
1636.5	- 1645.5	MHz						
MOBILE-SA	ATELLITE (E/S)	5.351A	MOBILE-SATELLITE (E/S) 5.351A	Mobile satellite appl	ications		EN 301 426	Priority for GMDSS Distress and safety communications
5.341			5.341 EU15				EN 301 444	
5.351			5.351				EN 301 681	
5.353A			5.353A				EN 301 473	
5.354			5.354					
5.355			5.359					
5.359								

RR Region 1 Allocation and RR footnotes relevant to CEPT and frequency band	European Common Allocation	Utilisation EU footnote	ECC/ERC document Standard	Note
1645.5 - 1646.5 MHz				
MOBILE-SATELLITE (E/S) 5.351A	MOBILE-SATELLITE (E/S)	Mobile satellite applications	EN 301 426	
5.341	(5.341) (EU15)	limited to distress communications	TN 201 444	
(5.354)	(5.354)		EN 301 444 EN 301 681	
(5.375)	(5.375)		EN 301 473	
		Search and rescue satellite (systems (incl GMDSS))		
1646.5 - 1656.5 MHz				
MOBILE-SATELLITE (E/S) 5.351A	MOBILE-SATELLITE (E/S) 5.351A	Mobile satellite applications	EN 301 426	
5.341	5.341 EU15		EN 301 444	
5.351	5.351		EN 301 681	
5.354	5.354		EN 301 473	
5.355	5.357A			
5.357A	5.359			
5.359	5.376			
5.376				
1656.5 - 1660 MHz				
MOBILE-SATELLITE (E/S) 5.351A	MOBILE-SATELLITE (E/S) 5.351A	Mobile satellite applications	EN 301 426	
5.341	5.341 EU15		EN 301 444	
5.351	5.351		EN 301 681	
5.354	5.354		EN 301 473	
5.355	5.359			
5.359	5.374			
5.374				

cotnotes r requency	l Allocation a elevant to CEF band	and RR PT and	European Common Allocation	Utilisation	EU footnote	ECC/ERC document	Standard	Note
660	- 1660.5	MHz						
MOBILE-SA	ATELLITE (E/S)	5.351A	MOBILE-SATELLITE (E/S) 5.351A	Mobile satellite appl	cations		EN 301 426	
ADIO AST	TRONOMY		RADIO ASTRONOMY				EN 301 444	
5.149			5.149 EU15				EN 301 681	
5.341			5.341				EN 301 473	
5.351			5.351	Radio astronomy app				Continuum line and VLBI Measurements
5.354			5.354					
5.376A			5.376A					
PACE RES	- 1668 FRONOMY SEARCH (passive		RADIO ASTRONOMY SPACE RESEARCH (passive) Fixed Mobile except Aeronautical Mobile 5.149 EU2 5.341 EU15 5.379A	Radio astronomy app	EU15A lications			Continuum line and VLBI measurements
668	- 1668.4	MHz		Defence systems	EU15			
MORII F-SA	ATELLITE (E/S)	5.348C(5.379B)	MOBILE-SATELLITE (E/S)(5.348C)(5.379B) 5.379C	Radio astronomy app	lications			Continuum line and VLBI measurements
			RADIO ASTRONOMY					
379C	TRONOMY							
379C ADIO AST	TRONOMY SEARCH (passive	e)	SPACE RESEARCH (passive)					
379C ADIO AST PACE RES		e)	SPACE RESEARCH (passive) Fixed					
379C ADIO AST ACE RES								
379C ADIO AST PACE RES xed	SEARCH (passive		Fixed					

5.379A

(5.379D)

5.379A

(5.379D)

RR Region 1 Allocation and RR footnotes relevant to CEPT and frequency band	European Common Allocation	Utilisation	EU footnote	ECC/ERC document	Standard	Note	
1668.4 - 1670 MHz							
FIXED METEOROLOGICAL AIDS	FIXED METEOROLOGICAL AIDS	Defence systems	EU15A				
MOBILE except Aeronautical Mobile MOBILE-SATELLITE (E/S) 5.348C 5.379B (5.379C) RADIO ASTRONOMY 5.149 5.341 (5.379D) (5.379E)	METEOROLOGICAL AIDS MOBILE-SATELLITE (E/S) (5.348C) (5.379B) (5.379C)  RADIO ASTRONOMY Mobile except Aeronautical Mobile 5.149 EU2 5.341 EU15 (5.379D) 5.379E	Meteorological appli Radio astronomy app	lications				
FIXED METEOROLOGICAL AIDS METEOROLOGICAL-SATELLITE (S/E) MOBILE 5.380 MOBILE-SATELLITE (E/S) 5.348C 5.379B (5.379C) (5.341) (5.379D) (5.379E) (5.380A)	METEOROLOGICAL AIDS METEOROLOGICAL-SATELLITE (S/E) MOBILE 5.380 MOBILE-SATELLITE (E/S) 5.348C 5.379B (5.379C) Fixed (5.341) (5.379D) (5.379E) (5.380A)	Meteorological appli	cations				
1675 - 1690 MHz  FIXED  METEOROLOGICAL AIDS  METEOROLOGICAL-SATELLITE (S/E)  MOBILE except Aeronautical Mobile  5.341	FIXED METEOROLOGICAL AIDS METEOROLOGICAL-SATELLITE (S/E) MOBILE except Aeronautical Mobile 5.341 EU2 EU15	Defence systems Meteorological appli	EU15A cations				

	ion 1 Allocation es relevant to CI cy band		European Common Allocation	Utilisation	EU footnote	ECC/ERC document	Standard	Note
1690	- 1700	MHz						
	ROLOGICAL AID		METEOROLOGICAL AIDS METEOROLOGICAL-SATELLITE (S/E)	Defence systems				
Fixed			Fixed	Meteorological applica	ations			
	xcept Aeronautica	l Mobile	Mobile except Aeronautical Mobile					
5.289 5.341			5.289 EU2 5.341 EU15					
5.382			5.382					
1700	- 1710	MHz						
FIXED			FIXED	Defence systems	EU15A			
	ROLOGICAL-SA		METEOROLOGICAL-SATELLITE (S/E)	Meteorological applica				
MOBILE 5.289	except Aeronauti	cal Mobile	Mobile except Aeronautical Mobile 5.289 EU2					
5.341			5.341 EU15					
1710	<i>-</i> 1785	MHz						
FIXED	1700	1411 12	FIXED	GSM1800	EU33	ERC DEC (95)03	EN 201 502	
MOBILE	E 5.384A		MOBILE 5.384A	GSM1800	EU33	ERC REC T/R 22-0	EN 301 502 7 EN 301 511	
5.149			5.149 EU15					
5.341			5.341 EU29					
5.385			5.385					
5.387								
1785	- 1800	MHz						
FIXED			FIXED	Mobile applications				
MOBILE	E 5.384A		MOBILE	Radio microphones		ERC REC 70-03	EN 301 840	Within the band 1785.7-1799.4 MHz
5.387			EU2					
			EU15					

footnote	RR Region 1 Allocation and RR footnotes relevant to CEPT and frequency band		European Common Allocation	Utilisation	EU footnote	ECC/ERC document	Standard	Note
1800 FIXED MOBILE	<b>- 1805</b> S.380 5.384A	MHz	MOBILE 5.380 Fixed EU15					
1805 FIXED MOBILE	<b>- 1880</b> 5.384A	MHz	FIXED MOBILE 5.384A EU15 EU29	GSM1800	EU33	ERC DEC (95)03 ERC REC T/R 22-07	EN 301 502 EN 301 511	
1880 FIXED MOBILE	<b>- 1885</b> 5.384A	MHz	MOBILE 5.384A Fixed EU15	DECT	EU33	ERC DEC (94)03	EN 301 406 EN 301 908	
1885 FIXED MOBILE 5.388	- <b>1900</b> 5.388A	MHz	MOBILE 5.388A Fixed 5.388 EU15	DECT	EU33	ERC DEC (94)03	EN 301 406 EN 301 908	
1900 FIXED MOBILE 5.388	<b>- 1930</b> 5.388A	MHz	FIXED MOBILE 5.388A 5.388 EU15 EU16	(Terrestrial)UMTS/IMT-20	900	ERC DEC (97)07  ERC DEC (00)01  ERC DEC (99)25	EN 301 908	For border coordination see also ERC REC(01)01 For harmonised spectrum scheme see also ERC DEC (99)25
1930 FIXED MOBILE 5.388	<b>- 1970</b> 5.388A	MHz	FIXED  MOBILE 5.388A  5.388 EU15  EU16	(Terrestrial)UMTS/IMT-20	000	ERC DEC (97)07 ERC DEC (00)01		For border coordination see also ERC REC(01)01 For harmonised spectrum scheme see also ERC DEC (99)25

	n 1 Allocation relevant to CE band		European Common Allocation	Utilisation	EU footnote	ECC/ERC document	Standard	Note
1970	- 1980	MHz						
FIXED MOBILE 5	.388A		FIXED MOBILE 5.388A	Terrestrial UMTS/IMT-2	2000	ERC DEC (97)07  ERC DEC (00)01		For border coordination see also ERC REC(01)01 For harmonised spectrum scheme see also ERC DEC (99)25
5.388			5.388 EU15 EU16			ERC BLC (00)01		······
1980	- 2010	MHz						
FIXED MOBILE			FIXED MOBILE	Mobile satellite application		ERC DEC (97)03 ERC DEC (97)04	EN 301 442 EN 301 473	
MOBILE-S 5.388	SATELLITE (E/S	) 5.351A	MOBILE-SATELLITE (E/S) 5.351A 5.388 EU15	UMTS/IMT-2000 satellit		ERC DEC (97)07		
5.389A			5.389A EU16			ERC DEC (00)01 ERC DEC (99)25		
2010	- 2025	MHz						
FIXED MOBILE 5	.388A		FIXED MOBILE 5.388A	Terrestrial UMTS/IMT-2	2000	ERC DEC (97)07	EN 301 908	For border coordination see also ERC REC(01)01 For harmonised spectrum scheme see also ERC DEC (99)25
5.388			5.388 EU15 EU16			ERC DEC (00)01 ERC DEC (99)25		
2025	- 2110	MHz						
	KPLORATION-S	ATELLITE (E/S)	EARTH EXPLORATION-SATELLITE (E/S)	Fixed links		ERC REC T/R 13-01		
(S/S) FIXED			(S/S) FIXED	SAP/SAB	EU16A	ERC REC 25-10		On a tuning range basis
MOBILE 5		(0/0)	MOBILE 5.391	Space science services				
SPACE RE	ERATION (E/S) SEARCH (E/S) (		SPACE OPERATION (E/S) (S/S) SPACE RESEARCH (E/S) (S/S)	Tactical Radio Relay	EU16A			Harmonised military band for Tactical Radio Relay linksfor near cross border operation within the band 2025-2070 MHz
5.392			5.392 EU2 EU15 EU27					

RR Region 1 Allocation and RR footnotes relevant to CEPT and frequency band	European Common Allocation	Utilisation EU foo	otnote ECC/ERC document	Standard	Note
2110 - 2120 MHz					_
FIXED	FIXED	Terrestrial UMTS/IMT-2000	ERC DEC (97)07	EN 301 908	For border coordination see also ERC REC(01)01
MOBILE 5.388A	MOBILE 5.388A				For harmonised spectrum scheme see also ERC DEC (99)25
SPACE RESEARCH (deep space) (E/S)	SPACE RESEARCH (deep space) (E/S)		ERC DEC (00)01		
5.388	5.388 EU15 EU16		ERC DEC (99)25		
2120 - 2170 MHz					
FIXED MOBILE 5.388A	FIXED MOBILE 5.388A	Terrestrial UMTS/IMT-2000	ERC DEC (97)07	EN 301 908	For border coordination see also ERC REC(01)01 For harmonised spectrum scheme see also ERC DEC (99)25
5.388	5.388 EU15		ERC DEC (00)01		
5.392A	EU16		ERC DEC (99)25		
2170 - 2200 MHz FIXED MOBILE	FIXED MOBILE	Mobile satellite applications	ERC DEC (97)03 ERC DEC (97)04	EN 301 442 EN 301 473	
MOBILE-SATELLITE (S/E) 5.351A	MOBILE-SATELLITE (S/E) 5.351A		( )		
5.388	5.388 EU15	UMTS/IMT-2000 satellite component	ERC DEC (97)07		
5.389A	5.389A EU16		ERC DEC (00)01		
5.392A					
2200 - 2290 MHz					
EARTH EXPLORATION-SATELLITE (S/E)	EARTH EXPLORATION-SATELLITE (S/E)	Fixed links	ERC REC T/R 13-0		
(S/S) FIXED	(S/S) FIXED	Radio astronomy applications			VLBI
MOBILE 5.391	MOBILE 5.391		EU16A ERC REC 25-10		On a tuning range basis
SPACE OPERATION (S/E) (S/S) SPACE RESEARCH (S/E) (S/S)	SPACE OPERATION (S/E) (S/S) SPACE RESEARCH (S/E) (S/S)	Space science services			
5.392	5.392 EU15 EU27	Tactical Radio Relay	EU16A		Harmonised military band for Tactical Radio Relay links for near cross border operation within the band 2200-2245 MHz.

	on 1 Allocation s relevant to CE cy band		European Common Allocation	Utilisation I	EU footnote	ECC/ERC document	Standard	Note
2290	- 2300	MHz						
	MOBILE except Aeronautical Mobile SPACE RESEARCH (deep space) (S/E)		FIXED MOBILE except Aeronautical Mobile SPACE RESEARCH (deep space) (S/E) EU2	Mobile applications				
2300	- 2400	MHz						
FIXED MOBILE			FIXED MOBILE	Aeronautical Telemetry		ERC REC 62-02		Parts of the band are used for aeronautical telemetry on a national basis
Amateur			Amateur	Amateur applications			EN 301 783	
Radioloca	tion		Radiolocation	Mobile applications				
5.395			EU2 EU15	SAP/SAB		ERC REC 25-10		
2400	- 2450	MHz						
FIXED			FIXED	Amateur applications			EN 301 783	
MOBILE			MOBILE	Amateur Satellite applicatio			EN 301 783	
Amateur Radiolocat	tion		Amateur Amateur-Satellite	Automatic Vehicle Identific		ERC REC 70-03	EN 300 761	2446-2454 MHz
5.150			5.150 EU2	ISM				
5.282			5.282 EU15	Motion sensors		ERC DEC (01)08	EN 300 440	
				Non specific SRD		ERC DEC (01)05	EN 300 440	
				Non specific Step		ERC REC 70-03	2.1300 110	
				RFID		ERC REC 70-03	EN 300 440	
				RLAN		ERC DEC (01)07 ERC REC 70-03	EN 300 328	

	on 1 Allocation of relevant to CEI was band		European Common Allocation	Utilisation EU footnot	te ECC/ERC document	Standard	Note
2450	- 2483.5	MHz					
FIXED			FIXED	Automatic Vehicle Identification	ERC REC 70-03	EN 300 761	2446-2454 MHz
MOBILE			MOBILE	ISM			
Radiolocati 5.150	10П		5.150 EU2	Motion sensors	ERC DEC (01)08	EN 300 440	
5.397			EU15	Non specific SRD	ERC DEC (01)05	EN 300 440	
				Non specific SND	ERC REC 70-03	211 300 110	
				RFID	ERC REC 70-03	EN 300 440	
				RLAN	ERC DEC (01)07	EN 300 328	
					ERC REC 70-03		
2483.5	- 2500	MHz					
FIXED			FIXED	Fixed links	ERC REC T/R 13-0	1 EN 301 751	
MOBILE			MOBILE	ISM			
MOBILE-S Radiolocati	SATELLITE (S/E)	5.351A	MOBILE-SATELLITE (S/E) 5.351A	Mobile applications			
5.150	.011		5.150 EU15	Mobile satellite applications	ERC DEC (97)03	EN 301 441	
5.371			5.371	Moone succine apprearions	ERC BEC (77)03	EN 301 473	
5.397			5.398	SAP/SAB	ERC REC 25-10		
5.398			5.402				
5.399 5.402							
2500	- 2520	MHz					
	09 5.410 5.411	1 17 50044	MOBILE except aeronautical mobile 5.384A)				
	except aeronautica		Fixed	(Terrestrial UMTS/IMT-2000)	ECC DEC (02)06		Planned implementation date of terrestrial UMTS/IMT-2000 1
(5.405)	arterente ((a(r)	<sub>[]</sub> 0.5 5.551	EU15		ECC REC 03-03		January 2008 in accordance with ECC/DEC(02)06
(5.412)							

5.414

RR Region 1 Allocation and RR footnotes relevant to CEPT and frequency band			European Common Allocation		Utilisation	EU footnote	ECC/ERC document	Standard	Note
520	- 2655	MHz							
BROADCA	ASTING-SATEL	LITE 5.413 5.416	FIXED		Defence systems				
	09 5.410 5.411		MOBILE	except aeronautical mobile 5.384A	Fixed links		ERC REC T/R 13-0	1 EN 301 751	
	xcept aeronautica	al mobile 5.384A			SAP/SAB		ERC REC 25-10		On a tuning range basis until UMTS/IMT2000 is implemented
5.339			5.339	EU2					
5.403 5.405			5.418B 5.418C	EU15 EU16	Terrestrial UMTS/IN	MT-2000	ECC DEC (02)06		Planned implementation date of terrestrial UMTS/IMT-2000 1 January 2008 in accordance with ECC/DEC(02)06
5.412			3.418C	EUIO			ECC REC 03-03		sandary 2000 in accordance with Ecc/DEC(02)00
5.417C									
5.417D									
5.418B									
5.418C									
655	- 2670	MHz							
ROADCA	ASTING-SATEL	LITE 5.413 5.416	FIXED		Fixed links		ERC REC T/R 13-0		
	09 5.410 5.411	al mobile 5.384A		except aeronautical mobile 5.384A loration-Satellite (passive)	Radio astronomy ap	plications			Continuum measurements
	oration-Satellite (		Radio Ast	• ,	SAP/SAB		ERC REC 25-10		On a tuning range basis until UMTS/IMT2000 is implemented
adio Astro	onomy	-	Space Res	earch (passive)	Terrestrial UMTS/IN		ECC DEC (02)06		Planned implementation date of terrestrial UMTS/IMT-2000
pace Rese	arch (passive)						(- )++		January 2008 in accordance with ECC/DEC(02)06
5.149			5.149	EU2			ECC REC 03-03		

(5.347A)

5.412

5.420

EU15

EU16

RR Region 1 Allocation and RR footnotes relevant to CEPT and frequency band			European Common Allocation	Utilisation	EU footnote	ECC/ERC document	Standard	Note
2670	- 2690	MHz						
FIXED 5.4	109 5.410 5.411			Mobile satellite appl				
	except aeronautica		MOBILE except aeronautical mobile 5.384A	Radio astronomy app	olications			Continuum measurements
	SATELLITE (E/S		Fixed Radio Astronomy	Terrestrial UMTS/IN		ECC DEC (02)06		Planned implementation date of terrestrial UMTS/IMT-2000 1
Radio Astr	loration-Satellite (	passive)	Radio Astronomy	Terresular OWITS/IIV	11-2000	ECC DEC (02)00		January 2008 in accordance with ECC/DEC(02)06
	earch (passive)					ECC REC 03-03		
5.149	· · · · · · · · · · · · · · · · · · ·		EU15					
5.347A								
5.412			5.149					
5.419								
5.420								
2690	- 2700	MHz						
(passive) RADIO AS	XPLORATION-S STRONOMY ESEARCH (passiv		EARTH EXPLORATION-SATELLITE (passive) RADIO ASTRONOMY SPACE RESEARCH (passive) 5.340	Passive applications				
2700	- 2900	MHz						
	UTICAL RADIO	NAVIGATION	AERONAUTICAL RADIONAVIGATION	Meteorological radar	rs			
(5.337) Radiolocat	tion		(5.337) Radiolocation	Radar and Navigatio				
5.423	lion		5.423					
2900	- 3100	MHz						
RADIOLO	OCATION 5.424A		RADIOLOCATION	Defence systems				
RADIONA	AVIGATION 5.42	26	RADIONAVIGATION 5.426	Radar and Navigatio	n systems			
5.425			(5.424A) (EU2)	radar and ravigation				
5.427			(5.425)					
			(5.427)					

footnotes	RR Region 1 Allocation and RR footnotes relevant to CEPT and frequency band		European Common Allocation	Utilisation EU j	footnote	note ECC/ERC document	Standard Note	Note
3100	- 3300	MHz						
	CATION oration-Satellite (a carch (active)	active)	RADIOLOCATION (Earth Exploration-Satellite(active)) (Space Research (active)) 5.149 (EU2)	Radars and active sensors				
3300 RADIOLO (5.149) 5.430	- <b>3400</b> CATION	MHz	RADIOLOCATION (5.149) (EU2)	Defence systems Radars				Upper limit for airborne radars 3410 MHz.
<b>3400</b> FIXED	- 3500	MHz	FIXED	Amateur applications	EU17		EN 301 783	EU17 within the band 3400-3410 MHz
FIXED-SA Mobile Radiolocati	TELLITE (S/E)		FIXED-SATELLITE (S/E) MOBILE Amateur	Fixed links		ERC REC 14-03	EN 301 751 EN 301 753	Including point to multipoint
5.431	ion		Radiolocation	Fixed wireless access systems		ERC REC 13-04 ERC REC 14-03	EN 301 751 EN 301 753	
				Radars				Upper limit for airborne radars is 3410 MHz
				SAP/SAB	EU17A			For coordinated SAB/SAP applications for occasional use
3500	- 3600	MHz						
	TELLITE (S/E)		FIXED FIXED-SATELLITE (S/E)	Fixed links		ERC REC 14-03	EN 301 751 EN 301 753	Including point to mulitpoint
Mobile Radiolocati	ion		MOBILE	Fixed wireless access systems		ERC REC 13-04 ERC REC 14-03	EN 301 751 EN 301 753	
				Mobile applications	EU17A			For coordinated SAB/SAP applications for occasional use

footnotes i	RR Region 1 Allocation and RR footnotes relevant to CEPT and frequency band		European Common Allocation	Utilisation	EU footnote	ECC/ERC document	Standard	Note
3600	- 4200	MHz						
FIXED			FIXED	Coordinated earth sta			EN 301 443	Priority for civil networks
IXED-SAT Iobile	ΓELLITE (S/E)		FIXED-SATELLITE (S/E)	Fixed wireless acces	-	ERC REC 14-03	EN 301 751 EN 301 753	3600-3800 MHz including point-to-multipoint
				Medium/high capaci	ty fixed links	ERC REC 12-08	EN 301 751	
200	- 4400	MHz						
	TICAL RADION	IAVIGATION	AERONAUTICAL RADIONAVIGATION	Earth Exploration Sa				For sea surface temperature measurements
(5.440)			(5.438) (5.440) (EU18)	Radio altimeters				
400	- 4500	MHz						
IXED			FIXED	Defence systems	EU20			Harmonised military band for fixed and mobile systems
IOBILE			MOBILE	Mobile applications				For coordinated SAB/SAP applications for occasional use
			EU2 EU27	Transhorizon links	EU20			
500	- 4800	MHz						
IXED			FIXED	Coordinated earth sta	ations in FSS			Fixed-Satellite service not to be implemented in NATO Europe.
IXED-SAT IOBILE	TELLITE (S/E) 5	.441	FIXED-SATELLITE (S/E) 5.441 MOBILE					Fixed-Satellite frequency plan in 4500-4800 MHz
OBILE			EU27	Defence systems	EU20			Harmonised military band for fixed and mobile systems
				Mobile applications				For coordinated SAB/SAP applications for occational use
				Transhorizon links				
300	- 4990	MHz						
IXED MOBILE 5.	442		FIXED MODILE avacent Agrangutical Mobile	Defence systems	EU20			Harmonised military band for fixed and mobile systems
adio Astro			MOBILE except Aeronautical Mobile Radio Astronomy	Mobile applications				For coordinated SAB/SAP applications for occasional use
5.149 5.339	5.149 EU27	Passive applications				Space Research and EES (passive) above 4950 MHz in some countries Continuum measurements.		
				Radio astronomy app				Continuum measurements and VLBI

RR Region 1 Allocation and RR footnotes relevant to CEPT and frequency band	European Common Allocation	Utilisation	EU footnote	ECC/ERC document	Standard	Note
4990 - 5000 MHz						
FIXED	FIXED	Defence systems	EU20			Harmonised military band for fixed and mobile systems
MOBILE except Aeronautical Mobile RADIO ASTRONOMY	MOBILE except Aeronautical Mobile RADIO ASTRONOMY	Mobile applications				For coordinated SAB/SAP applications for occasional use
Space Research (passive)	RADIO ASTRONOMI	Radio astronomy app	lications			Continuum measurements and VLBI
5.149	5.149 EU27					
5000 - 5010 MHz						
AERONAUTICAL RADIONAVIGATION	AERONAUTICAL RADIONAVIGATION	Radio astronomy app	lications			VLBI observations
(RADIONAVIGATION-SATELLITE (E/S))	(RADIONAVIGATION-SATELLITE (E/S)) (Radio Astronomy)	Satellite Navigation				Aeronautical Radionavigation and Fixed Satellite Service envisaged in some countries
(5.367)	Space Research (passive)  (5.367)					
5.443B	(5.443B)					
5010 - 5030 MHz  (AERONAUTICAL RADIONAVIGATION) (RADIONAVIGATION-SATELLITE (S/E))	(AERONAUTICAL RADIONAVIGATION) (RADIONAVIGATION-SATELLITE (S/E))	Radio astronomy app	lications			(VLBI observations)
(S/S) 5.443B 5.328B	(S/S) 5.443B 5.328B Radio Astronomy	Satellite Navigation				Aeronautical Radionavigation and Fixed Satellite Service envisaged in some countries
	Space Research (passive)					(envisaged in some countries)
(5.367)	(5.367)					
5030 - 5150 MHz						
AERONAUTICAL RADIONAVIGATION	AERONAUTICAL RADIONAVIGATION	MLS				Aeronautical Radionavigation envisaged in some countries. Fixed Satellite Service in use in some countries
5.367 5.444	5.367 EU18 5.443B					Fracu Saterine Service in use in some countries
5.444A	5.443B 5.444					
	5.444A					

RR Region 1 Allocation and RR footnotes relevant to CEPT and frequency band			European Common Allocation	Utilisation	EU footnote	e ECC/ERC document	Standard	Note
5150	- 5250	MHz	(AA)					
	UTICAL RADIO ATELLITE (E/S)		FIXED-SATELLITE (E(S)) 5.447A)  MOBILE except Aeronautical Mobile 5.446A	(Feederlinks for MSS)				Aeronautical Radionavigation and Fixed Satellite Service envisaged in some countries
MOBILE 6 5.446B	except Aeronaution	cal Mobile 5.446A	(5.446B)	Wireless Access System Radio Local Area Netwo	is incl	ERC DEC (99)23	EN 300 836	
5.446			(5.446) (5.447)			ERC REC 70-03		
(5.447B) (5.447C)			5.447B (5.447C)					
5250	- 5255	MHz						
(active)	EXPLORATION-S	SATELLITE)	(active)	(Active Sensors)				
MOBILE 6	except Aeronaution	cal Mobile 5.446A	(MOBILE except Aeronautical Mobile 5.446A) (5.447F)	Position fixing  Shipborne and VTS rada				
	OCATION)		RADIOLOCATION	Tactical radars				
(5.448)	ESEARCH 5.447	D)	(SPACE RESEARCH 5.447D) (5.448A) (EU2)					
5.448A	.)		EU22	(Weather radars)				Ground based and airborne
				Wireless Access System Radio Local Area Netwo	ns incl	ERC DEC((99)23)	(EN 300 836)	
						ERC REC 70-03		
5255	- 5350	MHz						
(active)	XPLORATION-S	SATELLITE	EARTH EXPLORATION-SATELLITE (active)	Active Sensors				
MOBILE 6	except Aeronaution	cal Mobile 5.446A	MOBILE except Aeronautical Mobile 5.446A	Position fixing				
(5.447F) RADIOLO	OCATION)		(5.447F)  RADIOLOCATION	Shipborne and VTS rada				
	ESEARCH (activ	e)	SPACE RESEARCH (active)	(Tactical radars)				
(5.448) (5.448A	.)		(5.448A) (EU2) (EU22)					
								(Ground based and airborne)
				Wireless Access System Radio Local Area Netwo		(ERC DEC((99)23)	EN 300 836	
						(ERC REC 70-03)		

for the following for the following for the following frequency band			European Common Allocation	Utilisation	EU footnote	ECC/ERC document	Standard	Note	
5350	- 5450	MHz							
	UTICAL RADION	NAVIGATION	AERONAUTICAL RADIONAVIGATION	(Active Sensors)					
(5.449) (EARTH E	XPLORATION-S.	ATELLITE	(5.449) (EARTH EXPLORATION-SATELLITE)	Position fixing					
(active) 5.	448B		(active) 5.448B	Shipborne and VTS rada	ar				
	OCATION 5.448D ESEARCH (active		(RADIOLOCATION 5.448D)  SPACE RESEARCH (active) 5.448C)	Tactical radars					
(BITTEL TE		<u>),</u>	Fixed	Weapon system radars					
			EU22	Weather radars				(Ground based and airborne)	
EARTH E (active) 5.4 RADIOLO	- 5460  UTICAL RADION  XPLORATION-S. 448B)  DCATION 5.448D  ESEARCH (active	ATELLITE)	AERONAUTICAL RADIONAVIGATION (5.449)  EARTH EXPLORATION-SATELLITE (active) 5.448B)  RADIOLOCATION 5.448D  SPACE RESEARCH (active) 5.448C  EU2  EU22	Position fixing  (Shipborne and VTS rada (Tactical radars)  (Weapon system radars)  (Weather radars)	ar			Ground based and airborne	
(active) RADIOLO RADIONA	- 5470  XPLORATION-S.  DCATION 5.448D  AVIGATION 5.44	9	EARTH EXPLORATION-SATELLITE (active)  RADIOLOCATION 5.448D  RADIONAVIGATION 5.449	Position fixing  Shipborne and VTS rada	ar)				
5.448B	ESEARCH <mark>(a</mark> ctive )	<u>)</u>	(SPACE RESEARCH((active)) (5.448B) (EU2)	Tactical radars					
			EU22	Weapon system radars					
				Weather radars				Ground based and airborne	

RR Region 1 Allocation and RR footnotes relevant to CEPT and frequency band	European Common Allocation	Utilisation EU	U <b>footnote</b>	ECC/ERC document	Standard	Note
EARTH EXPLORATION-SATELLITE (active)  MARITIME RADIONAVIGATION  MOBILE except Aeronautical Mobile 5.446A (5.450A)  RADIOLOCATION 5.450B  SPACE RESEARCH (active)  (5.448B) (5.450) (5.451) (5.452)	EARTH EXPLORATION-SATELLITE (active)  MARITIME RADIONAVIGATION  MOBILE except Aeronautical Mobile 5.446A 5.450A  RADIOLOCATION 5.450B  SPACE RESEARCH(active) 5.448B  EU2 5.452  EU22	Weather radars				(Ground based and airborne)
MARITIME RADIONAVIGATION MOBILE except Aeronautical Mobile 5.446A (5.450A) (RADIOLOCATION 5.450B)  (5.450) (5.451) (5.452)	MARITIME RADIONAVIGATION MOBILE except Aeronautical Mobile 5.446A (5.450A) RADIOLOCATION 5.450B	Position fixing Shipborne and VTS radar Tactical radars Weapon system radars Wireless Access Systems incl Radio Local Area Networks		(ERC DEC (99)23) (ERC REC 70-03)		
MOBILE except Aeronautical Mobile 5.446A) (5.450A) (RADIOLOCATION) (Amateur) (Space research (deep space)) (5.282) (5.451) (5.454) (5.455)	MOBILE except Aeronautical Mobile 5.446A 5.450A) RADIOLOCATION Amateur  5.282 EU2 EU17 EU22	Weather radars	EU23			(Within 5660-5670 MHz)  (Within 5660-5670 MHz)  (Ground based and airborne)

	RR Region 1 Allocation and RR footnotes relevant to CEPT and frequency band		European Common Allocation	Utilisation	ECC/ERC document	Standard	Note	
5725	- 5830	MHz						
RADIOLOG	FIXED-SATELLITE (E/S) RADIOLOCATION		FIXED-SATELLITE (E/S) RADIOLOCATION	Amateur applications ISM			EN 301 783	Within the band 5725-5875 MHz
Amateur			Amateur Mobile	Non civil radiolocation				
5.150 5.451			5.150 (EU2) (EU22)	Non specific SRD		ERC DEC (01)06 ERC REC 70-03	EN 300 440	Within the band 5725-5875 MHz
5.455 5.456				Road Transport and Tra Telematic Systems (RT	iffic	ECC DEC (02)01	EN 300 674	Within the band 5795-5805 MHz. RTTT in the band 5805-5815 MHz on a national basis
				Weather radars		ERC REC 70-03		Ground based and airborne
5830	- 5850	MHz						
	FIXED-SATELLITE (E/S) RADIOLOCATION		FIXED-SATELLITE (E/S) RADIOLOCATION	Amateur Satellite applic (S/E)				Within the band 5830-5850 MHz
Amateur	. 11: (0.75)		Amateur	ISM				Within the band 5725-5875 MHz
Amateur-Sa	itellite (S/E)		Amateur-Satellite (S/E) Mobile	Non civil radiolocation				
5.150 5.451			5.150 (EU2) (EU22)	Non specific SRD		ERC DEC (01)06 ERC REC 70-03	EN 300 440	Within the band 5725-5875 MHz
5.455 5.456				Weather radars				Ground based and airborne
5850	- 5925	MHz						
FIXED SAG	PELLITE (E/O)		FIXED	Coordinated earth station			EN 301 443	Priority for civil networks
MOBILE	ΓELLITE (E/S)		FIXED-SATELLITE (E/S) MOBILE	ISM				Within the band 5725-5875 MHz
5.150			5.150	Non specific SRD		ERC DEC (01)06 ERC REC 70-03	EN 300 440	Within the band 5725-5875 MHz
5925	- 6425	MHz						
FIXED			FIXED	Coordinated earth statio			EN 301 443	Priority for civil networks
FIXED-SAT MOBILE 5.149 5.440	ΓELLITE (E/S) <mark>(5</mark>	.457A <mark>(</mark> 5.457B)	FIXED-SATELLITE (E/S)(5.457A)	Medium/high capacity 1	fixed links	ERC REC 14-01	EN 301 751	

5.458

footnotes	RR Region 1 Allocation and RR footnotes relevant to CEPT and frequency band		European Common Allocation	I tilication L'I tootnote	ECC/ERC document	Standard	Note	
6425	- 6700	MHz						
FIXED			FIXED	Coordinated earth st			EN 301 443	Priority for civil networks
FIXED-SA MOBILE	TELLITE (E/S)	5.457A <mark>(</mark> 5.457B)	FIXED-SATELLITE (E/S)(5.457A)  Forth Evaluation Satellite (negative)	Earth Exploration S				For sea surface temperature measurements
5.149			Earth Exploration-Satellite (passive) 5.149	Medium/high capac	ity fixed links	ERC REC 14-02	EN 301 751	
5.440			5.440					
5.458			5.458					
6700	- 7075	MHz						
FIXED			FIXED	Earth Exploration S				For sea surface temperature measurements
FIXED-SA MOBILE	IXED-SATELLITE (S/E) (E/S) 5.441		FIXED-SATELLITE (E/S) 5.441	Feederlinks for MSS				Within the band 6925-7075 MHz
5.458			Earth Exploration-Satellite (passive) 5.458	Fixed Satellite appli	cations			Within the band 6725-7025 MHz
5.458A			5.458A					Priority for civil networks
5.458B			5.458B	Medium/high capac		ERC REC 14-02	EN 301 751	
5.458C	- 7445	MIL	5.458C					
<b>7075</b> FIXED	- 7145	MHz	FIXED	Earth Exploration S	Earth Exploration Satellite systems			For sea surface temperature measurements
MOBILE			Earth Exploration-Satellite (passive)	Medium/high capac		ERC REC 14-02	EN 301 751	
5.458 5.459			5.458		<u></u>			
7145	- 7235	MHz						
FIXED			FIXED	Earth Exploration S				For sea surface temperature measurements
MOBILE	COE A DOUL (E/O)	5.460	MOBILE	Fixed links		ECC REC 02-06	EN 301 751	
	SPACE RESEARCH (E/S) 5.460		SPACE RESEARCH (E/S) 5.460 Earth Exploration-satellite (E/S) Space Operation (E/S)					
5.458 5.459			5.458					
5.437								

RR Region 1 Allocation and RR footnotes relevant to CEPT and frequency band			European Common Allocation	Utilisation EU footnote		ECC/ERC document	Standard	Note
7235	- 7250	MHz						
FIXED MOBILE			FIXED Earth Exploration-satellite (E/S) Space Operation (E/S)	Earth Exploration S		ECC REC 02-06	For sea surface temperature measurements	
			Space Research (E/S)				EN 301 751	
5.458								
7250	- 7300	MHz						
FIXED			FIXED FIXED-SATELLITE (S/E) MOBILE 5.461 EU2	Defence systems			Harmonised military band for satellite operation	
MOBILE	ELLITE (S/E)			Fixed links		ECC REC 02-06	EN 301 751	FIXED and MOBILE services not to be implemented in most NATO countries
5.461			5.461 EU2 EU27	Mobile satellite app	lications			Within the band 7250-7375 MHz
7300	- 7450	MHz						
FIXED			FIXED	Defence systems				Harmonised military band for satellite operation
	ELLITE (S/E)	-1 M-1:1-	FIXED-SATELLITE (S/E)	Fixed links		ECC REC 02-06	EN 301 751	
5.461	cept Aeronautica	ai woone	MOBILE except Aeronautical Mobile 5.461 EU2 EU27	Mobile satellite app				Within the band 7250-7375 MHz
7450	- 7550	MHz						
FIXED			FIXED	Defence systems				Harmonised military band for satellite operation
	FIXED-SATELLITE (S/E)		FIXED-SATELLITE (S/E)	Fixed links		ECC REC 02-06	EN 301 751	
	COGICAL-SATI cept Aeronautica		METEOROLOGICAL-SATELLITE (S/E) MOBILE except Aeronautical Mobile 5.461A EU2	Meteorological Sate	llite			Limited to geostationary systems

EU27

RR Region 1 Allocation and RR footnotes relevant to CEPT and frequency band		European Common Allocation	Utilisation	EU footnote	ECC/ERC document	Standard	Note
<i>-</i> 7750	MHz						
		FIXED	Defence systems				Harmonised military band for satellite operation
` '	134 12	FIXED-SATELLITE (S/E)	Fixed links		ECC REC 02-06	EN 301 751	
MOBILE except Aeronautical Mobile		MOBILE except Aeronautical Mobile EU2 EU27					
- 7850	MHz						
		FIXED	Defence systems				
DLOGICAL-SATI	ELLITE (S/E)	METEOROLOGICAL-SATELLITE (S/E) 5.461B	Fixed links		ECC REC 02-06	EN 301 751	
except Aeronautica	al Mobile	MOBILE except Aeronautical Mobile EU2	Meteorological Satell	ite			Limited to non-geostationary systems
- 7900 except Aeronautica	<b>MHz</b> al Mobile	FIXED MOBILE except Aeronautical Mobile	Fixed links		ECC REC 02-06	EN 301 751	
- 8025	MHz						
		FIXED	Defence systems				(Harmonised military band fro satellite operation)
TELLITE (E/S)		FIXED-SATELLITE (E/S) MOBILE 5.461 EU2	Fixed links		ECC REC 02-06	EN 301 751	FIXED and MOBILE services not to be implemented above 7975 MHz in NATO countries
		EU27	Mobile satellite applic	eations			
- 8175	MHz						
XPLORATION-S.	ATELLITE (S/E)	EARTH EXPLORATION-SATELLITE (S/E)	Defence systems				Harmonised military band for satellite operation
TELLITE (E/S)			Earth Exploration Sat	ellite systems			
		MOBILE 5.463	Fixed links		ECC REC 02-06	EN 301 751	
5.463		MOBILE 5.405					
	- 7750  ATELLITE (S/E) except Aeronautica  - 7850  OLOGICAL-SATI except Aeronautica  - 7900  except Aeronautica  - 8025  ATELLITE (E/S)	- 7750 MHz  TELLITE (S/E) except Aeronautical Mobile  - 7850 MHz  OLOGICAL-SATELLITE (S/E) except Aeronautical Mobile  - 7900 MHz except Aeronautical Mobile  - 8025 MHz ATELLITE (E/S)  - 8175 MHz  XPLORATION-SATELLITE (S/E)	### FIXED   MOBILE except Aeronautical Mobile   FIXED   FIXED   MOBILE except Aeronautical Mobile   FIXED   FI	### FIXED Defence systems  FIXED FIXED FIXED FIXED Defence systems  FIXED FIXED FIXED FIXED SATELLITE (S/E)  #### MOBILE except Aeronautical Mobile  #### FIXED DEfence systems  FIXED Defence systems  #### FIXED MOBILE except Aeronautical Mobile EU2  #### #### Defence systems  #### #### #### PIXED Defence systems  #### FIXED Defence systems  #### FIXED Defence systems  ##### FIXED Defence systems  ###################################	### FIXED   Defence systems	FIXED Defence systems  FIXED FIXED SATELLITE (S/E)  - 7850 MHz  FIXED FIXED SATELLITE (S/E)  FIXED FIXED-SATELLITE (S/E)  FIXED MOBILE except Aeronautical Mobile EU2  FIXED  FIXED METEOLOGICAL-SATELLITE (S/E)  FIXED METEOLOGICAL-SATELLITE (S/E)  FIXED METEOLOGICAL-SATELLITE (S/E)  FIXED MOBILE except Aeronautical Mobile EU2  FIXED MOBILE except Aeronautical Mobile  FIXED SATELLITE (E/S) FIXED-SATELLITE (E/S) MOBILE  5.461 EU2  FIXED MOBILE  5.461 EU2  FIXED Defence systems  FIXED SATELLITE (E/S) FIXED-SATELLITE (E/S) MOBILE  5.461 EU2  FIXED Defence systems  FIXED Defence systems  FIXED SATELLITE (E/S) Fixed links  FIXED SATELLITE (E/S) Fixed links  FIXED Defence systems  FIXED Defence systems  FIXED SATELLITE (E/S) Fixed links  FIXED SATELLITE (E/S) Fixed links	relevant to CEPT and pland  - 7750 MHz  FIXED FIXED-SATELLITE (S/E) MOBILE except Aeronautical Mobile  FIXED  METEOROLOGICAL-SATELLITE (S/E)  FIXED  MOBILE except Aeronautical Mobile  FIXED  FIXED  MOBILE except Aeronautical Mobile  FIXED  FIXED  FIXED  MOBILE except Aeronautical Mobile  FIXED  FIXED  FIXED  FIXED  FIXED  FIXED  FIXED  MOBILE except Aeronautical Mobile  FIXED  FIXED

RR Region 1 Allocation and RR footnotes relevant to CEPT and frequency band			European Common Allocation	Utilisation	EU footnote	ECC/ERC document	Standard	Note
8175	- 8215	MHz						
EARTH E	EARTH EXPLORATION-SATELLITE (S/E)		EARTH EXPLORATION-SATELLITE (S/E)	Defence systems				Harmonised military band for satellite operation
FIXED CA	TELLITE (E/S)		FIXED	Earth Exploration Satell	ite systems			
IXED-SATELLITE (E/S) METEOROLOGICAL-SATELLITE (E/S)		ELLITE (E/S)	FIXED-SATELLITE (E/S) METEOROLOGICAL-SATELLITE (E/S)	Fixed links		ECC REC 02-06	EN 301 751	
	MOBILE 5.463		MOBILE 5.463	Mobile applications				Within the band 8025-8200 MHz
5.462A	5.462A EU2 EU27							
3215	- 8400	MHz						
EARTH E. FIXED	ARTH EXPLORATION-SATELLITE (S/E) IXED IXED-SATELLITE (E/S)	EARTH EXPLORATION-SATELLITE (S/E) FIXED FIXED-SATELLITE (E/S)					Harmonised military band for satellite operation	
FIXED-SA								
MOBILE 5 5.462A			5.462A EU2			ECC REC 02-06	EN 301 751	
3.40211			5.463 EU27	Radio astronomy applica				VLBI observations
8400	- 8500	MHz						
FIXED MOBILE 6	except Aeronautica	al Mobile	FIXED SPACE RESEARCH (S/E) 5.465	Fixed links		ECC REC 02-06	EN 301 751	
	ESEARCH (S/E) 5		Radiolocation SA A SA S					
500	- 8550	MHz						
	DIOLOCATION	IVII IZ	RADIOLOCATION 5.469 EU2	Civil and military aerona radionavigation e.g. airfi approach				
			EU24	Shipborne, land and airb surveillance and weapon	radars			

footnotes	RR Region 1 Allocation and RR footnotes relevant to CEPT and frequency band		European Common Allocation	Utilisation EU footnote ECC/ERC Standard Note						
8550	- 8650	MHz						_		
(active) RADIOLO	ESEARCH (active		EARTH EXPLORATION-SATELLITE (active) RADIOLOCATION SPACE RESEARCH (active) 5.469 EU2 5.469A EU24	Civil and military aeronautical radionavigation e.g. airfield approach  Shipborne, land and airborne surveillance and weapon radars  Spaceborne active sensors						
8650	- 8750	MHz								
RADIOLO 5.469	OCATION		RADIOLOCATION 5.469 EU2 EU24	Civil and military aero radionavigation e.g. ai approach Shipborne, land and ai surveillance and weap	irfield irborne on radars					
8750 AERONAU (5.470) RADIOLO	- 8850 UTICAL RADIO OCATION	<b>MHz</b> NAVIGATION	AERONAUTICAL RADIONAVIGATION (5.470) RADIOLOCATION	Civil and military aero radionavigation e.g. ai approach	irfield					
5.471			Space Research EU2 EU24	Shipborne, land and ai surveillance and weap	irborne on radars					
8850	- 9000	MHz								
MARITIM RADIOLO	IE RADIONAVIO OCATION	GATION 5.472	MARITIME RADIONAVIGATION 5.472 RADIOLOCATION Space Research	Civil and military aero radionavigation e.g. ai approach	irfield					
5.473			5.473 EU2 EU24	Shipborne, land and ai surveillance and weap	on radars					

footnotes	RR Region 1 Allocation and RR footnotes relevant to CEPT and frequency band		European Common Allocation	Utilisation	EU footnote	ECC/ERC document	Standard	Note		
9000	- 9200	MHz								
5.337	AERONAUTICAL RADIONAVIGATION (5.337) Radiolocation		AERONAUTICAL RADIONAVIGATION (5.337) Radiolocation Space Research EU2 EU24	Civil and military aeronautical radionavigation e.g. airfield approach  Shipborne, land and airborne surveillance and weapon radars						
9200	- 9300	MHz								
	ME RADIONAVI OCATION	GATION 5.472	MARITIME RADIONAVIGATION 5.472 RADIOLOCATION Space Research	Civil and military aer radionavigation e.g. a approach						
5.473			5.473 EU2	Motion sensors		ERC REC 70-03	EN 300 440			
5.474			5.474 EU24	Shipborne, land and surveillance and wea	pon radars					
9300	- 9500	MHz								
RADIONA Radioloca	AVIGATION 5.4 ation	76	RADIONAVIGATION 5.476 Radiolocation Space Research	Civil and military aer radionavigation e.g. a approach	airfield					
5.427			5.427 EU2	Motion sensors		ERC REC 70-03	EN 300 440			
5.474 5.475			5.474 EU24 5.475	Shipborne, land and surveillance and wea						
9500	- 9800	MHz								
(active)	EXPLORATION- OCATION	SATELLITE	EARTH EXPLORATION-SATELLITE (active) RADIOLOCATION	Civil and military aer radionavigation e.g. a approach						
	AVIGATION		SPACE RESEARCH (active)	Motion sensors		ERC REC 70-03	EN 300 440			
SPACE R 5.476A	ESEARCH (activ	ve)	5.476A EU2 EU24	Shipborne, land and surveillance and wea	airborne					
			1024	Spaceborne active se	ensors					

RR Region 1 Allocation and RR footnotes relevant to CEPT and frequency band	European Common Allocation	Utilisation EU footno	ote ECC/ERC document	Standard	Note
9800 - 10000 MHz					
RADIOLOCATION	RADIOLOCATION	Civil and military aeronautical			
Fixed	Space Research	radionavigation e.g. airfield			
5.477	5.479 EU2	approach			
5.478	EU24	Motion sensors	ERC REC 70-03	EN 300 440	Within the band 9500-9975 MHz
5.479		Shipborne, land and airborne surveillance and weapon radars			

RR Region 1 A RR footnote re CEPT and fre		European Common Allocation	Utilisation	EU footnote	ECC ERC Document	Standard	Note
10 -	10.15 GHz						
FIXED		FIXED	Amateur applications			EN 301 783	
MOBILE RADIOLOCA	ATION	MOBILE RADIOLOCATION	Non civil radar				
Amateur		Amateur	SAP/SAB applications	EU17A	ERC REC 25-10		
5.479		5.479 EU2					
10.15 -	10.3 GHz						
FIXED		FIXED	Amateur applications			EN 301 783	
MOBILE RADIOLOCA	ATION	MOBILE RADIOLOCATION	Civil and military radars				Low power radars in certain subbands
Amateur		Amateur	Fixed links		ERC REC 12-05	EN 301 751	
		EU2	Fixed wireless access systems		ERC REC 13-04	EN 301 753	Including point- to- multipoint
			SAP/SAB applications	EU17A	ERC REC 25-10		
10.3 -	10.45 GHz						
FIXED		FIXED	Amateur applications			EN 301 783	
MOBILE RADIOLOCA	ATION	RADIOLOCATION Amateur	Civil and military radars				Low power radars in certain subbands
Amateur		Mobile EU2	SAP/SAB applications	EU17A	ERC REC 25-10		
		EU2 EU17					
10.45 -	10.5 GHz						
RADIOLOCA	ATION	FIXED	Amateur applications	EU23		EN 301 783	
Amateur-Sate	Amateur Amateur-Satellite	MOBILE RADIOLOCATION	Amateur Satellite applications	EU23		EN 301 783	
· ····································		Amateur Amateur-Satellite	Civil and military radars				
5.481		EU2	Fixed links		(ERC REC 12-05)	(EN 301 751)	
		EU17 EU23	SAP/SAB applications	(EU17A)	ERC REC 25-10		

RR Region 1 A RR footnote red CEPT and freq	levant to	European Common Allocation	Utilisation	EU footnote	ECC ERC Document	Standard	Note
10.5 -	10.55 GHz						
FIXED		FIXED	Fixed links		ERC REC 12-05	EN 301 751	
MOBILE Radiolocation		MOBILE Radiolocation	Fixed wireless access systems		ERC REC 13-04	EN 301 753	Including point- to- multipoint
			Motion sensors		ERC REC 70-03	EN 300 440	
		SAP/SAB applications	EU17A	ERC REC 25-10			
10.55 -	10.6 GHz						
FIXED		FIXED  MODIL E avacent A promouticel	Fixed links		ERC REC 12-05	EN 301 751	
MOBILE exce Mobile	ept Aeronautical	MOBILE except Aeronautical Mobile	Fixed wireless access systems		ERC REC 13-04)	EN 301 753	(Including point- to- multipoint)
Radiolocation		Radiolocation	Motion sensors		ERC REC 70-03	EN 300 440	
		SAP/SAB applications	EU17A	ERC REC 25-10			
10.6 -	10.65 GHz						
EARTH EXPL SATELLITE (		EARTH EXPLORATION- SATELLITE (passive)	Fixed links		ERC REC 12-05	EN 301 751	
FIXED	passive)	FIXED	Fixed wireless access systems		ERC REC 13-04	EN 301 753	Including point- to- multipoint
Mobile RADIO ASTR		MOBILE except Aeronautical Mobile RADIO ASTRONOMY SPACE RESEARCH (passive)	Passive applications				Continuum measurements and VLBI Surface emissivity and precipitation measurements
Radiolocation	ARCH (passive)	(Radiolocation)	SAP/SAB applications	EU17A	ERC REC 25-10		
5.149 5.482		5.149 5.482					
10.65 -	10.68 GHz	3.402					
EARTH EXPL		EARTH EXPLORATION-	(Fixed links)		ERC REC 12-05	EN 301 751	
SATELLITE () FIXED	passivej	SATELLITE (passive) FIXED	Passive applications				Continuum measurements and VLBI
MOBILE exce	ept Aeronautical	MOBILE except Aeronautical Mobile					Surface emissivity and precipitation measurements
RADIO ASTR	ARCH (passive)	(RADIO ASTRONOMY) (SPACE RESEARCH (passive)	SAP/SAB applications	(EU17A)	(ERC REC 25-10)		
5.149		5.149					
5.482		5.482					

RR Region 1 Allocation and RR footnote relevant to CEPT and frequency band	European Common Allocation	Utilisation	EU footnote	ECC ERC Document	Standard	Note
10.68 - 10.7 GHz						
EARTH EXPLORATION- SATELLITE (passive) RADIO ASTRONOMY SPACE RESEARCH (passive) 5.340 5.483	EARTH EXPLORATION- SATELLITE (passive) RADIO ASTRONOMY SPACE RESEARCH (passive) 5.340	Passive applications				Continuum measurements and VLBI Surface emmissivity and precipitation
10.7 - 11.7 GHz  (FIXED)  (FIXED-SATELLITE)(\$\hat{S}(\hat{E})\hat{S}.441)	FIXED FIXED-SATELLITE (S/E) 5.441	Fixed links		ERC DEC (00)08 ERC REC 12-06	(EN 301 751)	(Limited to high capacity fixed links)
(E/S) 5.484 (MOBILE except Aeronautical) (Mobile)	(E/S) 5.484)  MOBILE except Aeronautical  Mobile  (Land Mobile-satellite (\$/E))	(Fixed Satellite Service applications)		(ERC DEC (00)08)	EN 301 427)  EN 301 428  EN 301 430  EN 301 459  EN 301 360	(Within the band 10.7-10.95/11.2-11.45 GHz in) accordance with App 30B) (SIT/SUT - Eureltrack - VSAT)
11.7 - 12.5 GHz						
BROADCASTING BROADCASTING-SATELLITE FIXED MOBILE except Aeronautical Mobile 5.487 5.487A	BROADCASTING-SATELLITE FIXED MOBILE except Aeronautical Mobile  5.487 EU28 5.487A	Satellite Broadcasting		ERC DEC (00)08		In accordance with App S30
5.492	5.492					
12.5 - 12.75 GHz						
FIXED-SATELLITE (S/E) (E/S) 5.484A (5.495)	FIXED-SATELLITE (S/E) 5.484A  (5.495)	Fixed Satellite Service applications			EN 301 427	Priority for civil networks.  Low density carriers, including VSATs and digital SNG are encouraged to use this band VSAT - SIT/SUT
5.496					EN 301 428 EN 301 430 EN 301 459	
					EN 301 360	

RR Region 1 Allocation and RR footnote relevant to CEPT and frequency band	European Common Allocation	Utilisation	EU footnote	ECC ERC Document	Standard	Note
12.75 - 13.25 GHz  FIXED  FIXED-SATELLITE (E(S))5.441  Space Research (deep space) (S/E)	FIXED  FIXED-SATELLITE (£(S) 5.441)	(Fixed links) (Fixed Satellite Service applications)		(ERC REC 12-02)	EN 301 751)  EN 301 430)	
13.25 - 13.4 GHz  AERONAUTICAL RADIONAVIGATION 5.497 EARTH EXPLORATION- SATELLITE (active) SPACE RESEARCH (active) 5.498A	AERONAUTICAL RADIONAVIGATION 5.497 EARTH EXPLORATION- SATELLITE (active) SPACE RESEARCH (active) 5.498A EU26	Doppler Navigation aids  Earth exploration observations  (Ship berthing radars)				
13.4 - 13.75 GHz  EARTH EXPLORATION- SATELLITE (active)  RADIOLOCATION  SPACE RESEARCH 5.501A  Standard Frequency and Time Signal-satellite (E/S)  (5.499) (5.500) (5.501) (5.501B)	EARTH EXPLORATION- SATELLITE (active) RADIOLOCATION  SPACE RESEARCH 5.501A  5.501B EU2 EU26	Doppler Navigation aids  Earth exploration observations  Military land, airborne and naval radars  Motion sensors  Ship berthing radars		(ERC REC 70-03)	EN 300 440)	Within 13.4-14.0 GHz)
FIXED-SATELLITE (E/S) 5.484A (RADIOLOCATION) (Earth Exploration-Satellite) (Space Research) (Standard Frequency and Time) (Signal-satellite (E/\$)) (5.500) (5.501) (5.502) (5.503) (5.503A)	FIXED-SATELLITE (E/S) 5.484A  RADIOLOCATION)  Earth Exploration-Satellite  Space Research  5.502  EU2  5.503  EU26	Fixed Satellite Service applications  Military land, airborne and naval radars  Motion sensors  Navigation radars  Passive applications  Ship berthing radars		(ERC REC 70-03)	EN 301 430 EN 300 440	Within 13.4-14.0 GHz  Future VLBI ovservations

RR Region 1 Allocation and RR footnote relevant to CEPT and frequency band	European Common Allocation	Utilisation		CERC ument Standa	ard Note
14 - 14.25 GHz  FIXED-SATELLITE (E/S) 5.484A) 5.506 5.457A 5.506B 5.457B)  RADIONAVIGATION 5.504  Space Research  Mobile-Satellite (E/S) 5.506A 5.504C  (5.504A)	FIXED-SATELLITE (E/S) 5.484A 5.457A) Space Research Mobile-Satellite (E/S) 5.506A 5.504C	(Mobile satellite systems) (VSAT/SNG applications)	ERC R	EN 301 EC 13-03) EN 301 EN 301	428 Low density carriers, including VSATs and digital SNG, are encouraged to use this band
14.25 - 14.3 GHz  FIXED-SATELLITE (E/S) 5.484A 5.506 5.457A 5.506B 5.457B)  RADIONAVIGATION 5.504  Mobile-Satellite (E/S) 5.506A 5.508A  Space Research (5.504A) (5.508)	FIXED-SATELLITE (E/S) 5.484A 5.506 5.457A Mobile-Satellite (E/S) 5.506A 5.508A Space Research	(Mobile satellite systems)  (VSAT/SNG applications)	(ERC R	EN 301 EC 13-03 EN 301 EN 301	Fixed links to be coordinated with fixed satellite service on a national basis
14.3 - 14.4 GHz  FIXED  FIXED-SATELLITE (E/S) 5.484A) 5.506 5.457A 5.506B 5.457B  MOBILE except Aeronautical Mobile  Mobile-Satellite (E/S) 5.506A 5.509A	FIXED-SATELLITE (E/S) 5.484A (5.506 5.457A)  Mobile-Satellite (E(S) 5.506A) (5.509A)	Fixed and Mobile Satellite Service applications  VSAT/SNG applications	(ERC R	EN 301  EC 13-03) EN 301  EN 301	Fixed links to be coordinated with fixed satellite services on a national basis

Radionavigation-Satellite)

(5.504A)

FINED	RR Region 1 A RR footnote re CEPT and freq	levant to	European Common Allocation	Utilisation	EU footnote	ECC ERC Document	Standard	Note
Mobile Statelline (Fix) 5-900A   Speece Research (SE)   Spot A   S	FIXED FIXED-SATE 5.506 5.457A MOBILE exce	LLITE(E(\$))5.484A) 5.506B 5.457B)	5.506 5.457A Mobile-Satellite (E/S) 5.506A	applications			EN 301 427)	Fixed links to be coordinated with fixed satellite
FIXED_SATISLITE (ES) 5.484A   5.506 5.457A   Mobile_Satellite (ES) 5.487A   Mobile_Satellite (ES) 5.487A   Mobile_Satellite (ES) 5.487A   S.068 5.457A   S.068 5.457A   S.068 5.457A   Mobile_Satellite (ES) 5.487A   S.068 5.457A	Mobile-Satelli 5.509A Space Researc		(5.504A)	VSAT/SNG applications		ERC REC 13-03		
Solution   Solution	FIXED FIXED-SATE 5.506 5.457A MOBILE exce	LLITE (E/S) 5.484A 5.506B 5.457B	(5.506 5.457A) Mobile-Satellite (E/S) 5.457A (5.504B 5.509A)	applications			EN 301 427)	Fixed links to be coordinated with fixed satellite services on a national basis
FIXED FIXED Defence systems EU20 The band 14.62-15.23 GHz is a harmonised military band for fixed and mobile services  MOBILE Radio Astronomy Fixed links EU20 ERC REC 12-07 EN 301 751  Future VLBI observations compatible with primary use  FIXED FIXED Defence systems EU20 ERC REC 12-07 EN 301 751  FIXED FIXED MOBILE Space Research Radio Astronomy Fixed links EU20 ERC REC 12-07 EN 301 751  FIXED MOBILE MOBILE Space Research Radio Astronomy Fixed links EU20 ERC REC 12-07 EN 301 753  Fixed links EU20 ERC REC 12-07 EN 301 753  Fixed links EU20 ERC REC 12-07 EN 301 753  Fixed links EU20 ERC REC 12-07 EN 301 753  Fixed links EU20 ERC REC 12-07 EN 301 753  Fixed links EU20 ERC REC 12-07 EN 301 753  Fixed links EU20 ERC REC 12-07 EN 301 753  Fixed links EU20 ERC REC 12-07 EN 301 753  Fixed links EU20 ERC REC 12-07 EN 301 753  Fixed links EU20 ERC REC 12-07 EN 301 753  Fixed links EU20 ERC REC 12-07 EN 301 753	(5.504B 5.509) (Radio Astrono (5.149)	A		(VSAT/SNG applications)		ERC REC 13-03	EN 301 428	(VSAT&SNG)
MOBILE Space Research  Fixed links  EU20  ERC REC 12-07  EN 301 751  Future VLBI observations compatible with primary use  14.8 - 15.35 GHz  FIXED  MOBILE  MOBILE  Space Research  Radio Astronomy  Fixed links  EU20  EU20  FIXED  MOBILE  FIXED  MOBILE  Space Research  Radio Astronomy  Fixed links  EU20  EU20  ERC REC 12-07  EN 301 751  Future VLBI observations compatible with primary use  The band 14.62-15.23 GHz is a harmonised military band for fixed and mobile services  Fixed links  EU20  ERC REC 12-07  EN 301 751  Fixed links EU20  Fixed links  Fixed links  Fixed links  Fixed links  EU20  ERC REC 12-07  EN 301 753  Future VLBI observations compatible with primary use	FIXED			,				military band for fixed and mobile services
FIXED FIXED Defence systems EU20 The band 14.62-15.23 GHz is a harmonised military band for fixed and mobile services  Space Research Radio Astronomy 5.339 EU27 Fixed links EU20 ERC REC 12-07 EN 301 753  Radio astronomy applications Future VLBI observations compatible with primary use	MOBILE	, ,		Fixed links	EU20			Future VLBI observations compatible with
MOBILE MOBILE military band for fixed and mobile services  Space Research Radio Astronomy 5.339 Fixed links EU20 ERC REC 12-07 EN 301 753  Radio astronomy applications  Future VLBI observations compatible with primary use		15.35 GHz						
5.339 5.339 EU27 ERC REC 12-07 EN 301 753  Radio astronomy applications Future VLBI observations compatible with primary use	MOBILE	·h	MOBILE					military band for fixed and mobile services
	5.339		5.339 EU27	Radio astronomy applications				Future VLBI observations compatible with primary use

RR Region 1 A RR footnote re CEPT and freq	levant to	European Common Allocation	Utilisation	EU footnote	ECC ERC Document	Standard	Note
15.35 -	15.4 GHz						
EARTH EXPI SATELLITE (		EARTH EXPLORATION- SATELLITE (passive)	Passive applications				Continuum measurements and future VLBI
RADIO ASTR	-	RADIO ASTRONOMY					
	ARCH (passive)	SPACE RESEARCH (passive)					
5.340 5.511		5.340					
15.4 -	15.43 GHz						
AERONAUTI RADIONAVI		AERONAUTICAL RADIONAVIGATION	Doppler radar low power sensing				
(5.511D)	GATTION .	(5.511D)	Ground movement radars				
15.43 -	15.63 GHz						
AERONAUTI		AERONAUTICAL	Doppler radar low power sensing				
RADIONAVI FIXED-SATE	GATION LLITE (E/S) 5.511A	RADIONAVIGATION FIXED-SATELLITE (E/S) 5.511A	Fixed Satellite Service applications				MSS feeder links
5.511C		5.511C	Ground movement radars				
15.63 -	15.7 GHz						
AERONAUTI RADIONAVI		AERONAUTICAL RADIONAVIGATION	Doppler radar low power sensing				
(5.511D)	OATION	(5.511D)	Ground movement radars				
15.7 -	16.6 GHz						
RADIOLOCA		RADIOLOCATION	Defence systems				Harmonised military band for land, airborne and
5.512		EU27					naval radars
16.6 -	17.1 GHz						
RADIOLOCA Space Researc	TION th (deep space) (E/S)	RADIOLOCATION Space Research (E/S)	Defence systems				Harmonised military band for land, airborne and naval radars
5.512		EU27					

RR Region 1 A RR footnote re CEPT and free	elevant to	European Common Allocation	Utilisation	EU footnote	ECC ERC Document	Standard	Note
17.1 -	17.2 GHz						
RADIOLOCA	ATION	RADIOLOCATION	Defence systems				Military radar applications
5.512		Mobile EU2	Wireless Access Systems incl Radio Local Area Networks		ERC REC 70-03 ERC REC T/R 22-06		
<b>17.2</b> -	17.3 GHz	EARTH EXPLORATION-	Airborne terrain following radars				
SATELLITE( RADIOLOCA	(active)	(SATELLITE (active) (MOBILE) (RADIOLOCATION) (SPACE RESEARCH (active)	Defence systems  Missile systems radars				Military radar applications
(5.512) (5.513A)		(5.513A) (EU2)	Wireless Access Systems incl Radio Local Area Networks		(ERC REC 70-03)		Mobile application for HIPERLANs which have priority over space services.  HIPERLANs cannot claim protection from radiolocation service
17.3 -	17.7 GHz						
FIXED-SATE 5.516 5.516A	5.516B (S/E)	FIXED-SATELLITE (E/S) (S/E) (5.516 5.516 5.516A 5.516B)	Defence systems				Missile systems radars
Radiolocation (5.514)		(Radiolocation) (EU2)	(Feeder link plan)				Feederl links for 11.7-12.5 GHz. Appendix S30A of RR
17.7 -	18.1 GHz						
FIXED		FIXED FIXED-SATELLITE (S/E) 5.484A (E/S) 5.516	Feeder link plan				Appendix S30A
FIXED-SATE (E/S) 5.516 MOBILE	ELLITE (S/E) 5.484A		Fixed links		ERC DEC (00)07 ERC REC 12-03	(EN 301 751)	
			Fixed Satellite Service applications		ERC DEC (00)07	EN 301 360	To coordinated earth stations Priority for civil networks

RR Region 1 Allocation and RR footnote relevant to CEPT and frequency band		European Common Allocation Utilisation EU foot		EU footnote	ECC ERC te Document	Standard	Note
18.1 -	18.3 GHz						
FIXED		FIXED	Feeder link band				
FIXED-SATEL	LITE (S/E) 5.484A	(E/S) 5.520 (5.484A)	Fixed links		(ERC REC 12-03)	EN 301 751)	
MOBILE		METEOROLOGICAL- SATELLITE (S/E)	Eivad Catallita Camina applications			EN 301 360	To coordinated earth stations
(5.519)		(5.519)	Fixed Satellite Service applications			EIV 301 300	Priority for civil networks
(5.521)		0.515)					
18.3 -	18.4 GHz						
FIXED		FIXED	Feeder link band				
FIXED-SATEL	LITE (S/E) 5.484A	FIXED-SATELLITE (S/E) 5.484A (E/S) 5.520)	Fixed links		ERC REC 12-03	EN 301 751)	
MOBILE							T. P. d. d. d.
5.519			Fixed Satellite Service applications			EN 301 360	To coordinated earth stations Priority for civil networks
5.521 <b>18.4</b> -	18.6 GHz						
FIXED	1010 0112	FIXED	Fixed links		ERC DEC (00)07	EN 301 751	
FIXED-SATEL	LITE (S/E) 5.484A	FIXED-SATELLITE (S/E) 5.484A	Tired mike		ERC REC 12-03		
(E/S) 5.520 MOBILE			Fixed Satellite Service applications		ERC DEC (00)07	EN 301 360	To coordinated earth stations Priority for civil networks
18.6 -	18.8 GHz						
EARTH EXPLO		EARTH EXPLORATION-	Fixed links		ERC DEC (00)07	EN 301 751	
FIXED	assive)	SATELLITE (passive) FIXED			ERC REC 12-03		
FIXED(SATEL) MOBILE excep	ot Aeronautical	FIXED-SATELLITE (S/E) 5.522B	Fixed Satellite Service applications		ERC DEC (00)07	EN 301 360	(To coordinated earth stations) Priority for civil networks
Mobile Space Research	(nassive)		Passive applications				EESS surface emmissivity, snow, sea ice a
5.522A	(passive)	(5.522A)					preception.  (Earth Exploration Satellite is included.)

RR Region 1 A RR footnote re CEPT and freq	levant to	European Common Allocation	Utilisation	EU footnote	ECC ERC Document	Standard	Note
18.8 -	19.3 GHz						
FIXED FIXED-SATELLITE (S/E) 5.523A	FIXED FIXED-SATELLITE (S/E)(5.523A)	Fixed links		ERC DEC (00)07 ERC REC 12-03	EN 301 751		
MOBILE	DBILE		Fixed Satellite Service applications		ERC DEC (00)07	EN 301 360	To coordinated earth stations Priority for civil networks
19.3 -	19.7 GHz						
FIXED FIXED-SATE	LLITE (S/E) (E/S)	FIXED (S/E) (E/S) FIXED-SATELLITE (S/E) (E/S)	Fixed links		ERC DEC (00)07 ERC REC 12-03	EN 301 751	
5.523B 5.523C MOBILE	C 5.523D 5.523E	5.523B 5.523C 5.523D 5.523E	Fixed Satellite Service applications		ERC DEC (00)07	EN 301 360	To coordinated earth stations Priority for civil networks
19.7 -	20.1 GHz						
FIXED-SATE (5.516B) Mobile-Satelli	LLITE (S/E) 5.484A te (S/E)	FIXED-SATELLITE (S/E) 5.484A (5.516B) Mobile-Satellite (S/E)	Fixed and Mobile Satellite Service applications			EN 301 459	For uncoordinated earth stations SUT
		5.525					
20.1 -	20.2 GHz						
FIXED-SATE (5.516B) MOBILE-SAT	LLITE (S/E) 5.484A CELLITE (S/E)	FIXED-SATELLITE (S/E) 5.484A (5.516B) MOBILE-SATELLITE (S/E)	Fixed and Mobile Satellite Service applications			EN 301 459	For uncoordinated earth stations SUT
5.525		5.525					
5.526		5.526					
5.527		5.527					

5.528

5.528

RR Region 1 A RR footnote re CEPT and freq	levant to	European Common Allocation	Utilisation	EU footnote	ECC ERC Document	Standard	Note
20.2 -	21.2 GHz						
FIXED-SATE MOBILE-SAT Standard Frequ Signal-satellite	TELLITE (S/E) nency and Time	FIXED-SATELLITE (S/E) MOBILE-SATELLITE (S/E)	Fixed and Mobile Satellite Service applications				For uncoordinated earth stations Harmonised military band for satellite downlinks
Ü		EU2					
		EU27					
21.2 -	21.4 GHz						
EARTH EXPL		EARTH EXPLORATION-	Passive applications				Passive systems will be phased out by 2015
SATELLITE () FIXED	passive)	SATELLITE (passive) FIXED	Unidirectional temporary fixed or		ERC REC 25-10		Including SAP/SAB
MOBILE		MOBILE	mobile links				C .
SPACE RESE.	ARCH (passive)	SPACE RESEARCH (passive)					
21.4 -	22 GHz						
FIXED	ING-SATELLITE	BROADCASTING-SATELLITE	Wide band high definition television				Fixed service envisaged in some countries
MOBILE (5.347A) (5.530)		5.530					
22 -	22.21 GHz						
FIXED		FIXED	Fixed links		ERC REC T/R 13-02	EN 301 751	
MOBILE exce Mobile	pt Aeronautical	MOBILE except Aeronautical Mobile RADIO ASTRONOMY	Passive applications				Spectral line observations (water line and redshifted water line under 22.5 GHz)
5.149		SPACE RESEARCH (passive) 5.149	SAP/SAB applications	EU17A	ERC REC 25-10		

RR Region 1 A RR footnote re CEPT and fre		European Common Allocation	Utilisation	EU footnote	ECC ERC Document	Standard	Note
22.21 -	22.5 GHz						
EARTH EXP SATELLITE		FIXED MOBILE except Aeronautical	Fixed links		ERC REC T/R 13-02		
Mobile	ept Aeronautical	Mobile  RADIO ASTRONOMY  SPACE RESEARCH (passive)	Radio astronomy applications				EESS systems will be phased out by 2015. Spectral line observations (water line and redshifted water line under 22.5 GHz) also VLBI
RADIO ASTI SPACE RESI	RONOMY EARCH (passive)	Earth Exploration-Satellite (passive)	SAP/SAB applications	EU17A	ERC REC 25-10		
5.149 5.532	<b>,</b>	5.149 5.532					
22.5 -	22.55 GHz						
FIXED MOBILE		FIXED MOBILE	Fixed links		ERC REC T/R 13-02		
MOBILE		RADIO ASTRONOMY	Radio astronomy applications				
		SPACE RESEARCH (passive)	SAP/SAB applications	EU17A	ERC REC 25-10		
22.55 -	22.6 GHz						
FIXED		FIXED	Fixed links		ERC REC T/R 13-02		
INTER-SATE MOBILE	ELLITE	MOBILE RADIO ASTRONOMY	Radio astronomy applications				
5.149		SPACE RESEARCH (passive) 5.149	SAP/SAB applications	EU17A	ERC REC 25-10		
22.6 -	23 GHz						
FIXED INTER-SATE	ELLITE	FIXED MOBILE	Radio astronomy applications				Spectral line observations (Methyl Formate and Ammonia lines 22.81-22.86 GHz)
MOBILE 5.149		RADIO ASTRONOMY SPACE RESEARCH (passive) 5.149	SAP/SAB applications	EU17A	ERC REC 25-10		

RR Region 1 Allocation and RR footnote relevant to CEPT and frequency band		European Common Allocation	Utilisation	EU footnote	ECC ERC Document	Standard	Note
23 -	23.55 GHz						
FIXED INTER-SAT	FILITE	FIXED INTER-SATELLITE	Fixed links		ERC REC T/R 13-02	EN 301 751	
MOBILE	BEETTE	MOBILE	Radio astronomy applications				Spectral line observations
5.149		5.149	SAP/SAB applications		ERC REC 25-10		
23.55 -	23.6 GHz						
FIXED		FIXED	Fixed links		ERC REC T/R 13-02	EN 301 751	
MOBILE		INTER-SATELLITE MOBILE	SAP/SAB applications		ERC REC 25-10		
SATELLITE RADIO AST	-	EARTH EXPLORATION- SATELLITE (passive) RADIO ASTRONOMY SPACE RESEARCH (passive) 5.340	Passive applications				Continuum observations Ammonia line Water vapout measurements
24 -	24.05 GHz						
AMATEUR	CATELLITE	AMATEUR AMATEUR-SATELLITE	Amateur applications			EN 301 783	
AMATEUR- 5.150	SATELLITE	5.150	Amateur Satellite applications			EN 301 783	
			ISM				Within 24-24.25 GHz
			Non specific SRD		ERC REC 70-03	EN 300 440	
			SAP/SAB applications		ERC REC 25-10		

RR Region 1 Allocation and RR footnote relevant to CEPT and frequency band		European Common Allocation	Utilisation	EU footnote	ECC ERC  otnote Document	Standard	Note
24.05 -	24.25 GHz						
RADIOLOCA	ATION	RADIOLOCATION	Amateur applications				
Amateur Earth Explora	ntion-Satellite (active)	Amateur Earth Exploration-Satellite (active)	Defence systems				
		Fixed Mobile	ISM				
5.150		5.150 (EU2)	Motion sensors		ERC REC 70-03	EN 300 440	
			Non specific SRD		ERC REC 70-03	EN 300 440	
			Rain radar from satellites				
			SAP/SAB applications		ERC REC 25-10		
24.25 -	24.45 GHz						
FIXED		FIXED	SAP/SAB applications	EU17A	ERC REC 25-10		
		MOBILE	Unidirectional temporary fixed links				
24.45 -	24.5 GHz						
FIXED		FIXED MOBILE	SAP/SAB applications	EU17A	ERC REC 25-10		
INTER-SATI	ELLITE		Unidirectional temporary fixed links				
24.5 -	24.65 GHz						
FIXED INTER-SATI		FIXED	Fixed links		ERC REC T/R 13-02	EN 301 751	
INTER-SATI	SLETTE		Fixed wireless access systems		ERC REC 00-05 ERC REC 13-04	EN 301 753	CRS paired with 25.5-26.5 GHz for FDD systems
24.65 -	24.75 GHz						
FIXED		FIXED	Fixed links		ERC REC T/R 13-02		
INTER-SATI	ELLITE		Fixed wireless access systems		ERC REC 00-05 ERC REC 13-04	EN 301 753	CRS paired with 25.5-26.5 GHz for FDD systems

RR Region 1 Allo RR footnote relev CEPT and freque	vant to	European Common Allocation	Utilisation	EU footnote	ECC ERC Document	Standard	Note
24.75 -	25.25 GHz						
FIXED		FIXED	Fixed links		ERC REC T/R 13-02	EN 301 751	
			Fixed wireless access systems		ERC REC 00-05 ERC REC 13-04	EN 301 753	CRS paired with 25.5-26.5 GHz for FDD systems
25.25 -	25.5 GHz						
FIXED		FIXED	Fixed links		ERC REC T/R 13-02	EN 301 751	
INTER-SATELL MOBILE Standard Frequen Signal-satellite (E	ncy and Time	INTER-SATELLITE 5.536 MOBILE	Fixed wireless access systems		ERC REC 00-05 ERC REC 13-04	EN 301 753	CRS paired with 25.5-26.5 GHz for FDD systems
FIXED INTER-SATELL MOBILE	E) 5.536A 5.536B  JITE 5.536  RCH (S/E) 5.536A  acy and Time	FIXED INTER-SATELLITE 5.536 MOBILE SPACE RESEARCH (S/E) 5.536A 5.536C Earth Exploration-Satellite (S/E) 5.536A(5.536B)	Fixed links Fixed wireless access systems		ERC REC T/R 13-02  ERC REC 00-05  ERC REC 13-04	EN 301 751 EN 301 753	TS paried with 24.5-25.5 GHz for FDD systems
26.5 -	27 GHz						
FIXED INTER-SATELL MOBILE	E) 5.536A 5.536B	FIXED INTER-SATELLITE 5.536 MOBILE SPACE RESEARCH (S/E) 5.536A (5.536C) Earth Exploration-Satellite (S/E) 5.536A 5.536B	Defence systems				Harmonised military band for fixed and mobile systems
Standard Frequen Signal-satellite (E							
		EU27					

EU27

RR Region 1 A RR footnote rel CEPT and freq	levant to	European Common Allocation	Utilisation	EU footnote	ECC ERC Document	Standard	Note
27 -	27.5 GHz						
FIXED INTER-SATEI MOBILE	LLITE 5.536	FIXED INTER-SATELLITE 5.536 MOBILE Earth Exploration-Satellite (S/E) EU27	Defence systems				Harmonised military band for fixed and mobile systems
27.5 -	28.5 GHz						
	A LLITE (E/S) 5.484A	FIXED FIXED-SATELLITE (E/S) 5.484A	Feeder link band				Feeder links to Broadcasting satellites (HDTV) 27.5-29.5 GHz
5.539(5.516B) MOBILE		5.539( <u>5.516B</u> )	Fixed links		ERC DEC (00)09 ERC REC T/R 13-02	EN/301/751	Within the band 28.0525-28.4445 GHz
5.538 5.540		5.538 5.540	Fixed Satellite Service applications		ERC DEC (00)09	EN 301 360	The Earth-to-Space direction for uncoordinated earth stationswithin the band 27.5-27.8285 GHz The Space-to-Earth direction is limited to beacons for uplink power control 27.5-27.501 GHz
			Fixed wireless access systems		ERC REC 13-04 ERC REC 01-03	EN 301 753	CRS paired with 28.5-29.5 GHz for FDD systems
28.5 -	29.1 GHz						
FIXED		FIXED					Priority for civil networks
5.523A 5.539 5 MOBILE	LLITE (E/S) 5.484A 5.516B	(FIXED-SATELLITE (E(S)) 5.484A) (5.523A 5.539 5.516B) (Earth Exploration-Satellite (E(S))	Feeder link band		ERC DEC (00)09		Feeder links to Broadcasting satellites (HDTV) 27.5-29.5 GHz
(5.541)	tion-Satellite (E/S)	(5.541)	(Fixed links)		ERC DEC (00)09 ERC REC T/R 13-02	(EN 301 751)	
(5.540)		(5.540)	Fixed Satellite Service applications		ERC DEC (00)09	EN 301 360)	Uncoordinated earth stations within the band (28.4445-28.8365 GHz)
			Fixed wireless access systems		ERC REC 13-04 ERC REC 01-03	(EN 301 753)	TS paired with 27.5-28.5 GHz for FDD systems

RR Region 1 Allocation and RR footnote relevant to CEPT and frequency band	European Common Allocation	Utilisation	EU footnote	ECC ERC Document	Standard	Note
29.1 - 29.5 GI	Hz FIXED	Feeder link band				Feeder links to Broadcasting satellites (HDTV)
FIXED-SATELLITE (E/S) 5.5	523C FIXED-SATELLITE (E/S) 5.523C	reeder link band				27.5-29.5 GHz
5.523E 5.535A 5.539 5.541A 5.516B	(5.523E 5.535A 5.539 5.541A) (5.516B)	(Fixed links)		(ERC REC(T/R)13-02)	EN 301 751	Within the band 29.0605-29.4525 GHz
(MOBILE) (Earth Exploration-Satellite (E/	(Earth Exploration-Satellite (E/S) (5.541)	Fixed Satellite Service applications		ERC DEC (00)09	EN 301 360	Uncoordinated earth stations within the band 29.4525-29.5 GHz
5.540	5.540	Fixed wireless access systems		ERC REC 13-04 ERC REC 01-03	EN 301 753	(TS paired with 27.5-28.5 GHz for FDD systems)
29.5 - 29.9 GI	Hz					
FIXED-SATELLITE (E/S) 5.4 5.539 (5.516B)	FIXED-SATELLITE (E/S) 5.484A 5.539(5.516B)	Fixed and Mobile Satellite Service applications			EN 301 459	For uncoordinated earth stations
Earth Exploration-Satellite (E/5.541	/S) Earth Exploration-Satellite (E/S) 5.541					
Mobile-Satellite (E/S)	Mobile-Satellite (E/S)					
5.540	5.540					
29.9 - 30 GI	Нz					
FIXED-SATELLITE (E/S) 5.4 5.539(5.516B)	5.539(5.516B)	Fixed Satellite Service applications		ERC DEC (01)03	EN 301 459	Limited to beacons for uplink power control 29.999-30 GHz
MOBILE-SATELLITE (E/S) Earth Exploration-Satellite (E/S) 5.541	MOBILE-SATELLITE (E/S)  Earth Exploration-Satellite (E/S)  5.541	Mobile satellite systems				For uncoordinated earth stations
5.525	5.525					
5.526	5.526					
5.527	5.527					
5.538	5.538					
5.540	5.540					
5.543	5.543					

RR Region 1 Allocation and RR footnote relevant to CEPT and frequency band		European Common Allocation	Utilisation	EU footnote	ECC ERC Document	Standard	Note
30 -	31 GHz						
FIXED-SATELLITE (E/S) MOBILE-SATELLITE (E/S) Standard Frequency and Time		FIXED-SATELLITE (S/E) (E/S) MOBILE-SATELLITE (E/S)	Fixed and Mobile Satellite Service applications				For uncoordinated earth stations Harmonised military band for satellite uplinks
Signal-satellite							
		EU2					
		EU27					
31 -	31.3 GHz						
FIXED		FIXED	Fixed links		ECC REC 02-02	EN 301 751	
MOBILE Space Research	h 5 544	MOBILE	Radio astronomy applications				Continuum measurements
•	uency and Time						
5.149		5.149					
5.545							
31.3 -	31.5 GHz						
EARTH EXPL SATELLITE (1		EARTH EXPLORATION- SATELLITE (passive)	Passive applications				Continuum measurements
RADIO ASTR	•	RADIO ASTRONOMY	Surface temperature and emissivity,				
SPACE RESEA	ARCH (passive)	SPACE RESEARCH (passive)	atmospheric attenuation				
5.340		5.340					
31.5 -	31.8 GHz						
EARTH EXPL		EARTH EXPLORATION-	Fixed links				
SATELLITE ( <sub>J</sub> RADIO ASTR	• /	SATELLITE (passive) RADIO ASTRONOMY	Passive applications				Continuum measurements
SPACE RESEA	ARCH (passive)	SPACE RESEARCH (passive)					
Fixed		Fixed  Mobile except Aeronautical Mobile	Surface temperature and emissivity, atmospheric attenuation				
Mobile except 5.149	Aeronautical Mobile	5.149					
5.149		5.149					
5.5.0		5.0.0					

R Region 1 Allo R footnote rele EPT and frequ	vant to	European Common Allocation	Utilisation	EU footnote	ECC ERC Document	Standard	Note
31.8 -	32 GHz						
FIXED 5.547A		FIXED 5.547A					Space research (deep space) in come countries
RADIONAVIGA		RADIONAVIGATION	High density fixed links		(ERC REC 01-02)	(EN 301 751)	Both Point-to-Point and Point-to-Multipoint
(S/E)	RCH (deep space)	SPACE RESEARCH (S/E)				EN 301 753	
5.547		5.547					
5.548		5.548					
32 -	32.3 GHz						
FIXED 5.547A		FIXED 5.547A					Space research (deep space) in come countries
RADIONAVIGA SPACE RESEAI	ATION RCH (deep space)	RADIONAVIGATION SPACE RESEARCH (S/E)	High density fixed links		ERC REC 01-02	EN 301 751	Both Point-to-Point and Point-to-Multipoint
(S/E)		5.549				EN 301 753	
5.547 5.548		5.547 5.548					
32.3 -	33 GHz						
FIXED 5.547A		FIXED 5.547A	High density fixed links		ERC REC 01-02	EN 301 751	Both Point-to-Point and Point-to-Multipoint
INTER-SATELL	LITE	INTER-SATELLITE				EN 301 753	
RADIONAVIGA	ATION	RADIONAVIGATION					
5.547		5.547					
5.548		5.548					
33 -	33.4 GHz						
FIXED 5.547A		FIXED 5.547A	High density fixed links		ERC REC 01-02	EN 301 751	Both Point-to-Point and Point-to-Multipoint
RADIONAVIGA	ATION	INTER-SATELLITE RADIONAVIGATION				EN 301 753	
5.547		5.547					
33.4 -	34.2 GHz						
RADIOLOCATI	ION	RADIOLOCATION	Defence systems				Harmonised military band for radiolocation
5.549		EU2					systems
		EU27	Motion sensors				
			Short range radar				
			Surveying and measurement				

RR Region 1 Allocation and RR footnote relevant to CEPT and frequency band		European Common Allocation	Utilisation	EU footnote	ECC ERC Document	Standard	Note
34.2 -	34.7 GHz						
	ATION EARCH (deep space)	RADIOLOCATION SPACE RESEARCH (E/S)	Defence systems				Harmonised military band for radiolocation systems
(E/S) (5.549)		EU2	Motion sensors				
	(EU27)	Short range radar					
			Surveying and measurement				
34.7 -	35.2 GHz						
RADIOLOCA Space Research		RADIOLOCATION Space Research	Defence systems				Harmonised military band for radiolocation systems
5.549		EU2	Motion sensors				
5.550		EU27	Short range radar				
			Surveying and measurement				
35.2 -	35.5 GHz						
METEOROL RADIOLOCA	OGICAL AIDS ATION	METEOROLOGICAL AIDS RADIOLOCATION	Defence systems				Harmonised military band for radiolocation systems
5.549		EU2	Rain radar from satellites				
		EU27					
35.5 -	36 GHz						
EARTH EXP SATELLITE	(active)	EARTH EXPLORATION- SATELLITE (active)	Defence systems				Harmonised military band for Radiolocaiton systems
	METEOROLOGICAL AIDS METEOROLOGICAL AIDS RADIOLOCATION RADIOLOCATION		Rain radar from satellites				
	EARCH (active)	SPACE RESEARCH (active)					
5.549		(5.549A) (EU2)					
5.549A		(5.551A) (EU27)					
(5.551A)							

RR Region 1 Allocation at RR footnote relevant to CEPT and frequency band		Utilisation	EU footnote	ECC ERC Document	Standard	Note
36 - 37 (	GHz					
EARTH EXPLORATION- SATELLITE (passive)	EARTH EXPLORATION- SATELLITE (passive)	Defence systems				Harmonised military band for fixed and mobile systems.
FIXED  MOBILE  SPACE RESEARCH (passi	FIXED  MOBILE  SPACE RESEARCH (passive)	Passive applications				EESS surface emmissivity, snow, sea ice and preception.
(5.149)	Radio Astronomy  (5.149) EU27	Radio astronomy applications				(Hydrogen cyanide and Hydroxil lines 36.43-36.5) (GHz)
37 - 37.5 (	GHz					
FIXED	FIXED	High density fixed links		ERC REC T/R 12-01		For civil applications
MOBILE SPACE RESEARCH (S/E) 5.547	SPACE RESEARCH (S/E) 5.547 EU2	Low and medium capacity fixed links				For military applications
		Unplaned, uncoordinated use				within the sub bands 37-37.142 GHz paired with 38.22-38.402 GHz subject to national decisions
37.5 - 38 (	GHz					
FIXED FIXED-SATELLITE (S/E)	FIXED FIXED-SATELLITE (S/E)	Fixed Satellite Service applications		ERC DEC (00)02		Uncoordinated Earth stations shall not claim protection from the Fixed Service
MOBILE SPACE RESEARCH (S/E)	SPACE RESEARCH (S/E) Earth Exploration-Satellite (S/E)	High density fixed links		ERC DEC (00)02 ERC REC T/R 12-01	EN 301 751	For civil applications
Earth Exploration-Satellite (5.547)	(5.547) EU2	Low capacity fixed links				For military applications
38 - 39.5 (	GHz					
FIXED FIXED-SATELLITE (S/E)	FIXED FIXED-SATELLITE (S/E)	Fixed Satellite Service applications		ERC DEC (00)02		Uncoordinated Earth stations shall not claim protection from the Fixed Service
MOBILE Earth Exploration-Satellite		High density fixed links		ERC DEC (00)02 ERC REC T/R 12-01	EN 301 751	For civil applications
(5.547) (5.551AA)	(5.547) (EU2) (5.551AA)	Low capacity fixed links				For military applications
		Unplaned, uncoordinated use				Within the sub bands 37-37.142 GHz apired with 38.26-38.402 GHz subject to national decisions

RR Region 1 Allocation and RR footnote relevant to CEPT and frequency band	European Common Allocation	Utilisation	EU footnote	ECC ERC Document	Standard	Note
39.5 - 40 GHz						
FIXED FIXED-SATELLITE (S/E) 5.516B MOBILE MOBILE-SATELLITE (S/E) Earth Exploration-Satellite (S/E) 5.547	FIXED FIXED-SATELLITE (S/E) 5.516B MOBILE MOBILE-SATELLITE (S/E) Earth Exploration-Satellite (S/E) 5.547 (EU2)	Fixed Satellite Service applications		ERC DEC (00)02		Coordinated and uncoordinated earth stations
40 - 40.5 GHz						
EARTH EXPLORATION- SATELLITE (E/S)	FIXED FIXED-SATELLITE (S/E) (5.516B)	Broadband mobile systems				Possible future band
FIXED FIXED-SATELLITE (S/E) (5.516B MOBILE MOBILE-SATELLITE (S/E) SPACE RESEARCH (E/S) Earth Exploration-Satellite (S/E)	MOBILE	Fixed Satellite Service applications		ERC DEC (00)02		Coordinated and uncoordinated earth stations
, ,	EU2					
40.5 - 41 GHz						
BROADCASTING	BROADCASTING	Fixed Satellite Service applications		ECC DEC (02)04		
BROADCASTING-SATELLITE FIXED FIXED-SATELLITE (S/E) Mobile	BROADCASTING-SATELLITE FIXED	Multimedia Wireless Systems MWS		ERC DEC (99)15 ECC REC 01-04	EN 301 753	

5.547

5.547

RR Region 1 Allocation and RR footnote relevant to CEPT and frequency band	European Common Allocation	Utilisation	EU footnote	ECC ERC Document	Standard	Note
41 - 42 GHz						
BROADCASTING	BROADCASTING	Fixed Satellite Service applications		ECC DEC (02)04		
BROADCASTING-SATELLITE FIXED	BROADCASTING-SATELLITE FIXED	Multimedia Wireless Systems MWS		ERC DEC (99)15	EN 301 751	
FIXED-SATELLITE (S/E)				ECC REC 01-04	EN 301 753	
Mobile	(5.547)					
(5.547)	(3.347)					
42 - 42.5 GHz						
BROADCASTING	BROADCASTING	Fixed Satellite Service applications		ECC DEC (02)04		
BROADCASTING-SATELLITE FIXED	BROADCASTING-SATELLITE FIXED	Multimedia Wireless Systems MWS		ERC DEC (99)15	EN 301 751	
FIXED-SATELLITE (S/E)				ECC REC 01-04	EN 301 753	
Mobile (5.547)	E SELLI					
(5.551H)	(5.551H) (5.551I)					
(5.5511)						
40.5						
42.5 - 43.5 GHz	(PWPP)					
FIXED  FIXED-SATELLITE (E/S) 5.552	(FIXED) (FIXED-SATELLITE (E/S) 5.552)	Broadband mobile systems				Possible future band
MOBILE except Aeronautical Mobile	MOBILE except Aeronautical Mobile	Fixed Satellite Service applications		ECC DEC (02)04		For fixed applications Priority for civil networks
RADIO ASTRONOMY	RADIO ASTRONOMY	Multimedia Wireless Systems MWS		ERC DEC (99)15	(EN 301 753)	
(5.149) (5.547)	(5.149) (5.547)			ECC REC 01-04		
(5.551H)	(5.551H)	Radio astronomy applications				Silicon monoxide lines and many other spectral lines in this band
(5.551I)	(5.551I)					(mes m uns band)
43.5 - 45.5 GHz						
MOBILE 5.553	MOBILE 5.553					(Radionavigation envisaged(in)some countries)
MOBILE-SATELLITE  RADIONAVIGATION	(MOBILE-SATELLITE) (Fixed-Satellite)	Defence systems				Harmonised military band for satellite uplinks
RADIONAVIGATION-						and mobile systems
(SATELLITE) (5.554)	(5.554) (EU27)					

RR Region 1 Allocation and RR footnote relevant to CEPT and frequency band	European Common Allocation	Utilisation	EU footnote	ECC ERC Document	Standard	Note
47.9 - 48.2 GHz  FIXED  FIXED-SATELLITE (E/S) 5.552  MOBILE  (5.552A)	(FIXED) (FIXED-SATELLITE (E/S) 5.552) (MOBILE) (5.552A)	Feeder link band Fixed Satellite Service applications  HAPS  SAP/SAB applications				For 40 GHz broadcasting satellites  For fixed applications Priority for civil networks
### ### ### ### ### ### ### ### ### ##	FIXED  FIXED-SATELLITE (E/S))5,552  (\$\frac{1}{2}\text{(S/E)}\text{(S.554A 5.555B)}}  MOBILE  (Amateur)	Fixed Satellite Service applications  (SAP/SAB applications)		(ERC REC 25-10)		For 40 GHz broadcasting satellites  For fixed applications Priority for civil networks
48.54 - 49.44 GHz  FIXED  FIXED-SATELLITE (E/S) 5.552  MOBILE  5.149  5.340  5.555	(FIXED) (FIXED-SATELLITE (E/S) 5.552) (MOBILE) (RADIO ASTRONOMY) (5.149) (5.340) (5.555)	Fixed Satellite Service applications  Low and medium capacity fixed links		ERC REC 12-10	EN 301 751)	For 40 GHz broadcasting satellites 48.5-49.2 GHz  For fixed applications Priority for civil networks
		Radio astronomy applications  (SAP/SAB applications)	(EU17A)	(ERC REC 25-10)		Carbon monosulphide line 48.94-49.4 GHz
### ### ### ### ### ### ### ### ### ##	FIXED (FIXED-SATELLITE (E/S))5.552 (S/E) 5.516B 5.554A 5.555B) (MOBILE)	Fixed Satellite Service applications  (Low and medium capacity fixed links)		(ERC/REC/12(10)	EN[301]751)	For fixed applications Priority for civil networks
		SAP/SAB applications	EU17A	ERC REC 25-10		

RR Region 1 Allocation and RR footnote relevant to CEPT and frequency band		European Common Allocation	Utilisation	EU footnote	ECC ERC Document	Standard	Note
50.2 -	50.4 GHz						
EARTH EXPL SATELLITE ( SPACE RESE. 5.340 5.555A	ORATION- passive) ARCH (passive)	EARTH EXPLORATION- SATELLITE (passive) SPACE RESEARCH (passive) 5.340	Passive applications				
50.4 -	51.4 GHz						
FIXED FIXED-SATE MOBILE Mobile-Satelli		FIXED FIXED-SATELLITE (E/S) Mobile-Satellite (E/S)  EU2	Future satellite and terrestrial systems				Shared civil and non civil allocation
51.4 -	52.6 GHz						
FIXED MOBILE 5.547 5.556		FIXED MOBILE RADIO ASTRONOMY 5.547 5.556	High density fixed links		ERC REC 12-11	EN 301 751	
52.6 -	54.25 GHz						
EARTH EXPL SATELLITE ( SPACE RESE. 5.340 5.556		EARTH EXPLORATION- SATELLITE (passive) SPACE RESEARCH (passive) 5.340 5.556	Passive applications				Atmospheric temperature sounding
54.25 -	55.78 GHz						
		EARTH EXPLORATION- SATELLITE (passive) SPACE RESEARCH (passive)	Passive applications				Atmospheric temperature sounding

RR Region 1 Allocation and RR footnote relevant to CEPT and frequency band		European Common Allocation			ECC ERC Document	Standard	Note
55.78 -	56.9 GHz						
EARTH EXP	(passive)	EARTH EXPLORATION- SATELLITE (passive)	High density fixed links		ERC REC T/R 22-03 ERC REC 12-12	EN 301 751	
FIXED 5.557	A ELLITE 5.556A	FIXED 5.557A INTER-SATELLITE 5.556A	(Passive applications)				
MOBILE 5.5		SPACE RESEARCH (passive)					
SPACE RESI	EARCH (passive)						
5.547		5.547 EU21 5.558					
56.9 -	57 GHz						
EARTH EXP		EARTH EXPLORATION- (SATELLITE (passive)) (FIXED)	High density fixed links		ERC REC T/R 22-03 ERC REC 12-12		
(FIXED)	ELLITE 5.558A)	MOBILE 5.558	Passive applications)				(Atmospheric temperature sounding)
	EARCH(passive)	SPACE RESEARCH (passive)	<u> </u>				
(5.547)		(5.547) (EU21) (5.558A)					
57 -	58.2 GHz						
EARTH EXP		EARTH EXPLORATION- SATELLITE (passive)	High density fixed links		ERC REC 12-09 ERC REC T/R 22-03	EN 301 751	
FIXED	ELLITE 5.556A	FIXED (INTER-SATELLITE 5.556A)	Passive applications				Atmospheric temperature sounding
MOBILE 5.53		MOBILE 5.558					( · · · · · · · · · · · · · · · · · · ·
SPACE RESI	EARCH (passive)	SPACE RESEARCH (passive)					
5.547		5.547					
58.2 -	59 GHz						
EARTH EXP		EARTH EXPLORATION- SATELLITE (passive)	High density fixed links		ERC REC 12-09 ERC REC T/R 22-03	EN 301 751	
FIXED MOBILE		FIXED RADIO ASTRONOMY	Passive applications				Atmospheric temperature sounding
SPACE RESI	EARCH (passive)	SPACE RESEARCH (passive)					
5.547		5.547 EU6					
5.556		5.556 EU19					

RR Region 1 Allocation and RR footnote relevant to CEPT and frequency band		European Common Allocation	Utilisation	EU footnote		Standard	Note
59 -	59.3 GHz						
EARTH EXP SATELLITE FIXED	LORATION- (passive)	EARTH EXPLORATION- SATELLITE (passive) FIXED	Defence systems				Frequency band 59-61 GHz is a harmonised military band for fixed, mobile and readiolocation systems
INTER-SATELLITE 5.556A MOBILE 5.558		INTER-SATELLITE 5.556A MOBILE 5.558	Passive applications				Atmospheric temperature sounding
	ATION 5.559 EARCH (passive)	RADIOLOCATION 5.559 SPACE RESEARCH (passive)					
	4 ,	EU2					
		EU27					
<b>59.3</b> -	62 GHz	FIXED	Conflored and are automate				
INTER-SATI	ELLITE	INTER-SATELLITE	Cordless local area networks				Frequency band 59-61 GHz is a harmonised
RADIOLOCA		(MOBILE 5.558) (RADIOLOCATION 5.559)	(Defence systems)				military band for fixed, mobile and readiolocation systems
(5.138)		(5.138) (EU2) (EU27)	(High density fixed links)		ERC REC T/R 22-03		
		3027)	(ISM)				Within the band 61-61.5 GHz
			Non specific SRD		ERC REC 70-03		Within the band 61-61.5 GHz
62 -	63 GHz						
FIXED		INTER-SATELLITE	Broadband mobile systems		ERC REC T/R 22-03		For connection to IBCN paired with 65-66 GHz
INTER-SATE MOBILE 5.5		MOBILE 5.558 RADIOLOCATION 5.559	Short range non civil radiolocation				
	ATION 5.559	EHO					
5.138		EU2					
63 -	64 GHz						
FIXED		INTER-SATELLITE	RTTT		ECC DEC (02)01		Road Transport and Traffic Telematic
INTER-SATE MOBILE 5.5		MOBILE 5.558 RADIOLOCATION 5.559			ERC REC 70-03		Vehicle to road/vehicle to vehicle
RADIOLOCA	ATION 5.559		Short range non civil radiolocation				
5.138							

RR Region 1 Allocation and RR footnote relevant to CEPT and frequency band		European Common Allocation	Utilisation	EU footnote	ECC ERC Document	Standard	Note
64 -	65 GHz						
FIXED INTER-SATELLITE MOBILE except Aer Mobile 5.547 5.556		FIXED INTER-SATELLITE MOBILE except Aeronautical Mobile (5.547) 5.556	High density fixed links		ERC REC T/R 22-03		
65 -	66 GHz						
EARTH EXPLORATE	TION-	EARTH EXPLORATION- SATELLITE	Broadband mobile systems		ERC REC T/R 22-03		For connection to IBCN paired with 62-63 GHz
FIXED INTER-SATELLITE MOBILE except Aer Mobile SPACE RESEARCH 5.547  66 - INTER-SATELLITE MOBILE 5.553 5.55 MOBILE-SATELLITE RADIONAVIGATIO	TO GHZ  E 8 TE	FIXED INTER-SATELLITE MOBILE except Aeronautical Mobile SPACE RESEARCH 5.547  INTER-SATELLITE MOBILE 5.553 5.558 MOBILE-SATELLITE RADIONAVIGATION	High density fixed links  Future civil systems		ERC REC T/R 22-03		
RADIONAVIGATION SATELLITE 5.554  71 - FIXED FIXED-SATELLITE MOBILE MOBILE-SATELLITE	<b>74 GHz</b> E (S/E)	RADIONAVIGATION- SATELLITE  5.554  FIXED FIXED-SATELLITE (S/E) MOBILE MOBILE-SATELLITE (S/E) EU27	Defence systems				Harmonised military band. Pairing with 81-84 GHz is envisaged

RR Region 1 Allocation and RR footnote relevant to CEPT and frequency band	European Common Allocation	Utilisation	EU footnote	ECC ERC Document	Standard	Note
74 - 75.5 GHz						
BROADCASTING	BROADCASTING	Future civil systems				
BROADCASTING-SATELLITE FIXED	BROADCASTING-SATELLITE FIXED	Space science services				VLBI within the band 74-84 GHz
FIXED-SATELLITE (S/E) MOBILE Space Research (S/E) 5.561	FIXED-SATELLITE (S/E) MOBILE Space Research (S/E) 5.561					
75.5 - 76 GHz						
(BROADCASTING) BROADCASTING-SATELLITE	BROADCASTING BROADCASTING-SATELLITE	Amateur applications	(EU35)		(EN 301 783)	
FIXED	FIXED	Future civil systems				
FIXED-SATELLITE (S/E) MOBILE	FIXED-SATELLITE (S/E) MOBILE	Space science services				VLBI
Space Research (S/E)	Space Research (S/E)					
5.559A	5.559A EU2					
5.561	5.561 (EU35)					
76 - 77.5 GHz						
RADIO ASTRONOMY	RADIO ASTRONOMY	Amateur applications			EN 301 783	
RADIOLOCATION Amateur	RADIOLOCATION Amateur	Amateur Satellite applications			EN 301 783	
Amateur-Satellite  Space Research (S/E)	Amateur-Satellite  Space Research (S/E)	Civil radioloction				
5.149	(5.149) EU2	Radio astronomy applications				Spectral line and wide band continuum observations
		RTTT		ECC DEC (02)01		Road Transport and Traffic Telematic 76-77 GHz Radar

ERC REC 70-03

RR Region 1 Allocation and RR footnote relevant to CEPT and frequency band	European Common Allocation	Utilisation	EU footnote	ECC ERC Document	Standard	Note
77.5 - 78 GHz						
AMATEUR AMATEUR-SATELLITE Radio Astronomy Space Research (S/E) 5.149	AMATEUR AMATEUR-SATELLITE Radio Astronomy Space Research (S/E) 5.149	Radio astronomy applications				Spectral line and wide band continuum observations
78 - 79 GHz						
RADIOLOCATION Amateur (Amateur-Satellite)	RADIOLOCATION Amateur (Amateur-Satellite)	Civil and military radiolocation  Radio astronomy applications				(Spectral line and wide band continuum) (observations)
(Radio Astronomy) Space Research (S/E) 5.149	(Radio Astronomy) Space Research (S/E) 5.149					
5.560	5.560					
79 - 81 GHz	DADYO ACTROVOMY					
RADIO ASTRONOMY RADIOLOCATION Amateur	RADIO ASTRONOMY RADIOLOCATION Amateur	Civil and military radiolocation  Radio astronomy applications				Spectral line and wide band continuum
Amateur-Satellite Space Research (S/E)	Amateur-Satellite Space Research (S/E)					observations
5.149	5.149 EU2					
81 - 84 GHz						
FIXED FIXED-SATELLITE (E/S)	FIXED FIXED-SATELLITE (E/S) MOBILE MOBILE-SATELLITE (E/S) RADIO ASTRONOMY	Defence systems				Harmonised military band. Paring with 71-74 GHz is envisaged
MOBILE MOBILE-SATELLITE (E/S) RADIO ASTRONOMY		Radio astronomy applications				Spectral line and wide band continuum observations
Space Research (S/E) 5.149	Space Research (S/E) 5.149 EU27					
5.560A	5.560A					

RR Region 1 All RR footnote rele CEPT and frequ	evant to	European Common Allocation	Utilisation	EU footnote	ECC ERC Document	Standard	Note
FIXED FIXED-SATELI MOBILE RADIO ASTRO 5.149	86 GHz LITE (E/S) 5.561A DNOMY	FIXED FIXED-SATELLITE (E/S) 5.561A MOBILE RADIO ASTRONOMY 5.149	Future civil fixed and mobile systems  Radio astronomy applications				Spectral line and wide band continuum observations
<b>86</b> - EARTH EXPLO		EARTH EXPLORATION-	Passive applications				Continuum and spectral line measurements
SATELLITE (pa RADIO ASTRO SPACE RESEA: 5.340	NOMY	SATELLITE (passive) RADIO ASTRONOMY SPACE RESEARCH (passive) 5.340					
92 -	94 GHz						
FIXED MOBILE		FIXED MOBILE	Radio astronomy applications				Diazenylium line and numerous other rspectral lines including wide band continuum observations
RADIO ASTRO RADIOLOCAT		RADIO ASTRONOMY RADIOLOCATION	Short range radar				
5.149		5.149 EU2					
94 -	94.1 GHz	EARTH EVAN OR ATTOM					
EARTH EXPLO SATELLITE (ac	ctive)	EARTH EXPLORATION- SATELLITE (active)	Cloud profiler radar				
RADIOLOCATI SPACE RESEA		RADIOLOCATION SPACE RESEARCH (active)	Short range radar				
Radio Astronom		Radio Astronomy					
5.562	-	5.562 EU2					
5.562A		5.562A					

RR Region 1 Allocation and RR footnote relevant to CEPT and frequency band		European Common Allocation	Utilisation	EU footnote	ECC ERC Document	Standard	Note
94.1 -	95 GHz						
FIXED MOBILE		FIXED MOBILE	Radio astronomy applications				Spectral line and wide band continuum observations
RADIO ASTR RADIOLOCA		RADIO ASTRONOMY RADIOLOCATION	Short range radar				
5.149		5.149 EU2					
95 -	100 GHz						
FIXED MOBILE		FIXED MOBILE PADIO ASTRONOMY	Radio astronomy applications				Multiple line observations including wide band continuum observations.
	RADIO ASTRONOMY RADIOLOCATION RADIONAVIGATION RADIONAVIGATION						
RADIONAVIO SATELLITE		RADIONAVIGATION- SATELLITE					
5.149		5.149 EU2					
5.554		5.554					
100 -	102 GHz						
EARTH EXPL		EARTH EXPLORATION-	Earth Exploration Satellite systems				Limb sounding of atmospheric constituents
SATELLITE ( RADIO ASTR	-	SATELLITE (passive) RADIO ASTRONOMY	Radio astronomy applications				Spectral line and wide band continuum
	ARCH (passive)	SPACE RESEARCH (passive)	one and an arrange of the second				observations
5.340		5.340					
5.341		5.341					
102 -	105 GHz						
FIXED		FIXED	Radio astronomy applications				Spectral line and wide band continuum
MOBILE		MOBILE					observations
RADIO ASTR	RONOMY	RADIO ASTRONOMY					
5.149		5.149					
5.341		5.341					

R footnote r	Allocation and elevant to equency band	European Common Allocation	Utilisation	EU footnote	ECC ERC Document	Standard	Note
105 -	109.5 GHz						
FIXED		FIXED					
MOBILE		MOBILE					
RADIO AST	RONOMY	RADIO ASTRONOMY					
SPACE RESI 5.562B	EARCH (passive)	SPACE RESEARCH (passive) 5.562B					
5.149		5.149					
5.341		5.341					
109.5 -	111.8 GHz						
EARTH EXP	PLORATION- (passive)	EARTH EXPLORATION- SATELLITE (passive)	Radio astronomy applications				Observations of CO lines at 109.8 and 110.2 GH and for continuum observations
RADIO AST	RONOMY	RADIO ASTRONOMY					
SPACE RES	EARCH (passive)	SPACE RESEARCH (passive)					
5.340		5.340					
5.341		5.341					
111.8 -	114.25 GHz						
FIXED		FIXED					
MOBILE		MOBILE					
RADIO AST	RONOMY	RADIO ASTRONOMY					
SPACE RESI 5.562B	EARCH (passive)	SPACE RESEARCH (passive) 5.562B					
5.149		5.149					
5.341		5.341					

## 114.25 - 116 GHz

SPACE RESEARCH (passive)

EARTH EXPLORATION- SATELLITE (passive) EARTH EXPLORATION- SATELLITE (passive) RADIO ASTRONOMY RADIO ASTRONOMY RADIO ASTRONOMY

 5.340
 5.340

 5.341
 5.341

SPACE RESEARCH (passive)

RR footnote	Allocation and relevant to equency band	European Common Allocation	Utilisation	EU footnote	ECC ERC Document	Standard	Note
116 -	119.98 GHz						
SATELLITE INTER-SAT	PLORATION- E (passive) TELLITE 5.562C SEARCH (passive)	EARTH EXPLORATION- SATELLITE (passive) INTER-SATELLITE 5.562C	Passive applications				Passive sensing as part of the oxygen absorption band with peak at 118.75 GHz
119.98 -	120.02 GHz						
SATELLITE INTER-SAT	PLORATION- E (passive) TELLITE 5.562C SEARCH (passive)	EARTH EXPLORATION- SATELLITE (passive) INTER-SATELLITE 5.562C SPACE RESEARCH (passive) 5.341	Passive applications				Passive sensing as part of the oxygen absorption band with peak at 118.75 GHz
120.02 -	122.25 GHz						
SATELLITE INTER-SAT	PLORATION- E (passive) TELLITE 5.562C SEARCH (passive)	EARTH EXPLORATION- SATELLITE (passive) INTER-SATELLITE 5.562C SPACE RESEARCH (passive) 5.138	Passive applications				Passive sensing as part of the oxygen absorption band with peak at 118.75 GHz
122.25 -	123 GHz						
FIXED		FIXED	Amateur applications			EN 301 783	
INTER-SAT MOBILE 5.: Amateur		INTER-SATELLITE MOBILE 5.558 Amateur	Amateur Satellite applications Non specific SRD		ERC REC 70-03	EN 301 783	
5 120		5 120	•				

5.138

5.138

RR Region 1 Allocation and RR footnote relevant to CEPT and frequency band

**European Common Allocation** 

Utilisation

EU footnote

ECC ERC Document

Standard

Note

#### 123 -126 GHz

FIXED-SATELLITE (S/E) FIXED-SATELLITE (S/E) MOBILE-SATELLITE (S/E) MOBILE-SATELLITE (S/E) RADIONAVIGATION RADIONAVIGATION RADIONAVIGATION-RADIONAVIGATION-SATELLITE SATELLITE

Radio Astronomy Radio Astronomy

5.554 5.554

#### 130 GHz 126 -

FIXED-SATELLITE (S/E) FIXED-SATELLITE (S/E) MOBILE-SATELLITE (S/E) MOBILE-SATELLITE (S/E) RADIONAVIGATION Radio Astronomy 5.562D RADIONAVIGATION-RADIONAVIGATION SATELLITE RADIONAVIGATION-Radio Astronomy

SATELLITE 5.149 5.149

5.554

#### 130 -134 GHz

EARTH EXPLORATION-EARTH EXPLORATION-SATELLITE (active) 5.562E SATELLITE (active) 5.562E

FIXED FIXED

INTER-SATELLITE INTER-SATELLITE MOBILE 5.558 **MOBILE 5.558** RADIO ASTRONOMY RADIO ASTRONOMY

5.149 5.149 5.562A 5.562A

#### 136 GHz 134 -

AMATEUR AMATEUR Amateur applications AMATEUR-SATELLITE AMATEUR-SATELLITE Amateur Satellite applications

Radio Astronomy

Radio astronomy applications

Spectral line and wide band continuum observations

EN 301 783

EN 301 783

Radio Astronomy

RR Region 1 Allocation and RR footnote relevant to CEPT and frequency band		)	European Common Allocation	Utilisation	EU footnote	ECC ERC Document	Standard	Note
136 -	141	1 GHz						
RADIO ASTR			RADIO ASTRONOMY	Amateur applications			EN 301 783	
RADIOLOCA Amateur	TION		RADIOLOCATION Amateur	Amateur Satellite applications			EN 301 783	
Amateur-Satel 5.149	llite		Amateur-Satellite 5.149	Radio astronomy applications				Spectral line and wide band continuum observations
141 -	148.5	5 GHz						
FIXED			FIXED	Radio astronomy applications				Spectral line and wide band continuum observations
	MOBILE RADIO ASTRONOMY		MOBILE RADIO ASTRONOMY					000011441010
RADIOLOCA	TION		RADIOLOCATION					
5.149			5.149					
148.5 -	151.5	5 GHz						
EARTH EXPI SATELLITE (		N-	EARTH EXPLORATION- SATELLITE (passive)	Passive applications				Harmonised reference window for passive sensor observations
RADIO ASTR			RADIO ASTRONOMY					
SPACE RESE	ARCH (pa	assive)	SPACE RESEARCH (passive)					
5.340			5.340					
151.5 -	155.8	5 GHz						
FIXED			FIXED	Radio astronomy applications				Spectral line and wide band continuum
MOBILE DADIO ASTR	ONOR		MOBILE RADIO ASTRONOMY					observations
RADIO ASTR RADIOLOCA			RADIOLOCATION					

R Region 1 Allocation and R footnote relevant to EPT and frequency band		European Common Allocation	Utilisation	EU footnote	ECC ERC Document	Standard	Note
155.5 -	158.5 GHz						
EARTH EXPL SATELLITE	LORATION- (passive) 5.562F	EARTH EXPLORATION- SATELLITE (passive)	Earth Exploration Satellite systems				Protection until 1.1.2018.
FIXED		FIXED	Radio astronomy applications				Spectral line and wide band continuum
MOBILE		MOBILE					observations
RADIO ASTI	RONOMY	RADIO ASTRONOMY					
SPACE RESE 5.562B	EARCH (passive)	SPACE RESEARCH (passive) 5.562B					
5.149		5.149					
5.562G		5.562G					
158.5 -	164 GHz						
FIXED		FIXED					
FIXED-SATE	ELLITE (S/E)	FIXED-SATELLITE (S/E)					
MOBILE		MOBILE					
MOBILE-SA	TELLITE (S/E)	MOBILE-SATELLITE (S/E)					
164 -	167 GHz						
EARTH EXP		EARTH EXPLORATION-	Passive applications				Harmonised reference window for passive senso observations of the 183.31 GHz water vapor line
SATELLITE (	-	SATELLITE (passive) RADIO ASTRONOMY					Microwave limb sounding of the 164.38 GHz C
	EARCH (passive)	SPACE RESEARCH (passive)					line
5.340	(passive)	5.340					
5.540		5.5 10					

FIXED

FIXED-SATELLITE (S/E)

INTER-SATELLITE

MOBILE 5.558

FIXED

FIXED-SATELLITE (S/E)

INTER-SATELLITE

MOBILE 5.558

RR Region 1 Allocation and RR footnote relevant to CEPT and frequency band		European Common Allocation	Utilisation	EU footnote	ECC ERC Document	Standard	Note
168 -	170 GHz						
FIXED FIXED-SATEL INTER-SATEL MOBILE 5.558	LLITE (S/E) LLITE	FIXED FIXED-SATELLITE (S/E) INTER-SATELLITE MOBILE 5.558					
5.149		5.149					
170 -	174.5 GHz						
FIXED FIXED-SATEL INTER-SATEL MOBILE 5.558	LLITE	FIXED FIXED-SATELLITE (S/E) INTER-SATELLITE MOBILE 5.558					
5.149	S	5.149					
174.5 -	174.8 GHz						
FIXED INTER-SATEL MOBILE 5.558		FIXED INTER-SATELLITE MOBILE 5.558	Passive applications				Passive sensing of the water vapour absorption line whose peak is at 183.31 GHz
174.8 - EARTH EXPLO SATELLITE (p	passive)	EARTH EXPLORATION- SATELLITE (passive)	Passive applications				Passive sensing of the water vapour absorption line whose peak is at 183.31 GHz
	ARCH (passive)	INTER-SATELLITE 5.562H SPACE RESEARCH (passive)					
182 -	185 GHz						
EARTH EXPLO SATELLITE (p	ORATION-	EARTH EXPLORATION- SATELLITE (passive)	Passive applications				Passive sensing of the water vapour absorption whose peak is at 183.31 GHz

5.340

5.563

RADIO ASTRONOMY

SPACE RESEARCH (passive)

RADIO ASTRONOMY

5.340

5.563

SPACE RESEARCH (passive)

RR Region 1 Allocation and RR footnote relevant to CEPT and frequency band		European Common Allocation	Utilisation	EU footnote	ECC ERC Document	Standard	Note
185 -	190 GHz						
SATELLITE INTER-SAT	PLORATION- E (passive) ELLITE 5.562H EARCH (passive)	EARTH EXPLORATION- SATELLITE (passive) INTER-SATELLITE 5.562H SPACE RESEARCH (passive)	Passive applications				Passive sensing of the water vapour absorption line whose peak is at 183.31 GHz
190 -	191.8 GHz						
SATELLITE	PLORATION- E (passive) EARCH (passive)	EARTH EXPLORATION- SATELLITE (passive) SPACE RESEARCH (passive)	Passive applications				Passive sensing of the water vapour absorption line whose peak is at 183.31 GHz
5.340	Extrem (passive)	5.340					
191.8 -	200 GHz						
FIXED INTER-SAT MOBILE 5.5 MOBILE-SA RADIONAV RADIONAV SATELLITE 5.149 5.341 5.554	558 ATELLITE /IGATION /IGATION-	FIXED INTER-SATELLITE MOBILE 5.558 MOBILE-SATELLITE RADIONAVIGATION RADIONAVIGATION- SATELLITE 5.149 5.341 5.554					
200 -	202 GHz						
SATELLITE RADIO AST	TRONOMY	EARTH EXPLORATION- SATELLITE (passive) RADIO ASTRONOMY	Earth exploration observations				Atmospheric chemistry (limb sounding) and atmospheric remote sensing of nitrous oxide at 201 GHz.
5.340	EARCH (passive)	SPACE RESEARCH (passive) 5.340	Radio astronomy applications				Spectral line and wide band continuum observations
5.341 5.563A		5.341 5.563A					

RR Region 1 Allocation and RR footnote relevant to CEPT and frequency band		European Common Allocation	Utilisation	EU footnote	ECC ERC Document	Standard	Note
202 -	209 GHz						
SATELLITE RADIO AST		EARTH EXPLORATION- SATELLITE (passive) RADIO ASTRONOMY SPACE RESEARCH (passive)	Earth exploration observations				Atmospheric chemistry (limb sounding) and atmospheric remote sensing of water vapor at 203.4 GHz and ozone at 208.5 GHz.
5.340	4	5.340					
5.341		5.341					
5.563A		5.563A					
209 -	217 GHz						
	ELLITE (E/S)	FIXED FIXED-SATELLITE (E/S) MOBILE	Radio astronomy applications				Spectral line and wide band continuum observations
MOBILE RADIO AST	RONOMY	RADIO ASTRONOMY					
5.149		5.149					
5.341		5.341					
217 -	226 GHz						
MOBILE RADIO AST	ELLITE (E/S) RONOMY EARCH (passive)	FIXED FIXED-SATELLITE (E/S) MOBILE RADIO ASTRONOMY SPACE RESEARCH (passive) 5.562B					
5.149		5.149					
5.341		5.341					
226 -	231.5 GHz						
SATELLITE RADIO AST		EARTH EXPLORATION- SATELLITE (passive) RADIO ASTRONOMY SPACE RESEARCH (passive)	Passive applications				Passive sensors for limb sounding of atmospheric constituents. Reference window for higher frequency water vapor measurements
5.340	u ,	5.340	Radio astronomy applications				Observations of the 230.5 GHz CO line

RR Region 1 Allocation and ECC ERC RR footnote relevant to Standard Note CEPT and frequency band **European Common Allocation** Utilisation EU footnote **Document** 231.5 -232 GHz FIXED FIXED MOBILE MOBILE Radiolocation Radiolocation

232 -235 GHz

FIXED FIXED

FIXED-SATELLITE (S/E) FIXED-SATELLITE (S/E)

MOBILE MOBILE Radiolocation Radiolocation

235 -238 GHz

EARTH EXPLORATION-SATELLITE (passive) FIXED-SATELLITE (S/E) SPACE RESEARCH (passive)

5.563A 5.563B

238 -240 GHz

FIXED FIXED

FIXED-SATELLITE (S/E) FIXED-SATELLITE (S/E)

MOBILE MOBILE

RADIOLOCATION RADIOLOCATION RADIONAVIGATION RADIONAVIGATION RADIONAVIGATION-RADIONAVIGATION-SATELLITE

SATELLITE

RR Region 1 Allocation and RR footnote relevant to CEPT and frequency band		European Common Allocation	Utilisation	EU footnote	ECC ERC Document	Standard	Note
240 -	241 GHz						
FIXED MOBILE RADIOLOCAT	TION	FIXED MOBILE RADIOLOCATION					
241 -	248 GHz						
RADIO ASTRO		RADIO ASTRONOMY	Amateur applications			EN 301 783	
RADIOLOCAT Amateur	TION	RADIOLOCATION Amateur	Amateur Satellite applications			EN 301 783	
Amateur-Satell	lite	Amateur-Satellite	Non specific SRD		ERC REC 70-03		
5.138 5.149		5.138 5.149	Radio astronomy applications				Spectral line and wide band continuum observations
248 -	250 GHz						
AMATEUR		AMATEUR	Amateur applications			EN 301 783	
AMATEUR-SA Radio Astronor		AMATEUR-SATELLITE Radio Astronomy	Amateur Satellite applications			EN 301 783	
5.149		5.149					
250 -	252 GHz						
EARTH EXPLO		EARTH EXPLORATION- SATELLITE (passive)	Earth exploration observations				Limb sounding of nitrous oxide near 251 GHz
RADIO ASTRO	ONOMY	RADIO ASTRONOMY					
	ARCH (passive)	SPACE RESEARCH (passive)					
5.340		5.340					

5.563A

5.563A

RR Region 1 Allocation and RR footnote relevant to CEPT and frequency band

**European Common Allocation** 

Utilisation

EU footnote

ECC ERC Document

Standard

Note

252 -265 GHz

FIXED FIXED MOBILE MOBILE

MOBILE-SATELLITE (E/S) MOBILE-SATELLITE (E/S) RADIO ASTRONOMY RADIO ASTRONOMY RADIONAVIGATION RADIONAVIGATION RADIONAVIGATION-RADIONAVIGATION-

SATELLITE SATELLITE

5.149 5.149 5.554 5.554

265 -275 GHz

FIXED FIXED

FIXED-SATELLITE (E/S) FIXED-SATELLITE (E/S)

MOBILE MOBILE

RADIO ASTRONOMY RADIO ASTRONOMY

5.149 5.149 5.563A 5.563A Spectral line and wide band continuum observations

# EU-footnotes included in the European Common Allocation Table

EU-foot-number	EU-footnote text
EU1	Within the frequency band 20-108 MHz the common military tuning range is 30-87.5 MHz, however, some equipment types use the lower (20 MHz) and upper (108 MHz) limits, regulated on a national basis. The harmonised military bands are:- 30.30-30.50 MHz; 32.15-32.45 MHz; 41.00-47.00 MHz; 73.30-74.10 MHz; 79.0-79.70 MHz. When providing for additional requirements, further blocks of frequencies should be spread out over the whole common military tuning range in order to supply frequencies for frequency hopping equipment and to support a larger force (corps size, three divisions). This should be done by the national frequency management organisation(s) concerned.
EU2	Civil-military sharing
EU3	CEPT administrations are urged to take all practical steps to clear the band 47-68 MHz of assignments to the broadcasting service. The broadcasting assignments according to Stockholm Agreement 1961 shall be protected.
EU4 CEPT administrations are urged to take all practical steps to clear the band 68 - 73 MHz assignments to the broadcasting service. The broadcasting assignments according to the of the Special Regional Conference, Geneva, 1961 shall be protected.	
EU5	In parts of this band aeronautical stations and aircraft stations may utilise 8.33 kHz channel spacing for non secure communications requirements
EU6	The mobile-satellite service is limited to low earth orbiting satellites
EU7	This band can also be used by low capacity fixed links in rural areas on a national basis. These links need to be coordinated with mobile service and require full protection.
EU8	Any use of low capacity fixed links shall be avoided in areas where such use might cause harmful interference to the maritime mobile VHF radiocommunication service
EU9	This band is included in the Regional Radio Conference planned for 2004/2006 for the revision of the European Broadcasting Agreement, Stockholm 1961
EU10	The mobile service in the harmonised military band 225 - 400 MHz generally comprises land, air maritime and satellite mobile applications
EU12	The applicable RR S5 footnotes remain in force. Administrations are however urged to aim for the fullest possible harmonisation with the ITU Table of Allocations and ECA
EU13	CEPT Administrations are urged to take all practical steps to clear the band 645-960 MHz of the assignments to the aeronautical radionavigation service by the year 2008.
EU14	Radiolocation limited to military requirements for naval ship borne radars
EU15	In the frequency band 1350-2690 MHz tactical radio relay systems should be capable of tuning over the full range of this band. Requirements for tactical radio relay should be met from the following sub-bands: 1350–1400 MHz; 1427–1452 MHz; 1492–1525 MHz; 1660–1670 MHz; 1675–1710 MHz; 1785–1800 MHz; 2025–2110 MHz; 2200–2290 MHz; 2520–2575 MHz; 2615–2670 MHz. Tactical radio relay systems may operate in the bands 2520-2575 MHz and 2615-2670 MHz provided that they shall not cause harmful interference to terrestrial UMTS/IMT-2000 and do not claim protection from them. The common requirement of 2 x 45 MHz for tactical radio relay for cross/near border operations and exercises should be met from 2025-2110 MHz and 2200-2290 MHz and in particular the bands 2025-2070/2200-2245 MHz
EU15A	Use of the band by the mobile service is limited to tactical radio relay applications
EU16	On the introduction of IMT-2000, the fixed service will become secondary in appropriate parts of the band
EU16A	Use of the band by the mobile service is limited to tactical radio relay and SAP/SAB applications
EU17	In the sub-bands 3400 - 3410 MHz, 5660 - 5670 MHz, 10.36 - 10.37 GHz, 10.45 - 10.46 GHz the amateur service operates on a secondary basis. In making assignments to other services, CEPT administrations are requested wherever possible to maintain these sub-bands in such a way as to facilitate the reception of amateur emissions with minimal power flux densities.
EU17A	Use of the band by the mobile service is limited to SAP/SAB applications
EU18	This aeronautical radionavigation band shall be subject to further study to ascertain future requirements and developments.
EU19	This band is allocated to the radio astronomy service. CEPT administrations are urged to take all practicable steps to protect the radio astronomy service from harmful interference. Emissions from space or airborne stations in this and adjacent bands can cause serious harmful interference

EU20

EU21

interested parties

Not used

This fixed service band is designated for common use by civil and non civil users. Any user priorities in respect of preferred channels or sub-bands are to be determined after discussions between

EU-foot-number	EU-footnote text
EU22	The band 5250 - 5850 MHz is utilised for a variety of radiodetermination applications falling within the radionavigation and radiolocation services. This band will be subject to further detailed consideration.
EU23	In the sub-bands 5660 - 5670 MHz (earth to space), 5830 - 5850 MHz (space to earth) and 10.45 - 10.50 GHz the amateur-satellite additionally operates on a secondary and non interference basis to other services. In making assignments to other services, CEPT administrations are requested wherever possible to maintain these allocations in such a way as to facilitate the reception of amateur emissions with minimal power flux densities.
EU24	The band 8500 - 10000 MHz is utilised for a variety of radiodetermination applications falling within the radionavigation and radiolocation services. This band will be subject to further detailed consideration in conjunction with the band 5250 - 5850 MHz (see EU20).
EU25	Not used.
EU26	The band 13.25 - 14.0 GHz is utilised for a variety of radiodetermination applications falling within the radionavigation and radiolocation services. This band will be subject to further detailed consideration
EU27	A frequency band that is in general military use in Europe and identified for major military utilisation in the ECA. Such a frequency band forms a basis for military use and planning. The band can be shared between civil and military users according to national requirements and legislation
EU28	CEPT administrations shall not deploy new fixed service systems in the band 11.7-12.5 GHz (ERC DEC (00) 08)
EU29	The frequency bands 890-915/935-960 MHz, 880-890/925-935 MHz and 1710-1785/1805-1880 MHz are reserved for public cellular mobile use only. Other services such as the fixed service should only be allowed in the above bands where coexistence with public mobile systems is possible i.e. in sparsely populated or rural areas where the frequency band is not needed for mobile cellular systems
EU30	National administrations should consider co-ordination zones around the EISCAT sites when using the band 925-935 MHz for mobile services including international planning for military services. Short Range Devices should not use this band.
EU31	The band 440-470 MHz is the tuning range for Private Wide Area Paging (PWAP)
EU32	The bands 880 - 915 MHz and 925 - 960 MHz are currently used for GSM (2nd generation terrestrial mobile system) in most CEPT member countries and are expected to be used by UMTS/IMT-2000 (3rd generation terrestrial mobile system) only in the longer term after the additional spectrum at 2.5 GHz has been utilised
EU33	RR 5.384A identifies the band 1710 – 1885 MHz, RR 5.388 identifies the bands 1885 – 2025 MHz and 2110 – 2200 MHz for IMT-2000, however the bands 1710 - 1785 MHz and 1805 - 1880 MHz are currently used for GSM (2nd generation terrestrial mobile system), and the band 1880 – 1900 MHz is currently used for DECT applications in most CEPT member countries. These bands are generally expected to be used by UMTS/IMT-2000 (3rd generation terrestrial mobile system) after the additional spectrum at 2.5 GHz has been utilized for UMTS/IMT-2000, subject to market demands and national licensing schemes
EU34	Parts of the bands 450-457.5/460-467.5 MHz may also be used for existing and evolving public cellular networks on a national basis
EU35	The band 75.5-76 GHz is in Europe alos allocated to the Amateur and Amateur Satellite services after year 2006

### 

RR-foot-no	Radio Regulation footnote text
5.053	Administrations authorizing the use of frequencies below 9 kHz shall ensure that no harmful interference is caused thereby to the services to which the bands above 9 kHz are allocated
5.054	Administrations conducting scientific research using frequencies below 9 kHz are urged to advise other administrations that may be concerned in order that such research may be afforded all practicable protection from harmful interference.
5.055	Additional allocation: in Armenia, Azerbaijan, Bulgaria, the Russian Federation, Georgia, Kyrgyzstan, Tajikistan and Turkmenistan, the band 14-17 kHz is also allocated to the radionavigation service on a primary basis.
5.056	The stations of services to which the bands 14-19.95 kHz and 20.05-70 kHz and in Region 1 also the bands 72-84 kHz and 86-90 kHz are allocated may transmit standard frequency and time signals. Such stations shall be afforded protection from harmful interference. In Armenia, Azerbaijan, Belarus, Bulgaria, Georgia, Kazakhstan, Mongolia, Kyrgyzstan, Slovakia, the Czech Rep., the Russian Federation, Tajikistan and Turkmenistan, the frequencies 25 kHz and 50 kHz will be used for this purpose under the same conditions. (WRC 03)
5.057	The use of the bands 14-19.95 kHz, 20.05-70 kHz and 70-90 kHz (72-84 kHz and 86-90 kHz in Region 1) by the maritime mobile service is limited to coast radiotelegraph stations (A1A and F1B only). Exceptionally, the use of class J2B or J7B emissions is authorized subject to the necessary bandwidth not exceeding that normally used for class A1A or F1B emissions in the band concerned.
5.058	Additional allocation: in Armenia, Azerbaijan, Georgia, Kazakstan, Kyrgyzstan, the Russian Federation, Tajikistan and Turkmenistan, the band 67-70 kHz is also allocated to the radionavigation service on a primary basis.
5.060	In the bands 70-90 kHz (70-86 kHz in Region 1) and 110-130 kHz (112-130 kHz in Region 1), pulsed radionavigation systems may be used on condition that they do not cause harmful interference to other services to which these bands are allocated.
5.062	Administrations which operate stations in the radionavigation service in the band 90-110 kHz are urged to coordinate technical and operating characteristics in such a way as to avoid harmful interference to the services provided by these stations.
5.064	Only classes A1A or F1B, A2C, A3C, F1C or F3C emissions are authorized for stations of the fixed service in the bands allocated to this service between 90 kHz and 160 kHz (148.5 kHz in Region 1) and for stations of the maritime mobile service in the bands allocated to this service between 110 kHz and 160 kHz (148.5 kHz in Region 1). Exceptionally, class J2B or J7B emissions are also authorized in the bands between 110 kHz and 160 kHz (148.5 kHz in Region 1) for stations of the maritime mobile service
5.066	Different category of service: in Germany, the allocation of the band 115-117.6 kHz to the fixed and maritime mobile services is on a primary basis (see No. 5.33) and to the radionavigation service on a secondary basis (see No.5.32).
5.067	Additional allocation: in Azerbaijan, Bulgaria, Mongolia, Kyrgyzstan, Romania and Turkmenistan, the band 130-148.5 kHz is also allocated to the radionavigation service on a secondary basis. Within and between these countries this service shall have an equal right to operate.
5.072	Norwegian stations of the fixed service situated in northern areas (north of $60^{\circ}$ N) subject to auroral disturbances are allowed to continue operation on four frequencies in the bands $283.5-490$ kHz and $510-526.5$ kHz.
5.073	The band 285-325 kHz (283.5-325 kHz in Region 1) in the maritime radionavigation service may be used to transmit supplementary navigational information using narrow-band techniques, on condition that no harmful interference is caused to radiobeacon stations operating in the radionavigation service. (WRC-97)
5.074	Additional Allocation: in Region 1, the frequency band 285.3-285.7 kHz is also allocated to the maritime radionavigation service (other than radiobeacons) on a primary basis.
5.075	Different category of service: in Armenia, Azerbaijan, Belarus, Georgia, Moldova, Kyrgyzstan, the Russian Federation, Tajikistan, Turkmenistan, Ukraine and the Black Sea areas of Bulgaria and Romania, the allocation of the band 315-325 kHz to the maritime radionavigation service is on a primary basis under the condition that in the Baltic Sea area, the assignment of frequencies in this band to new stations in the maritime or aeronautical radionavigation services shall be subject to prior consultation between the administrations concerned.
5.076	The frequency 410 kHz is designated for radio direction-finding in the maritime radionavigation service. The other radionavigation services to which the band 405-415 kHz is allocated shall not cause harmful interference to radio direction-finding in the band 406.5-413.5 kHz.
5.079	The use of the bands 415-495 kHz and 505-526.5 kHz (505-510 kHz in Region 2) by the maritime mobile service is limited to radiotelegraphy.
5.079A	When establishing coast stations in the NAVTEX service on the frequencies 490 kHz, 518 kHz and 4 209.5 kHz, administrations are strongly recommended to coordinate the operating characteristics in accordance with the procedures of the International Maritime Organization (IMO) (see Resolution 339 (Rev.WRC-97)). (WRC-97)

KK-Joot-no	Kaato Kegutation jootnote text
5.082	In the maritime mobile service, the frequency 490 kHz is, from the date of full implementation of the GMDSS (see Resolution 331 (Rev.WRC-97)), to be used exclusively for the transmission by coast stations of navigational and meteorological warnings and urgent information to ships, by means of narrow-band direct-printing telegraphy. The conditions for use of the frequency 490 kHz are prescribed in Articles 31 and 52. In using the band 415-495 kHz for the aeronautical radionavigation service, administrations are requested to ensure that no harmful interference is caused to the frequency 490 kHz. (WRC-97)
5.083	The frequency 500 kHz is an international distress and calling frequency for Morse radiotelegraphy. The conditions for its use are prescribed in Articles 31 and 52, and in Appendix 13.
5.084	The conditions for the use of the frequency 518 kHz by the maritime mobile service are prescribed in Articles 31 and 52 and in Appendix 13. (WRC-97)
5.090	In the band 1 605-1 705 kHz, in cases where a broadcasting station of Region 2 is concerned, the service area of the maritime mobile stations in Region 1 shall be limited to that provided by ground-wave propagation.
5.092	Some countries in Region 1 use radiodetermination systems in the bands 1606.5-1625 kHz, 1635-1800 kHz, 1850-2160 kHz, 2194-2300 kHz, 2502-2850 kHz and 3500-3800 kHz, subject to agreement obtained under No 9.21. The radiated mean power of these stations shall not exceed 50 W.
5.093	Additional allocation: in Angola, Armenia, Azerbaijan, Belarus, Georgia, Hungary, Kazakstan, Latvia, Lithuania, Moldova, Mongolia, Nigeria, Uzbekistan, Poland, Kyrgyzstan, Slovakia, the Czech Republic, the Russian Federation, Tajikistan, Chad, Turkmenistan and Ukraine, the bands 1 625-1 635 kHz, 1 800-1 810 kHz and 2 160-2 170 kHz and, in Bulgaria, the bands 1 625-1 635 kHz and 1 800-1 810 kHz, are also allocated to the fixed and land mobile services on a primary basis, subject to agreement obtained under No. 9.21.
5.096	In Germany, Armenia, Austria, Azerbaijan, Belarus, Denmark, Estonia, Finland, Georgia, Hungary, Iceland, Ireland, Israel, Kazakhstan, Latvia, Liechtenstein, Lithuania, Malta, Moldova, Norway, Uzbekistan, Poland, Kyrgyzstan, Slovakia, the Czech Rep., the United Kingdom, the Russian Federation, Sweden, Switzerland, Tajikistan, Turkmenistan and Ukraine, administrations may allocate up to 200 kHz to their amateur service in the bands 1 715-1 800 kHz and 1 850-2 000 kHz. However, when allocating the bands within this range to their amateur service, administrations shall, after prior consultation with administrations of neighbouring countries, take such steps as may be necessary to prevent harmful interference from their amateur service to the fixed and mobile services of other countries. The mean power of any amateur station shall not exceed 10 W. (WRC 03)
5.098	Alternative allocation: in Angola, Armenia, Azerbaijan, Belarus, Belgium, Bulgaria, Cameroon, the Congo, Denmark, Egypt, Eritrea, Spain, Ethiopia, Georgia, Greece, Italy, Kazakhstan, Lebanon, Lithuania, Moldova, Syrian Arab Republic, Kyrgyzstan, the Russian Federation, Somalia, Tajikistan, Tunisia, Turkmenistan, Turkey and Ukraine, the band 1 810-1 830 kHz is allocated to the fixed and mobile, except aeronautical mobile, services on a primary basis. (WRC 03)
5.099	Additional allocation: in Saudi Arabia, Austria, Bosnia and Herzegovina, Iraq, Libyan Arab Jamahiriya, Uzbekistan, Slovakia, Romania, Slovenia, Chad, Togo and Serbia and Montenegro, the band 1 810-1 830 kHz is also allocated to the fixed and mobile, except aeronautical mobile, services on a primary basis. (WRC 03)
5.100	In Region 1, the authorization to use the band 1 810-1 830 kHz by the amateur service in countries situated totally or partially north of 40° N shall be given only after consultation with the countries mentioned in Nos. 5.98 and 5.99 to define the necessary steps to be taken to prevent harmful interference between amateur stations and stations of other services operating in accordance with Nos. S5.98 and S5.99.
5.103	In Region 1, in making assignments to stations in the fixed and mobile services in the bands 1850-2045 kHz, 2194-2498 kHz, 2502-2 625 kHz and 2650-2850 kHz, administrations should bear in mind the special requirements of the maritime mobile service.
5.104	In Region 1, the use of the band 2 025-2 045 kHz by the meteorological aids service is limited to oceanographic buoy stations.
5.108	The carrier frequency 2 182 kHz is an international distress and calling frequency for radiotelephony. The conditions for the use of the band 2 173.5-2 190.5 kHz are prescribed in Articles 31 and 52 and in Appendix 13.
5.109	The frequencies 2 187.5 kHz, 4 207.5 kHz, 6 312 kHz, 8 414.5 kHz, 12 577 kHz and 16 804.5 kHz are international distress frequencies for digital selective calling. The conditions for the use of these frequencies are prescribed in Article 31
5.110	The frequencies 2 174.5 kHz, 4 177.5 kHz, 6 268 kHz, 8 376.5 kHz, 12 520 kHz and 16 695 kHz are international distress frequencies for narrow-band direct-printing telegraphy. The conditions for the use of these frequencies are prescribed in Article 31
5.111	The carrier frequencies 2 182 kHz, 3 023 kHz, 5 680 kHz, 8 364 kHz and the frequencies 121.5 MHz, 156.8 MHz and 243 MHz may also be used, in accordance with the procedures in force for terrestrial radiocommunication services, for search and rescue operations concerning manned space vehicles. The conditions for the use of the frequencies are prescribed in Article 31 and in Appendix 13. The same applies to the frequencies $10\ 003\ kHz$ , $14\ 993\ kHz$ and $19\ 993\ kHz$ , but in each of these cases emissions must be confined in a band of $\pm\ 3\ kHz$ about the frequency.
5.112	Alternative allocation: in Bosnia and Herzegovina, Denmark, Malta, Sri Lanka and Serbia and Montenegro, the band 2 194-2 300 kHz is allocated to the fixed and mobile, except aeronautical mobile, services on a primary basis. (WRC 03)
5.113	For the conditions for the use of the bands 2 300-2 495 kHz (2 498 kHz in Region 1), 3 200-3 400 kHz, 4 750-4 995 kHz and 5 005-5 060 kHz by the broadcasting service, see Nos. 5.16 to 5.20, 5.21 and 23.3 to 23.10.

RR-foot-no

Radio Regulation footnote text

RR-foot-no	Radio Regulation footnote text
5.114	Alternative allocation: in Bosnia and Herzegovina, Denmark, Iraq, Malta, and Serbia and Montenegro, the band 2 502-2 625 kHz is allocated to the fixed and mobile, except aeronautical mobile, services on a primary basis. (WRC 03)
5.115	The carrier (reference) frequencies 3 023 kHz and 5 680 kHz may also be used, in accordance with Article 31 and Appendix 13 by stations of the maritime mobile service engaged in coordinated search and rescue operations.
5.116	Administrations are urged to authorize the use of the band 3 155-3 195 kHz to provide a common worldwide channel for low power wireless hearing aids. Additional channels for these devices may be assigned by administrations in the bands between 3 155 kHz and 3 400 kHz to suit local needs. It should be noted that frequencies in the range 3 000 kHz to 4 000 kHz are suitable for hearing aid devices which are designed to operate over short distances within the induction field.
5.117	Alternative allocation: in Bosnia and Herzegovina, Côte d'Ivoire, Denmark, Egypt, Liberia, Malta, Sri Lanka, Togo and Serbia and Montenegro, the band 3 155-3 200 kHz is allocated to the fixed and mobile, except aeronautical mobile, services on a primary basis. (WRC 03)
5.127	The use of the band 4 000-4 063 kHz by the maritime mobile service is limited to ship stations using radiotelephony (see No. 52.220 and Appendix 17).
5.128	In Afghanistan, Argentina, Armenia, Azerbaijan, Belarus, Botswana, Burkina Faso, Central African Republic, China, Georgia, India, Kazakstan, Mali, Niger, Kyrgyzstan, Russian Federation, Tajikistan, Chad, Turkmenistan and Ukraine, in the bands 4 063-4 123 kHz, 4 130-4 133 kHz and 4 408-4 438 kHz, stations of limited power in the fixed service which are situated at least 600 km from the coast may operate on condition that harmful interference is not caused to the maritime mobile service. (WRC-97)
5.129	On condition that harmful interference is not caused to the maritime mobile service, the frequencies in the bands 4 063-4 123 kHz and 4 130-4 438 kHz may be used exceptionally by stations in the fixed service communicating only within the boundary of the country in which they are located with a mean power not exceeding 50 W.
5.130	The conditions for the use of the carrier frequencies 4 125 kHz and 6 215 kHz are prescribed in Articles 31 and 52 and in Appendix 13.
5.131	The frequency 4 209.5 kHz is used exclusively for the transmission by coast stations of meteo-rological and navigational warnings and urgent information to ships by means of narrow-band direct-printing techniques. (WRC-97)
5.132	The frequencies 4 210 kHz, 6 314 kHz, 8 416.5 kHz, 12 579 kHz, 16 806.5 kHz, 19 680.5 kHz, 22 376 kHz and 26 100.5 kHz are the international frequencies for the transmission of maritime safety information (MSI) (see Appendix 17).
5.133	Different category of service: in Armenia, Azerbaijan, Belarus, Georgia, Kazakstan, Latvia, Lithuania, Moldova, Uzbekistan, Kyrgyzstan, Russian Federation, Tajikistan, Turkmenistan and Ukraine, the allocation of the band 5 130-5 250 kHz to the mobile, except aeronautical mobile, service is on a primary basis (see No. 5.33).
5.134	The use of the bands 5 900-5 950 kHz, 7 300-7 350 kHz, 9 400-9 500 kHz, 11 600-11 650 kHz, 12 050-12 100 kHz, 13 570-13 600 kHz, 13 800-13 870 kHz, 15 600-15 800 kHz, 17 480-17 550 kHz and 18 900-19 020 kHz by the broadcasting service as from 1 April 2007 is subject to the application of the procedure of Article 12. Administrations are urged to use these bands to facilitate the introduction of digitally modulated emissions in accordance with the provisions of Resolution 517 (Rev.WRC 03). (WRC 03)
5.136	The band 5 900-5 950 kHz is allocated, until 1 April 2007, to the fixed service on a primary basis, as well as to the following services: in Region 1 to the land mobile service on a primary basis, in Region 2 to the mobile except aeronautical mobile (R) service on a primary basis, and in Region 3 to the mobile except aeronautical mobile (R) service on a secondary basis, subject to application of the procedure referred to in Resolution 21 (Rev.WRC-95). After 1 April 2007, frequencies in this band may be used by stations in the above-mentioned services, communicating only within the boundary of the country in which they are located, on the condition that harmful interference is not caused to the broadcasting service. When using frequencies for these services, administrations are urged to use the minimum power required and to take account of the seasonal use of frequencies by the broadcasting service published in accordance with the Radio Regulations.
5.137	On condition that harmful interference is not caused to the maritime mobile service, the bands 6 200-6 213.5 kHz and 6 220.5-6 525 kHz may be used exceptionally by stations in the fixed service, communicating only within the boundary of the country in which they are located, with a mean power not exceeding 50 W. At the time of notification of these frequencies, the attention of the Bureau will be drawn to the above conditions.
5.138	The following bands: 6 765 - 6 795 kHz (centre frequency 6 780 kHz), 433.05 - 434.79 MHz (centre frequency 433.92 MHz) in Region 1 except in the countries mentioned in No. 5.280,
	61 - 61.5 GHz (centre frequency 61.25 GHz), 122 - 123 GHz (centre frequency 122.5 GHz), and 244 - 246 GHz (centre frequency 245 GHz)
	are designated for industrial, scientific and medical (ISM) applications. The use of these frequency bands for ISM applications shall be subject to special authorisation by the administration concerned, in agreement with other administrations whose radiocommunication services might be affected. In applying this provision, administrations shall have due regard to the latest relevant ITU-R Recommendations.
5.138A	Until 29 March 2009, the band 6 765-7 000 kHz is allocated to the fixed service on a primary basis and to the land mobile service on a secondary basis. After this date, this band is allocated to the fixed and the mobile except aeronautical mobile (R) services on a primary basis. (WRC 03)

(R) services on a primary basis. (WRC 03)

### RR-foot-no Radio Regulation footnote text Different category of service: until 29 March 2009, in Armenia, Azerbaijan, Belarus, Georgia, Kazakhstan, Latvia, 5.139 Lithuania, Moldova, Mongolia, Uzbekistan, Kyrgyzstan, Russian Federation, Tajikistan, Turkmenistan and Ukraine, the allocation of the band 6 765-7 000 kHz to the land mobile service is on a primary basis (see No. 5.33). 5.141C In Regions 1 and 3, the band 7 100-7 200 kHz is allocated to the broadcasting service until 29 March 2009 on a primary basis. (WRC 03) 5.142 Until 29 March 2009, the use of the band 7 100-7 300 kHz in Region 2 by the amateur service shall not impose constraints on the broadcasting service intended for use within Region 1 and Region 3. After 29 March 2009 the use of the band 7 200-7 300 kHz in Region 2 by the amateur service shall not impose constraints on the broadcasting service intended for use within Region 1 and Region 3. (WRC 03) 5.143 The band 7 300-7 350 kHz is allocated, until 1 April 2007, to the fixed service on a primary basis and to the land mobile service on a secondary basis, subject to application of the procedure referred to in Resolution 21 (Rev.WRC-95). After 1 April 2007, frequencies in this band may be used by stations in the above-mentioned services, communicating only within the boundary of the country in which they are located, on condition that harmful interference is not caused to the broadcasting service. When using frequencies for these services, administrations are urged to use the minimum power required and to take account of the seasonal use of frequencies by the broadcasting service published in accordance with the Radio Regulations. 5.143B In Region 1, the band 7 350-7 450 kHz is allocated, until 29 March 2009, to the fixed service on a primary basis and to the land mobile service on a secondary basis. After 29 March 2009, on condition that harmful interference is not caused to the broadcasting service, frequencies in the band 7 350-7 450 kHz may be used by stations in the fixed and land mobile services communicating only within the boundary of the country in which they are located, each station using a total radiated power that shall not exceed 24 dBW. (WRC 03) 5.143E Until 29 March 2009, the band 7 450-8 100 kHz is allocated to the fixed service on a primary basis and to the land mobile service on a secondary basis. (WRC 03) 5.145 The conditions for the use of the carrier frequencies 8 291 kHz, 12 290 kHz and 16 420 kHz are prescribed in Articles 31 and 52 and in Appendix 13. 5.146 The bands 9 400-9 500 kHz, 11 600-11 650 kHz, 12 050-12 100 kHz, 15 600-15 800 kHz, 17 480-17 550 kHz and 18 900-19 020 kHz are allocated to the fixed service on a primary basis until 1 April 2007, subject to application of the procedure referred to in Resolution 21 (Rev.WRC-95). After 1 April 2007, frequencies in these bands may be used by stations in the fixed service, communicating only within the boundary of the country in which they are located, on condition that harmful interference is not caused to the broadcasting service. When using frequencies in the fixed service, administrations are urged to use the minimum power required and to take account of the seasonal use of frequencies by the broadcasting service published in accordance with the Radio Regulations. 5.147 On condition that harmful interference is not caused to the broadcasting service, frequencies in the bands 9 775-9 900 kHz, 11 650-11 700 kHz and 11 975-12 050 kHz may be used by stations in the fixed service communicating only within

the boundary of the country in which they are located, each station using a total radiated power not exceeding 24 dBW.

5.149 In making assignments to stations of other services to which the bands: 13 360-13 410 kHz, 25 550-25 670 kHz, 37.5-38.25 MHz, 73-74.6 MHz in Regions 1 and 3, 150.05-153 MHz in Region 1, 322-328 6 MHz 406.1-410 MHz, 608-614 MHz in Regions 1 and 3, 1 330-1 400 MHz. 1 610.6-1 613.8 MHz, 1 660-1 670 MHz. 1 718.8-1 722.2 MHz. 2 655-2 690 MHz, 3 260-3 267 MHz, 3 332-3 339 MHz, 3 345.8-3 352.5 MHz, 4 825-4 835 MHz, 4 950-4 990 MHz. 4 990-5 000 MHz, 6 650-6 675.2 MHz, 10.6-10.68 GHz. 14.47-14.5 GHz, 22.01-22.21 GHz. 22.21-22.5 GHz, 22.81-22.86 GHz, 23.07-23.12 GHz, 31.2-31.3 GHz, 31.5-31.8 GHz in Regions 1 and 3, 36.43-36.5 GHz, 42.5-43.5 GHz, 42.77-42.87 GHz, 43.07-43.17 GHz, 43.37-43.47 GHz, 48.94-49.04 GHz, 76-86 GHz. 92-94 GHz, 94.1-100 GHz, 102-109.5 GHz 111.8-114.25 GHz, 128.33-128.59 GHz, 129.23-129.49 GHz. 130-134 GHz, 136-148.5 GHz. 151.5-158.5 GHz 168.59-168.93 GHz, 171.11-171.45 GHz, 172.31-172.65 GHz, 173.52-173.85 GHz, 195.75-196.15 GHz, 209-226 GHz,

are allocated, administrations are urged to take all practicable steps to protect the radio astronomy service from harmful interference. Emissions from spaceborne or airborne stations can be particularly serious sources of interference to the radio astronomy service (see Nos. 4.5 and 4.6 and Article 29).

### 5.150 The following bands:

241-250 GHz, 252-275 GHz

13 553 - 13 567 kHz (centre frequency 13 560 kHz), 26 957 - 27 283 kHz (centre frequency 27 120 kHz), 40.66 - 40.70 MHz (centre frequency 40.68 MHz), 902 - 928 MHz in Region 2(centre frequency 915 MHz), 2 400 - 2 500 MHz (centre frequency 2 450 MHz), 5 725 - 5 875 MHz (centre frequency 5 800 MHz), and 24 - 24.25 GHz (centre frequency 24.125 GHz)

are also designated for industrial, scientific and medical (ISM) applications. Radiocommunication services operating within these bands must accept harmful interference which may be caused by these applications. ISM equipment operating in these bands is subject to the provisions of No. 15.13.

The bands 13 570-13 600 kHz and 13 800-13 870 kHz are allocated, until 1 April 2007, to the fixed service on a primary basis and to the mobile except aeronautical mobile (R) service on a secondary basis, subject to application of the procedure referred to in Resolution 21 (Rev.WRC-95). After 1 April 2007, frequencies in these bands may be used by stations in the above-mentioned services, communicating only within the boundary of the country in which they are located, on the condition that harmful interference is not caused to the broadcasting service. When using frequencies in these services, administrations are urged to use the minimum power required and to take account of the seasonal use of frequencies by the broadcasting service published in accordance with the Radio Regulations.

5.151

RR-foot-no	Radio Regulation footnote text
5.152	Additional allocation: in Armenia, Azerbaijan, China, Côte d'Ivoire, Georgia, Iran (Islamic Republic of), Kazakhstan, Uzbekistan, Kyrgyzstan, the Russian Federation, Tajikistan, Turkmenistan and Ukraine, the band 14 250-14 350 kHz is also allocated to the fixed service on a primary basis. Stations of the fixed service shall not use a radiated power exceeding 24 dBW. (WRC 03)
5.154	Additional allocation: in Armenia, Azerbaijan, Georgia, Kazakhstan, Kyrgyzstan, the Russian Federation, Tajikistan, Turkmenistan and Ukraine, the band 18 068-18 168 kHz is also allocated to the fixed service on a primary basis for use within their boundaries, with a peak envelope power not exceeding 1 kW. (WRC 03)
5.155	Additional allocation: in Armenia, Azerbaijan, Belarus, Bulgaria, Georgia, Kazakhstan, Moldova, Mongolia, Uzbekistan, Kyrgyzstan, Slovakia, the Czech Rep., the Russian Federation, Tajikistan, Turkmenistan and Ukraine, the band 21 850-21 870 kHz is also allocated to the aeronautical mobile (R) services on a primary basis. (WRC 03)
5.155A	In Armenia, Azerbaijan, Belarus, Bulgaria, Georgia, Kazakstan, Moldova, Mongolia, Uzbekistan, Kyrgyzstan, Slovakia, the Czech Republic, the Russian Federation, Tajikistan, Turkmenistan and Ukraine, the use of the band 21 850-21 870 kHz by the fixed service is limited to provision of services related to aircraft flight safety.
5.155B	The band 21 870-21 924 kHz is used by the fixed service for provision of services related to aircraft flight safety.
5.156A	The use of the band 23 200-23 350 kHz by the fixed service is limited to provision of services related to aircraft flight safety
5.157	The use of the band 23 350-24 000 kHz by the maritime mobile service is limited to inter-ship radiotelegraphy.
5.162A	Additional allocation: in Germany, Austria, Belgium, Bosnia and Herzegovina, China, Vatican, Denmark, Spain, Estonia, Finland, France, Ireland, Iceland, Italy, Latvia, The Former Yugoslav Republic of Macedonia, Liechtenstein, Lithuania, Luxembourg, Moldova, Monaco, Norway, the Netherlands, Poland, Portugal, Slovakia, the Czech Republic, the United Kingdom, the Russian Federation, Sweden and Switzerland the band 46-68 MHz is also allocated to the radiolocation service on a secondary basis. This use is limited to the operation of wind profiler radars in accordance with Resolution 217 (WRC-97).
5.163	Additional allocation: in Armenia, Azerbaijan, Belarus, Georgia, Hungary, Kazakhstan, Latvia, Lithuania, Moldova, Mongolia, Uzbekistan, Kyrgyzstan, Slovakia, the Czech Rep., the Russian Federation, Tajikistan, Turkmenistan and Ukraine, the bands 47-48.5 MHz and 56.5-58 MHz are also allocated to the fixed and land mobile services on a secondary basis. (WRC 03)
5.164	Additional allocation: in Albania, Germany, Austria, Belgium, Bosnia and Herzegovina, Botswana, Bulgaria, Côte d' Ivoire, Denmark, Spain, Estonia, Finland, France, Gabon, Greece, Ireland, Israel, Italy, Jordan, Lebanon, Libyan Arab Jamahiriya, Liechtenstein, Luxembourg, Madagascar, Mali, Malta, Morocco, Mauritania, Monaco, Nigeria, Norway, the Netherlands, Poland, Syrian Arab Republic, the United Kingdom, Slovenia, Sweden, Switzerland, Swaziland, Chad, Togo, Tunisia, Turkey and Serbia and Montenegro the band 47-68 MHz, in Romania the band 47-58 MHz, in South Africa the band 47-50 MHz, and in the Czech Rep. the band 66-68 MHz, are also allocated to the land mobile service on a primary basis. However, stations of the land mobile service in the countries mentioned in connection with each band referred to in this footnote shall not cause harmful interference to, or claim protection from, existing or planned broadcasting stations of countries other than those mentioned in connection with the band. (WRC 03)
5.174	Alternative allocation: in Bulgaria, Hungary and Romania, the band 68-73 MHz is allocated to the broadcasting service on a primary basis and used in accordance with the decisions in the Final Acts of the Special Regional Conference (Geneva, 1960). (WRC-03)
5.175	Alternative allocation: in Armenia, Azerbaijan, Belarus, Georgia, Kazakstan, Latvia, Lithuania, Moldova, Mongolia, Uzbekistan, Kyrgyzstan, the Russian Federation, Tajikistan, Turkmenistan and Ukraine, the bands 68-73 MHz and 76-87.5 MHz are allocated to the broadcasting service on a primary basis. The services to which these bands are allocated in other countries and the broadcasting service in the countries listed above are subject to agreements with the neighbouring countries concerned.
5.176	Additional allocation: in Australia, China, Korea (Rep. of), the Philippines, the Dem. People's Rep. of Korea, Estonia (subject to agreement obtained under No. 9.21) and Western Samoa, the band 68-74 MHz is also allocated to the broadcasting service on a primary basis.
5.177	Additional allocation: in Armenia, Azerbaijan, Belarus, Bulgaria, Georgia, Kazakhstan, Latvia, Moldova, Uzbekistan, Kyrgyzstan, the Russian Federation, Tajikistan, Turkmenistan and Ukraine, the band 73-74 MHz is also allocated to the broadcasting service on a primary basis, subject to agreement obtained under No. 9.21. (WRC 03)
5.179	Additional allocation: in Armenia, Azerbaijan, Belarus, Bulgaria, China, Georgia, Kazakhstan, Lithuania, Moldova, Mongolia, Kyrgyzstan, Slovakia, the Russian Federation, Tajikistan, Turkmenistan and Ukraine, the bands 74.6-74.8 MHz and 75.2-75.4 MHz are also allocated to the aeronautical radionavigation service, on a primary basis, for ground-based transmitters only. (WRC 03)
5.180	The frequency 75 MHz is assigned to marker beacons. Administrations shall refrain from assigning frequencies close to the limits of the guardband to stations of other services which, because of their power or geographical position, might cause harmful interference or otherwise place a constraint on marker beacons. Every effort should be made to improve further the characteristics of airborne receivers and to limit the power of transmitting stations close to the limits 74.8 MHz and 75.2 MHz.
5.184	Additional allocation: in Bulgaria and Romania, the band 76 - 87.5 MHz is also allocated to the broadcasting service on a primary basis and used in accordance with the decisions contained in the Final Acts of the Special Regional Conference (Geneva, 1960).

RR-foot-no	Radio Regulation footnote text
5.187	Alternative allocation: in Albania, the band 81 - 87.5 MHz is allocated to the broadcasting service on a primary basis and used in accordance with the decisions contained in the Final Acts of the Special Regional Conference (Geneva, 1960).
5.190	Additional allocation: in Monaco, the band 87.5 - 88 MHz is also allocated to the land mobile service on a primary basis, subject to agreement obtained under No. 9.21.
5.194	Additional allocation: in Azerbaijan, Lebanon, Syria, Kyrgyzstan, Somalia and Turkmenistan, the band 104-108 MHz is also allocated to the mobile, except aeronautical mobile (R), service on a secondary basis.
5.197A	The band 108-117.975 MHz may also be used by the aeronautical mobile (R) service on a primary basis, limited to systems that transmit navigational information in support of air navigation and surveillance functions in accordance with recognized international aviation standards. Such use shall be in accordance with Resolution [COM5/2] (WRC 03) and shall not cause harmful interference to nor claim protection from stations operating in the aeronautical radionavigation service which operate in accordance with international aeronautical standards. (WRC 03)
5.198	Additional allocation: the band 117.975 - 136 MHz is also allocated to the aeronautical mobile-satellite (R) service on a secondary basis, subject to agreement obtained under Article 14/No. 9.21.
5.199	The bands 121.45 - 121.55 MHz and 242.95 - 243.05 MHz are also allocated to the mobile-satellite service for the reception on board satellites of emissions from emergency position-indicating radiobeacons transmitting at 121.5 MHz and 243 MHz (see Appendix 13).
5.200	In the band 117.975 - 136 MHz, the frequency 121.5 MHz is the aeronautical emergency frequency and, where required, the frequency 123.1 MHz is the aeronautical frequency auxiliary to 121.5 MHz. Mobile stations of the maritime mobile service may communicate on these frequencies under the conditions laid down in Article 31 and Appendix 13 for distress and safety purposes with stations of the aeronautical mobile service.
5.201	Additional allocation: in Angola, Armenia, Azerbaijan, Belarus, Bulgaria, Estonia, Georgia, Hungary, the Islamic Republic of Iran, Iraq, Japan, Kazakstan, Latvia, Moldova, Mongolia, Mozambique, Uzbekistan, Papua New Guinea, Poland, Kyrgyzstan, Slovakia, the Czech Republic, Romania, Russia, Tajikistan, Turkmenistan and Ukraine, the band 132-136 MHz is also allocated to the aeronautical mobile (OR) service on a primary basis. In assigning frequencies to stations of the aeronautical mobile (OR) service, the administration shall take account of the frequencies assigned to stations in the aeronautical mobile (R) service.
5.202	Additional allocation: in Saudi Arabia, Armenia, Azerbaijan, Belarus, Bulgaria, the United Arab Emirates, Georgia, Iran (Islamic Republic of), Jordan, Latvia, Moldova, Oman, Uzbekistan, Poland, Syria, Kyrgyzstan, Slovakia, the Czech Republic, Romania, the Russian Federation, Tajikistan, Turkmenistan and Ukraine, the band 136-137 MHz is also allocated to the aeronautical mobile (OR) service on a primary basis. In assigning frequencies to stations of the aeronautical mobile (OR) service, the administration shall take account of the frequencies assigned to stations in the aeronautical mobile (R) service.
5.203	In the band 136-137 MHz, existing operational meteorological satellites may continue to operate, under the conditions defined in No. 4.4 with respect to the aeronautical mobile service, until 1 January 2002. Administrations shall not authorize new frequency assignments in this band to stations in the meteorological-satellite service.
5.204	Different category of service: in Afghanistan, Saudi Arabia, Bahrain, Bangladesh, Bosnia and Herzegovina, Brunei Darussalam, China, Cuba, the United Arab Emirates, India, Indonesia, Iran (Islamic Republic of), Iraq, Malaysia, Oman, Pakistan, Philippines, Qatar, Singapore, Thailand, Yemen and Serbia and Montenegro, the band 137-138 MHz is allocated to the fixed and mobile, except aeronautical mobile (R), services on a primary basis (see No. 5.33). (WRC 03)
5.206	Different category of service: in Armenia, Azerbaijan, Belarus, Bulgaria, Egypt, Finland, France, Georgia, Greece, Kazakstan, Lebanon, Moldova, Mongolia, Uzbekistan, Poland, Kyrgyzstan, Syria, Slovakia, the Czech Republic, Romania, the Russian Federation, Tajikistan, Turkmenistan and Ukraine, the allocation of the band 137-138 MHz to the aeronautical mobile (OR) service is on a primary basis (see No. 5.33).
5.208	The use of the band 137-138 MHz by the mobile-satellite service is subject to coordination under Resolution 46 (Rev.WRC-97)/No. 9.11A.
5.208A	In making assignments to space stations in the mobile-satellite service in the bands 137 - 138 MHz, 387 - 390 MHz and 400.15 - 401 MHz, administrations shall take all practicable steps to protect the radio astronomy service in the bands 150.05 - 153 MHz, 322 - 328.6 MHz, 406.1 - 410 MHz and 608 - 614 MHz from harmful interference from unwanted emissions. The threshold levels of interference detrimental to the radio astronomy service are shown in Table 1 of Recommendation ITU-R RA.769-1.
5.209	The use of the bands 137-138 MHz, 148-150.05 MHz, 399.9-400.05 MHz, 400.15-401 MHz, 454-456 MHz and 459-460 MHz by the mobile-satellite service is limited to non-geostationary-satellite systems.
5.210	Additional allocation: in France, Italy, the Czech Rep. and the United Kingdom, the bands 138-143.6 MHz and 143.65-144 MHz are also allocated to the space research service (space-to-Earth) on a secondary basis. (WRC 03)
5.211	Additional allocation: in Germany, Saudi Arabia, Austria, Bahrain, Belgium, Bosnia and Herzegovina, Denmark, the United Arab Emirates, Spain, Finland, Greece, Ireland, Israel, Kenya, Kuwait, The Former Yugoslav Republic of Macedonia, Liechtenstein, Luxembourg, Mali, Malta, Norway, the Netherlands, Qatar, the United Kingdom, Somalia, Sweden, Switzerland, Tanzania, Tunisia, Turkey and Yugoslavia, the band 138-144 MHz is also allocated to the maritime mobile and land mobile services on a primary basis.
5.214	Additional allocation: in Bosnia and Herzegovina, Croatia, Eritrea, Ethiopia, Kenya, The Former Yugoslav Republic of Macedonia, Malta, Somalia, Sudan, Tanzania and Yugoslavia, the band 138-144 MHz is also allocated to the fixed service on a primary basis.

RR-foot-no	Radio Regulation footnote text
5.218	Additional allocation: the band 148 - 149.9 MHz is also allocated to the space operation service (Earth-to-space) on a primary basis, subject to agreement obtained under No. 9.21. The bandwidth of any individual transmission shall not exceed $\pm$ 25 kHz.
5.219	The use of the band 148 - 149.9 MHz by the mobile-satellite service is subject to coordination under Resolution 46 (Rev.WRC-97)/No. 9.11A. The mobile-satellite service shall not constrain the development and use of the fixed, mobile and space operation services in the band 148 - 149.9 MHz.
5.220	The use of the bands 149.9 - 150.05 MHz and 399.9 - 400.05 MHz by the mobile-satellite service is subject to coordination under Resolution 46 (Rev.WRC-97)/No. 9.11A. The mobile-satellite service shall not constrain the development and use of the radionavigation-satellite service in the bands 149.9 - 150.05 MHz and 399.9 - 400.05 MHz.
5.221	Stations of the mobile-satellite service in the band 148-149.9 MHz shall not cause harmful interference to, or claim protection from, stations of the fixed or mobile services operating in accordance with the Table of Frequency Allocations in the following countries: Albania, Algeria, Germany, Saudi Arabia, Australia, Austrai, Bahrain, Bangladesh, Barbados, Belarus, Belgium, Benin, Bosnia and Herzegovina, Botswana, Brunei Darussalam, Bulgaria, Cameroon, China, Cyprus, Congo, Korea (Rep. of), Côte d'Ivoire, Croatia, Cuba, Denmark, Egypt, the United Arab Emirates, Eritrea, Spain, Estonia, Ethiopia, Finland, France, Gabon, Ghana, Greece, Guinea, Guinea Bissau, Hungary, India, Iran (Islamic Republic of), Ireland, Iceland, Israel, Italy, Jamaica, Japan, Jordan, Kazakhstan, Kenya, Kuwait, Lesotho, Latvia, The Former Yugoslav Republic of Macedonia, Lebanon, Libyan Arab Jamahiriya, Liechtenstein, Lithuania, Luxembourg, Malaysia, Mali, Malta, Mauritania, Moldova, Mongolia, Mozambique, Namibia, Norway, New Zealand, Oman, Uganda, Uzbekistan, Pakistan, Panama, Papua New Guinea, Paraguay, the Netherlands, the Philippines, Poland, Portugal, Qatar, Syrian Arab Republic, Kyrgyzstan, Slovakia, Romania, the United Kingdom, the Russian Federation, Senegal, Serbia and Montenegro, Sierra Leone, Singapore, Slovenia, Sri Lanka, South Africa, Sweden, Switzerland, Swaziland, Tanzania, Chad, Thailand, Togo, Tonga, Trinidad and Tobago, Tunisia, Turkey, Ukraine, Viet Nam, Yemen, Zambia, and Zimbabwe. (WRC 03)
5.222	Emissions of the radionavigation-satellite service in the bands 149.9 - 150.05 MHz and 399.9 - 400.05 MHz may also be used by receiving earth stations of the space research service.
5.222A	The emissions of the fixed service and the fixed-satellite service in the band 18.6-18.8 GHz are limited to the values given in Nos. 21.5A and 21.16.2, respectively.
5.222B	The use of the band 18.6-18.8 GHz by the fixed-satellite service is limited to geostationary systems and systems with an orbit of apogee greater than 20 000 km.
5.223	Recognising that the use of the band 149.9 - 150.05 MHz by the fixed and mobile services may cause harmful interference to the radionavigation-satellite service, administrations are urged not to authorise such use in application of No. 4.4.
5.224A	The use of the bands 149.9 - 150.05 MHz and 399.9 - 400.05 MHz by the mobile-satellite service (Earth-to-space) is limited to the land mobile-satellite service (Earth-to-space) until 1 January 2015.
5.224B	The allocation of the bands 149.9 - 150.05 MHz and 399.9 - 400.05 MHz to the radionavigation-satellite service shall be effective until 1 January 2015.
5.226	The frequency 156.8 MHz is the international distress, safety and calling frequency for the maritime mobile VHF radiotelephone service. The conditions for the use of this frequency are contained in Article 31 and Appendix 13. In the bands 156 - 156.7625 MHz, 156.8375 - 157.45 MHz, 160.6 - 160.975 MHz and 161.475 - 162.05 MHz, each administration shall give priority to the maritime mobile service on only such frequencies as are assigned to stations of the maritime mobile service by the administration (see Articles 31 and 52, and Appendix 13). Any use of frequencies in these bands by stations of other services to which they are allocated should be avoided in areas where such use might cause harmful interference to the maritime mobile VHF radiocommunication service. However, the frequency 156.8 MHz and the frequency bands in which priority is given to the maritime mobile service may be used for radiocommunications on inland waterways subject to agreement between interested and affected administrations and taking into account current frequency usage and existing agreements.
5.227	In the maritime mobile VHF service the frequency 156.525 MHz is to be used exclusively for digital selective calling for distress, safety and calling (see Resolution 323 (Mob-87)). The conditions for the use of this frequency are prescribed in Articles 31 and 52, and Appendices 13 and S18.
5.235	Additional allocation: in Germany, Austria, Belgium, Denmark, Spain, Finland, France, Israel, Italy, Liechtenstein, Malta, Monaco, Norway, the Netherlands, the United Kingdom, Sweden and Switzerland, the band 174 - 223 MHz is also allocated to the land mobile service on a primary basis. However, the stations of the land mobile service shall not cause harmful interference to, or claim protection from, broadcasting stations, existing or planned, in countries other than those listed in this footnote.
5.246	Alternative allocation: in Spain, France, Israel and Monaco, the band 223 - 230 MHz is allocated to the broadcasting and land mobile services on a primary basis (see No. 5.33) on the basis that, in the preparation of frequency plans, the broadcasting service shall have prior choice of frequencies; and allocated to the fixed and mobile, except land mobile, services on a secondary basis. However, the stations of the land mobile service shall not cause harmful interference to, or claim protection from, existing or planned broadcasting stations in Morocco and Algeria.
5.254	The bands 235-322 MHz and 335.4-399.9 MHz may be used by the mobile-satellite service, subject to agreement obtained under No. 9.21, on condition that stations in this service do not cause harmful interference to those of other services operating or planned to be operated in accordance with the Table of Frequency Allocations except for the additional allocation made in footnote No. 5.BE03. (WRC 03)
5.255	The bands 312 - 315 MHz (Earth-to-space) and 387 - 390 MHz (space-to-Earth) in the mobile-satellite service may also be used by non-geostationary-satellite systems. Such use is subject to coordination under Resolution 46 (Rev.WRC-97)/No. 9.11A.

RR-foot-no	Radio Regulation footnote text
5.256	The frequency 243 MHz is the frequency in this band for use by survival craft stations and equipment used for survival purposes (see Appendix 13).
5.256A	Additional allocation: in China, the Russian Federation, Kazakhstan and Ukraine, the band 258-261 MHz is also allocated to the space research service (Earth-to-space) and space operation service (Earth-to-space) on a primary basis. Stations in the space research service (Earth-to-space) and space operation service (Earth-to-space) shall not cause harmful interference to, nor claim protection from, nor constrain the use and development of the mobile service systems and mobile-satellite service systems operating in the band. Stations in space research service (Earth-to-space) and space operation service (Earth-to-space) shall not constrain the future development of fixed service systems of other countries. (WRC 03)
5.257	The band 267 - 272 MHz may be used by administrations for space telemetry in their countries on a primary basis, subject to agreement obtained under No. 9.21.
5.258	The use of the band 328.6 - 335.4 MHz by the aeronautical radionavigation service is limited to Instrument Landing Systems (glide path).
5.260	Recognising that the use of the band 399.9 - 400.05 MHz by the fixed and mobile services may cause harmful interference to the radionavigation satellite service, administrations are urged not to authorise such use in application of No. 4.4.
5.261	Emissions shall be confined in a band of $\pm$ 25 kHz about the standard frequency 400.1 MHz.
5.262	Additional allocation: in Saudi Arabia, Armenia, Azerbaijan, Bahrain, Belarus, Bosnia and Herzegovina, Botswana, Bulgaria, Colombia, Costa Rica, Cuba, Egypt, the United Arab Emirates, Ecuador, Georgia, Hungary, Iran (Islamic Republic of), Iraq, Israel, Jordan, Kazakhstan, Kuwait, Liberia, Malaysia, Moldova, Uzbekistan, Pakistan, the Philippines, Qatar, Syrian Arab Republic, Kyrgyzstan, Romania, the Russian Federation, Singapore, Somalia, Tajikistan, Turkmenistan, Ukraine and Serbia and Montenegro, the band 400.05-401 MHz is also allocated to the fixed and mobile services on a primary basis. (WRC 03)
5.263	The band 400.15 - 401 MHz is also allocated to the space research service in the space-to-space direction for communications with manned space vehicles. In this application, the space research service will not be regarded as a safety service.
5.264	The use of the band 400.15 - 401 MHz by the mobile-satellite service is subject to coordination under Resolution 46 (Rev.WRC-97)/No. 9.11A. The power flux-density limit indicated in Annex 2 of Resolution 46 (Rev. WRC-95)/Annex 1 of Appendix 5 shall apply until such time as a competent world radiocommunication conference revises it.
5.266	The use of the band 406 - 406.1 MHz by the mobile-satellite service is limited to low power satellite emergency position-indicating radiobeacons (see also Article 31 and Appendix 13).
5.267	Any emission capable of causing harmful interference to the authorised uses of the band 406 - 406.1 MHz is prohibited.
5.268	Use of the band 410-420 MHz by the space research service is limited to communications within 5 km of an orbiting, manned space vehicle. The power flux-density at the surface of the Earth produced by emissions from extra-vehicular activities shall not exceed -153 dB(W/m2) for $0^{\circ}$ ? ? ? $0^{\circ}$ ? ? $0^{\circ}$ ? ? ? ? ? $0^{\circ}$ ? ? ? ? $0^{\circ}$ ? ? ? ? ? $0^{\circ}$ ? ? ? ? ? $0^{\circ}$ ? ? ? ? ? ? ? ? ? ? ? ? ? ? ? ? ? ? ?
5.269	Different category of service: in Australia, the United States, India, Japan and the United Kingdom, the allocation of the bands 420 - 430 MHz and 440 - 450 MHz to the radiolocation service is on a primary basis (see No. 5.33).
5.271	Additional allocation: in Azerbaijan, Belarus, China, India, Latvia, Lithuania, Kyrgyzstan and Turkmenistan, the band 420-460 MHz is also allocated to the aeronautical radionavigation service (radio altimeters) on a secondary basis. (WRC 03)
5.272	Different category of service: in France, the allocation of the band 430 - 434 MHz to the amateur service is on a secondary basis (see No. 5.32).
5.273	Different category of service: in Denmark, Libya and Norway, the allocation of the bands 430 - 432 MHz and 438 - 440 MHz to the radiolocation service is on a secondary basis (see No. 5.32).
5.274	Alternative allocation: in Denmark, Norway and Sweden, the bands 430 - 432 MHz and 438 - 440 MHz are allocated to the fixed and mobile, except aeronautical mobile, services on a primary basis.
5.275	Additional allocation: in Bosnia and Herzegovina, Croatia, Estonia, Finland, Latvia, The Former Yugoslav Republic of Macedonia, Libya, Slovenia and Yugoslavia, the bands 430-432 MHz and 438-440 MHz are also allocated to the fixed and mobile, except aeronautical mobile, services on a primary basis.
5.276	Additional allocation: in Afghanistan, Algeria, Saudi Arabia, Bahrain, Bangladesh, Brunei Darussalam, Burkina Faso, Burundi, Egypt, the United Arab Emirates, Ecuador, Eritrea, Ethiopia, Greece, Guinea, India, Indonesia, the Islamic Republic of Iran, Iraq, Israel, Italy, Jordan, Kenya, Kuwait, Lebanon, Libya, Liechtenstein, Malaysia, Malta, Nigeria, Oman, Pakistan, the Philippines, Qatar, Syria, Democratic People's Republic of Korea, Singapore, Somalia, Switzerland, Tanzania, Thailand, Togo, Turkey and Yemen, the band 430-440 MHz is also allocated to the fixed service on a primary basis and the bands 430-435 MHz and 438-440 MHz are also allocated to the mobile, except aeronautical mobile, service on a primary basis.

### RR-foot-no Radio Regulation footnote text 5.277 Additional allocation: in Angola, Armenia, Azerbaijan, Belarus, Cameroon, Congo, Djibouti, Georgia, Hungary, Israel, Kazakhstan, Mali, Moldova, Mongolia, Uzbekistan, Poland, Kyrgyzstan, Slovakia, the Czech Rep., Romania, the Russian Federation, Rwanda, Tajikistan, Chad, Turkmenistan and Ukraine, the band 430-440 MHz is also allocated to the fixed service on a primary basis. (WRC 03) 5.279A The use of this band by sensors in the Earth exploration-satellite service (EESS) (active) shall be in accordance with Recommendation ITU R SA.1260 1. Additionally, the EESS (active) in the band 432-438 MHz shall not cause harmful interference to the aeronautical radionavigation service in China. The provisions of this footnote in no way diminish the obligation of the EESS (active) to operate as a secondary service in accordance with Nos. 5.29 and 5.30. (WRC 03) 5.280 In Germany, Austria, Bosnia and Herzegovina, Croatia, The Former Yugoslav Republic of Macedonia, Liechtenstein, Portugal, Slovenia, Switzerland and Yugoslavia, the band 433.05 - 434.79 MHz (centre frequency 433.92 MHz) is designated for industrial, scientific and medical (ISM) applications. Radiocommunication services of these countries operating within this band must accept harmful interference which may be caused by these applications. ISM equipment operating in this band is subject to the provisions of No. 15.13. 5.281 Additional allocation: in the French Overseas Departments in Region 2 and India, the band 433.75 - 434.25 MHz is also allocated to the space operation service (Earth-to-space) on a primary basis. In France and in Brazil, the band is allocated to the same service on a secondary basis. 5.282 In the bands 435 - 438 MHz, 1 260 - 1 270 MHz, 2 400 - 2 450 MHz, 3 400 - 3 410 MHz (in Regions 2 and 3 only) and 5 650 - 5 670 MHz, the amateur-satellite service may operate subject to not causing harmful interference to other services operating in accordance with the Table (see No. 5.43). Administrations authorising such use shall ensure that any harmful interference caused by emissions from a station in the amateur-satellite service is immediately eliminated in accordance with the provisions of No. S25.11. The use of the bands 1 260 - 1 270 MHz and 5 650 - 5 670 MHz by the amateursatellite service is limited to the Earth-to-space direction. 5.283 Additional allocation: in Austria, the band 438 - 440 MHz is also allocated to the fixed and mobile, except aeronautical mobile, services on a primary basis. 5.286 The band 449.75 - 450.25 MHz may be used for the space operation service (Earth-to-space) and the space research service (Earth-to-space), subject to agreement obtained under No. 9.21. The use of the bands 454 - 456 MHz and 459 - 460 MHz by the mobile-satellite service is subject to coordination under 5.286A Resolution 46 (Rev.WRC-97)/No. 9.11A. 5.286B The use of the band 454-455 MHz in the countries listed in No. 5.286D, 455-456 MHz and 459-460 MHz in Region 2, and 454-456 MHz and 459-460 MHz in the countries listed in No. 5.286E, by stations in the mobile-satellite service, shall not cause harmful interference to, or claim protection from, stations of the fixed or mobile services operating in accordance with the Table of Frequency Allocations. 5.287 In the maritime mobile service, the frequencies 457.525 MHz, 457.550 MHz, 457.575 MHz, 467.525 MHz, 467.550 MHz and 467.575 MHz may be used by on-board communication stations. Where needed, equipment designed for 12.5 kHz channel spacing using also the additional frequencies 457.5375 MHz, 457.5625 MHz, 467.5375 MHz and 467.5625 MHz may be introduced for on-board communications. The use of these frequencies in territorial waters may be subject to the national regulations of the administration concerned. The characteristics of the equipment used shall conform to those specified in Recommendation ITU-R M.1174 (see Resolution 341 (WRC-97)). Earth exploration-satellite service applications, other than the meteorological-satellite service, may also be used in the 5 289 bands 460 - 470 MHz and 1 690 - 1 710 MHz for space-to-Earth transmissions subject to not causing harmful interference to stations operating in accordance with the Table. 5.290 Different category of service: in Afghanistan, Azerbaijan, Belarus, China, Japan, Mongolia, Uzbekistan, Kyrgyzstan, Slovakia, the Russian Federation, Tajikistan, Turkmenistan and Ukraine, the allocation of the band 460-470 MHz to the meteorological-satellite service (space-to-Earth) is on a primary basis (see No. 5.33), subject to agreement obtained under No. 9.21. 5.291A Additional allocation: in Germany, Austria, Denmark, Estonia, Finland, Liechtenstein, Norway, Netherlands, the Czech Republic and Switzerland, the band 470-494 MHz is also allocated to the radiolocation service on a secondary basis. This use is limited to the operation of wind profiler radars in accordance with Resolution 217 (WRC-97). 5.296 Additional allocation: in Germany, Austria, Belgium, Côte d'Ivoire, Denmark, Spain, Finland, France, Ireland, Israel, Italy, Libyan Arab Jamahiriya, Lithuania, Malta, Morocco, Monaco, Norway, the Netherlands, Portugal, Syrian Arab Republic, the United Kingdom, Sweden, Switzerland, Swaziland and Tunisia, the band 470-790 MHz is also allocated on a secondary basis to the land mobile service, intended for applications ancillary to broadcasting. Stations of the land mobile service in the countries listed in this footnote shall not cause harmful interference to existing or planned stations operating in accordance with the Table in countries other than those listed in this footnote. Additional allocation: in the United Kingdom, the band 590 - 598 MHz is also allocated to the aeronautical 5.302 radionavigation service on a primary basis. All new assignments to stations in the aeronautical radionavigation service, including those transferred from the adjacent bands, shall be subject to coordination with the Administrations of the following countries: Germany, Belgium, Denmark, Spain, France, Ireland, Luxembourg, Morocco, Norway and the 5.306 Additional allocation: in Region 1, except in the African Broadcasting Area (see Nos. 5.10 to 5.13), and in Region 3, the

band 608 - 614 MHz is also allocated to the radio astronomy service on a secondary basis.

KK-jooi-no	Audo Aeguidion Joonnoie text
5.311	Within the frequency band 620-790 MHz, assignments may be made to television stations using frequency modulation in the broadcasting-satellite service subject to agreement between the administrations concerned and those having services, operating in accordance with the Table, which may be affected (see Resolutions 33 (Rev.WRC 03) and 507 (Rev.WRC 03)). Such stations shall not produce a power flux-density in excess of the value –129 dB(W/m2) for angles of arrival less than 20° (see Recommendation 705) within the territories of other countries without the consent of the administrations of those countries. Resolution [COM4/5] (WRC 03) applies. (WRC 03)
5.312	Additional allocation: in Armenia, Azerbaijan, Belarus, Bulgaria, Georgia, Hungary, Kazakhstan, Moldova, Mongolia, Uzbekistan, Poland, Kyrgyzstan, Slovakia, the Czech Rep., Romania, the Russian Federation, Tajikistan, Turkmenistan and Ukraine, the band 645-862 MHz is also allocated to the aeronautical radionavigation service on a primary basis. (WRC-03)
5.314	Additional allocation: in Austria, Italy, Moldova, Uzbekistan, the United Kingdom and Swaziland, the band 790-862 MHz is also allocated to the land mobile service on a secondary basis.
5.315	Alternative allocation: in Greece, Italy and Tunisia, the band 790-838 MHz is allocated to the broadcasting service on a primary basis.
5.316	Additional allocation: in Germany, Saudi Arabia, Bosnia and Herzegovina, Burkina Faso, Cameroon, Côte d'Ivoire, Croatia, Denmark, Egypt, Finland, Greece, Israel, Jordan, Kenya, The Former Yugoslav Republic of Macedonia, Libyan Arab Jamahiriya, Liechtenstein, Mali, Monaco, Norway, the Netherlands, Portugal, the United Kingdom, Syrian Arab Republic, Sweden, Switzerland and Serbia and Montenegro, the band 790-830 MHz, and in these same countries and in Spain, France, Gabon and Malta, the band 830-862 MHz, are also allocated to the mobile, except aeronautical mobile, service on a primary basis. However, stations of the mobile service in the countries mentioned in connection with each band referred to in this footnote shall not cause harmful interference to, or claim protection from, stations of services operating in accordance with the Table in countries other than those mentioned in connection with the band. (WRC 03)
5.317A	Administrations wishing to implement International Mobile Telecommunications-2000 (IMT-2000) may use those parts of the band 806-960 MHz which are allocated to the mobile service on a primary basis and are used or planned to be used for mobile systems (see Resolution 224 (WRC-2000)). This identification does not preclude the use of these bands by any application of the services to which they are allocated and does not establish priority in the Radio Regulations.
5.319	Additional Allocation: In Belarus, Russian Federation and Ukraine, the bands 806-840 MHz (E/S) and 856-890 MHz (S/E) are also allocated to the mobile-satellite, except aeronautical mobile satellite (R), service. The use of these bands by this service shal not cause harmful interference to, or claim protection from, services in other countries operating in accordance with the Table of Frequency Allocations and is subject o spoecial agreements between the administrations concerned.
5.321	Alternative allocation: in Italy, the band 838 - 854 MHz is allocated to the broadcasting service on a primary basis as from 1 January 1995.
5.322	In Region 1, in the band 862-960 MHz stations of the broadcasting service shall be operated only in the African Broadcasting Area (See Nos 5.10 to 5.13) excluding Algeria, Egypt, Spain, Libya, Morocco, Nigeria, South Africa, Tanzania and Zimbabwe, subject to agreement obtained under No 9.21.
5.323	Additional allocation: in Armenia, Azerbaijan, Belarus, Bulgaria, Hungary, Kazakhstan, Moldova, Mongolia, Uzbekistan, Poland, Kyrgyzstan, Slovakia, the Czech Rep., Romania, the Russian Federation, Tajikistan, Turkmenistan and Ukraine, the band 862-960 MHz is also allocated to the aeronautical radionavigation service on a primary basis. Such use is subject to agreement obtained under No. 9.21 with administrations concerned and limited to ground-based radiobeacons in operation on 27 October 1997 until the end of their lifetime. (WRC-03)
5.328	The use of the band 960-1 215 MHz by the aeronautical radionavigation service is reserved on a worldwide basis for the operation and development of airborne electronic aids to air navigation and any directly associated ground-based facilities.
5.328A	Stations in the radionavigation-satellite service in the band 1 164-1 215 MHz shall operate in accordance with the provisions of Resolution [COM5/8] (WRC 03) and shall not claim protection from stations in the aeronautical radionavigation service in the band 960-1 215 MHz. No. 5.43A does not apply. The provisions of No. 21.18 shall apply. (WRC 03)
5.328B	The use of the bands 1 164-1 300 MHz, 1 559-1 610 MHz and 5 010-5 030 MHz by systems and networks in the radionavigation-satellite service for which complete coordination or notification information, as appropriate, is received by the Radiocommunication Bureau after 1 January 2005 is subject to the application of the provisions of Nos. 9.12, 9.12A and 9.13. Resolution [COM5/18] (WRC 03) shall also apply. (WRC 03)
5.329	Use of the radionavigation-satellite service in the band 1 215-1 300 MHz shall be subject to the condition that no harmful interference is caused to, and no protection is claimed from, the radionavigation service authorized under No. 5.331. Furthermore, the use of the radionavigation-satellite service in the band 1 215-1 300 MHz shall be subject to the condition that no harmful interference is caused to the radiolocation service. No. 5.43 shall not apply in respect of the radiolocation service. Resolution [COM5/5] (WRC 03) shall apply. (WRC 03)
5.329A	Use of systems in the radionavigation-satellite service (space-to-space) operating in the bands 1 215-1 300 MHz and 1 559-1 610 MHz is not intended to provide safety service applications, and shall not impose any additional constraints on other systems or services operating in accordance with the Table of Frequency Allocations.
5.330	Additional allocation: in Azerbaijan, Bulgaria, Cuba, Mongolia, Kyrgyzstan, Romania and Turkmenistan, the band 3 300-3 400 MHz is also allocated to the radionavigation service on a primary basis

RR-foot-no

Radio Regulation footnote text

## RR-foot-no Radio Regulation footnote text

5.331	Additional allocation: in Algeria, Germany, Saudi Arabia, Australia, Austria, Bahrain, Belarus, Belgium, Benin, Bosnia and Herzegovina, Brazil, Burkina Faso, Burundi, Cameroon, China, Korea (Rep. of), Croatia, Denmark, Egypt, the United Arab Emirates, Estonia, the Russian Federation, Finland, France, Ghana, Greece, Guinea, Equatorial Guinea, Hungary, India, Indonesia, Iran (Islamic Republic of), Iraq, Ireland, Israel, Jordan, Kenya, Kuwait, Lesotho, Latvia, The Former Yugoslav Republic of Macedonia, Liechtenstein, Lithuania, Luxembourg, Madagascar, Mali, Mauritania, Nigeria, Norway, Oman, the Netherlands, Poland, Portugal, Qatar, Syrian Arab Republic, Slovakia, United Kingdom, Serbia and Montenegro, Slovenia, Somalia, Sudan, Sri Lanka, South Africa, Sweden, Switzerland, Thailand, Togo, Turkey, Venezuela and Viet Nam, the band 1 215-1 300 MHz is also allocated to the radionavigation service on a primary basis. In Canada and the United States, the band 1 240-1 300 MHz is also allocated to the radionavigation service, and use of the radionavigation service shall be limited to the aeronautical radionavigation service. (WRC 03)
5.332	In the band 1 215-1 260 MHz, active spaceborne sensors in the earth exploration-satellite and space research services shall not cause harmful interference to, claim protection from, or otherwise impose constraints on operation or development of the radiolocation service, the radionavigation-satellite service and other services allocated on a primary basis.
5.335A	In the band 1 260-1 300 MHz, active spaceborne sensors in the Earth exploration-satellite and space research services shall not cause harmful interference to, claim protection from, or otherwise impose constraints on operation or development of the radiolocation service and other services allocated by footnotes on a primary basis.
5.337A	The use of the band 1 300-1 350 MHz by earth stations in the radionavigation-satellite service and by stations in the radiolocation service shall not cause harmful interference to, nor constrain the operation and development of, the aeronautical-radionavigation service.
5.338	In Azerbaijan, Mongolia, Kyrgyzstan, Slovakia, the Czech Rep., Romania and Turkmenistan, existing installations of the radionavigation service may continue to operate in the band 1 350-1 400 MHz. (WRC 03)
5.339	The bands 1 370 - 1 400 MHz, 2 640 - 2 655 MHz, 4 950 - 4 990 MHz and 15.20 - 15.35 GHz are also allocated to the space research (passive) and earth exploration-satellite (passive) services on a secondary basis.
5.339A	Additional allocation: the band 1 390-1 392 MHz is also allocated to the fixed-satellite service (Earth-to-space) on a secondary basis and the band 1 430-1 432 MHz is also allocated to the fixed-satellite service (space-to-Earth) on a secondary basis. These allocations are limited to use for feeder links for non geostationary-satellite networks in the mobile-satellite service with service links below 1 GHz, and Resolution [COM5/14] (WRC 03) applies. (WRC 03)
5.340	All emissions are prohibited in the following bands:  1 400-1 427 MHz,  2 690-2 700 MHz, except those provided for by No. 5.422,  10.68-10.7 GHz, except those provided for by No. 5.483,  15.35-15.4 GHz, except those provided for by No. 5.511,  23.6-24 GHz,  31.3-31.5 GHz,  31.5-31.8 GHz,in Region 2,  48.94-49.04 GHz, from airborne stations,  50.2-50.4 GHz 2,  52.6-54.25 GHz,  86-92 GHz,  100-102 GHz,  109.5-111.8 GHz,  114.25-116 GHz,  148.5-151.5 GHz,  164-167 GHz,  182-185 GHz,  190-191.8 GHz,  200-209 GHz,  226-231.5 GHz,  (WRC 03)
5.341	In the bands 1 400 - 1 727 MHz, 101 - 120 GHz and 197 - 220 GHz, passive research is being conducted by some countries in a programme for the search for intentional emissions of extraterrestrial origin.
5.342	Additional allocation: in Armenia, Azerbaijan, Belarus, Bulgaria, Uzbekistan, Kyrgystan, the Russian Federation and Ukraine, the band 1 429-1 535 MHz is also allocated to the aeronautical mobile service on a primary basis exclusively for the purposes of aeronautical telemetry within the national territory. As of 1 April 2007, the use of the band 1 452-1 492 MHz is subject to agreement between the administrations concerned
5.345	Use of the band 1 452 - 1 492 MHz by the broadcasting-satellite service, and by the broadcasting service, is limited to digital audio broadcasting and is subject to the provisions of Resolution 528 (WARC-92).
5.347	Different category of service: in Bangladesh, Bosnia and Herzegovina, Botswana, Bulgaria, Burkina Faso, Cuba, Denmark, Egypt, Greece, Ireland, Italy, Mozambique, Portugal, Sri Lanka, Swaziland, Yemen, Serbia and Montenegro and Zimbabwe, the allocation of the band 1 452-1 492 MHz to the broadcasting-satellite service and the broadcasting service is on a secondary basis until 1 April 2007. (WRC 03)

### Radio Regulation footnote text RR-foot-no 5.347A In the bands: 1 452-1 492 MHz, 1 525-1 559 MHz, 1 613.8-1 626.5 MHz. 2 655-2 670 MHz. 2 670-2 690 MHz, 21 4-22 0 GHz Resolution [COM4/15] (WRC 03) applies1. (WRC 03) 5.348 The use of the band 1518-1525 MHz by the mobile-satellite service is subject to coordination under No. 9.11A. In the band 1 518-1 525 MHz stations in the mobile-satellite service shall not claim protection from the stations in the fixed service. No. 5.43A does not apply. (WRC-03) In the band 1 518-1 525 MHz, the coordination threshold in terms of the power flux-density levels at the surface of the 5.348A Earth in application of No. 9.11A for space stations in the mobile-satellite (space-to-Earth) service, with respect to the land mobile service use for specialized mobile radios or used in conjunction with public switched telecommunication networks (PSTN) operating within the territory of Japan, shall be -150 dB(W/m2) in any 4 kHz band for all angles of arrival, instead of those given in Table 5 2 of Appendix 5. In the band 1 518-1 525 MHz stations in the mobile-satellite service shall not claim protection from stations in the mobile service in the territory of Japan. No. 5.43A does not apply. (WRC-03) 5.348B In the band 1 518-1 525 MHz, stations in the mobile-satellite service shall not claim protection from aeronautical mobile telemetry stations in the mobile service in the territory of the United States (see Nos. 5.343 and 5.344) and in the countries listed in No. 5.342. No. 5.43A does not apply. (WRC-03) For the use of the bands 1 518-1 525 MHz and 1 668-1 675 MHz by the mobile-satellite service, see Resolution 225 5 348C (Rev.WRC 03). (WRC-03) 5.349 Different category of service: in Saudi Arabia, Azerbaijan, Bahrain, Bosnia and Herzegovina, Cameroon, Egypt, France, Iran (Islamic Republic of), Iraq, Israel, Kazakstan, Kuwait, The Former Yugoslav Republic of Macedonia, Lebanon, Morocco, Qatar, Syria, Kyrgyzstan, Romania, Turkmenistan, Yemen and Yugoslavia, the allocation of the band 1 525-1 530 MHz to the mobile, except aeronautical mobile, service is on a primary basis (see No. 5.33). Additional allocation: in Azerbaijan, Kyrgyzstan and Turkmenistan, the band 1 525-1 530 MHz is also allocated to the 5.350 aeronautical mobile service on a primary basis. 5.351 The bands 1 525 - 1 544 MHz, 1 545 - 1 559 MHz, 1 626.5 - 1 645.5 MHz and 1 646.5 - 1 660.5 MHz shall not be used for feeder links of any service. In exceptional circumstances, however, an earth station at a specified fixed point in any of the mobile-satellite services may be authorised by an administration to communicate via space stations using these bands. For the use of the bands 1 525-1 544 MHz, 1 545-1 559 MHz, 1 610-1 626.5 MHz, 1 626.5-1 645.5 MHz, 1 646.5-1 660.5 5.351A MHz, 1 980-2 010 MHz, 2 170-2 200 MHz, 2 483.5-2 500 MHz, 2 500-2 520 MHz and 2 670-2 690 MHz by the mobilesatellite service, see Resolutions 212 (Rev.WRC-97) and 225 (WRC-2000). 5.352A In the band 1 525-1 530 MHz, stations in the mobile-satellite service, except stations in the maritime mobile-satellite service, shall not cause harmful interference to, or claim protection from, stations of the fixed service in France and French overseas territories in Region 3, Algeria, Saudi Arabia, Egypt, Guinea, India, Israel, Italy, Jordan, Kuwait, Mali, Malta, Morocco, Mauritania, Nigeria, Oman, Pakistan, Philippines, Qatar, Syria, Tanzania, Viet Nam and Yemen notified prior to 1 April 1998. In applying the procedures of Section II of Article S9 to the mobile-satellite service in the bands 1 530-1 544 MHz and 1 5.353A 626.5-1 645.5 MHz, priority shall be given to accommodating the spectrum requirements for distress, urgency and safety communications of the Global Maritime Distress and Safety System (GMDSS). Maritime mobile-satellite distress, urgency and safety communications shall have priority access and immediate availability over all other mobile satellite communications operating within a network. Mobile-satellite systems shall not cause unacceptable interference to, or claim protection from, distress, urgency and safety communications of the GMDSS. Account shall be taken of the priority of safety-related communications in the other mobile-satellite services. (The provisions of Resolution 222 (WRC-2000) shall apply.)

5.354

The use of the bands  $1\,525$  -  $1\,559$  MHz and  $1\,626.5$  -  $1\,660.5$  MHz by the mobile-satellite services is subject to coordination under Resolution 46 (Rev. WRC-97)/No. 9.11A.

5.355

Additional allocation: in Bahrain, Bangladesh, Congo, Egypt, Eritrea, Iraq, Israel, Jordan, Kuwait, Lebanon, Malta, Morocco, Qatar, Syria, Somalia, Sudan, Chad, Togo and Yemen, the bands 1 540-1 559 MHz, 1 610-1 645.5 MHz and 1 646.5-1 660 MHz are also allocated to the fixed service on a secondary basis

5.356

The use of the band 1 544 - 1 545 MHz by the mobile-satellite service (space-to-Earth) is limited to distress and safety communications (see Article 31).

5.357

Transmissions in the band 1 545 - 1 555 MHz from terrestrial aeronautical stations directly to aircraft stations, or between aircraft stations, in the aeronautical mobile (R) service are also authorised when such transmissions are used to extend or supplement the satellite-to-aircraft links.

## RR-foot-no Radio Regulation footnote text

5.357A	In applying the procedures of Section II of Article S9 to the mobile-satellite service in the bands 1 545-1 555 MHz and 1 646.5-1 656.5 MHz, priority shall be given to accommodating the spectrum requirements of the aeronautical mobile-satellite (R) service providing transmission of messages with priority 1 to 6 in Article 44. Aeronautical mobile-satellite (R) service communications with priority 1 to 6 in Article 44 shall have priority access and immediate availability, by preemption if necessary, over all other mobile-satellite communications operating within a network. Mobile-satellite systems shall not cause unacceptable interference to, or claim protection from, aeronautical mobile-satellite (R) service communications with priority 1 to 6 in Article 44. Account shall be taken of the priority of safety-related communications in the other mobile-satellite services. (The provisions of Resolution 222 (WRC-2000) shall apply.)
5.359	Additional allocation: in Germany, Saudi Arabia, Armenia, Austria, Azerbaijan, Belarus, Benin, Bosnia and Herzegovina, Bulgaria, Cameroon, Spain, France, Gabon, Georgia, Greece, Guinea, Guinea-Bissau, Hungary, Jordan, Kazakhstan, Kuwait, Lebanon, Libyan Arab Jamahiriya, Lithuania, Mauritania, Moldova, Mongolia, Uganda, Uzbekistan, Pakistan, Poland, Syrian Arab Republic, Kyrgyzstan, the Dem. People's Rep. of Korea, Romania, the Russian Federation, Swaziland, Tajikistan, Tanzania, Tunisia, Turkmenistan and Ukraine, the bands 1 550-1 559 MHz, 1 610-1 645.5 MHz and 1 646.5-1 660 MHz are also allocated to the fixed service on a primary basis. Administrations are urged to make all practicable efforts to avoid the implementation of new fixed-service stations in these bands. (WRC 03
5.362B	Additional allocation: The band 1 559-1 610 MHz is also allocated to the fixed service on a primary basis until 1 January 2005 in Germany, Armenia, Azerbaijan, Belarus, Benin, Bosnia and Herzegovina, Bulgaria, Spain, France, Gabon, Georgia, Greece, Guinea, Guinea-Bissau, Hungary, Kazakhstan, Lithuania, Moldova, Mongolia, Nigeria, Uganda, Uzbekistan, Pakistan, Poland, Kyrgyzstan, the Dem. People's Rep. of Korea, Romania, the Russian Federation, Senegal, Swaziland, Tajikistan, Tanzania, Turkmenistan and Ukraine, and until 1 January 2010 in Saudi Arabia, Cameroon, Jordan, Kuwait, Lebanon, Libyan Arab Jamahiriya, Mali, Mauritania, Syrian Arab Republic and Tunisia. After these dates, the fixed service may continue to operate on a secondary basis until 1 January 2015, at which time this allocation shall no longer be valid. Administrations are urged to take all practicable steps to protect the radionavigation-satellite service and the aeronautical radionavigation service and not authorize new frequency assignments to fixed-service systems in this band. (WRC 03)
5.362C	Additional allocation: in Bahrain, Bangladesh, Congo, Egypt, Eritrea, Iraq, Israel, Jordan, Kuwait, Lebanon, Malta, Morocco, Qatar, Syria, Somalia, Sudan, Chad, Togo and Yemen, the band 1 559-1 610 MHz is also allocated to the fixed service on a secondary basis until 1 January 2015, at which time this allocation shall no longer be valid. Administrations are urged to take all practicable steps to protect the radionavigation-satellite service and not authorize new frequency assignments to fixed-service systems in this band.
5.363	Alternative allocation: in Sweden, the band 1 590 - 1 626.5 MHz is allocated to the aeronautical radionavigation service on a primary basis.
5.364	The use of the band 1 610 - 1 626.5 MHz by the mobile-satellite service (Earth-to-space) and by the radiodetermination-satellite service (Earth-to-space) is subject to coordination under Resolution 46 (Rev.WRC-97)/No. 9.11A. A mobile earth station operating in either of the services in this band shall not produce a peak e.i.r.p. density in excess of -15 dB(W/4 kHz) in the part of the band used by systems operating in accordance with the provisions of No. 5.366 (to which No. 4.10 applies), unless otherwise agreed by the affected administrations. In the part of the band where such systems are not operating, the mean e.i.r.p. density of a mobile earth station shall not exceed -3 dB(W/4 kHz). Stations of the mobile-satellite service shall not claim protection from stations in the aeronautical radionavigation service, stations operating in accordance with the provisions of No. 5.366 and stations in the fixed service operating in accordance with the provisions of No. 5.359. Administrations responsible for the coordination of mobile-satellite networks shall make all practicable efforts to ensure protection of stations operating in accordance with the provisions of No. 5.366.
5.365	The use of the band 1 613.8 - 1 626.5 MHz by the mobile-satellite service (space-to-Earth) is subject to coordination under Resolution 46 (Rev.WRC-97)/No. 9.11A.
5.366	The band 1 610 - 1 626.5 MHz is reserved on a worldwide basis for the use and development of airborne electronic aids to air navigation and any directly associated ground-based or satellite-borne facilities. Such satellite use is subject to agreement obtained under No. 9.21.
5.367	Additional allocation: the bands 1 610 - 1 626.5 MHz and 5 000 - 5 150 MHz are also allocated to the aeronautical mobile-satellite (R) service on a primary basis, subject to agreement obtained under No. 9.21.
5.368	With respect to the radiodetermination-satellite and mobile-satellite services the provisions of No. 4.10 do not apply in the band 1 610 - 1 626.5 MHz, with the exception of the aeronautical radionavigation-satellite service.
5.371	Additional allocation: in Region 1, the bands 1 610 - 1 626.5 MHz (Earth-to-space) and 2 483.5 - 2 500 MHz (space-to-Earth) are also allocated to the radiodetermination-satellite service on a secondary basis, subject to agreement obtained under No. 9.21.
5.372	Harmful interference shall not be caused to stations of the radio astronomy service using the band 1 610.6 - 1 613.8 MHz by stations of the radiodetermination-satellite and mobile-satellite services (No. 29.13 applies).
5.374	Mobile earth stations in the mobile-satellite service operating in the bands 1 631.5 - 1 634.5 MHz and 1 656.5 - 1 660 MHz shall not cause harmful interference to the stations in the fixed service operating in the countries listed in No. 5.359.
5.375	The use of the band 1 645.5 - 1 646.5 MHz by the mobile-satellite service (Earth-to-space) and for inter-satellite links is limited to distress and safety communications (see Article 31).
5.376	Transmissions in the band 1 646.5 - 1 656.5 MHz from aircraft stations in the aeronautical mobile (R) service directly to terrestrial aeronautical stations, or between aircraft stations, are also authorised when such transmissions are used to

extend or supplement the aircraft-to-satellite links.

terrestrial aeronautical stations, or between aircraft stations, are also authorised when such transmissions are used to

RR-foot-no	Radio Regulation footnote text
5.376A	Mobile earth stations operating in the band 1 660-1 660.5 MHz shall not cause harmful interference to stations in the radio astronomy service.
5.379A	Administrations are urged to give all practicable protection in the band 1 660.5 - 1 668.4 MHz for future research in radio astronomy, particularly by eliminating air-to-ground transmissions in the meteorological aids service in the band 1 664.4 - 1 668.4 MHz as soon as practicable.
5.379B	The use of the band 1 668-1 675 MHz by the mobile-satellite service is subject to coordination under No. 9.11A. (WRC-03)
5.379C	In order to protect the radio astronomy service in the band 1 668-1 670 MHz, the aggregate power flux-density values produced by mobile earth stations in a network of the mobile-satellite service operating in this band shall not exceed $-181$ dB(W/m2) in 10 MHz and 194 dB(W/m2) in any 20 kHz at any radio astronomy station recorded in the Master International Frequency Register, for more than 2% of integration periods of 2 000 s. (WRC-03)
5.379D	For sharing of the band 1 668-1 675 MHz between the mobile-satellite service and the fixed, mobile and space research (passive) services, Resolution [COM5/12] (WRC 03) shall apply. (WRC-03)
5.379E	In the band 1 668.4-1 675 MHz, stations in the mobile-satellite service shall not cause harmful interference to stations in the meteorological aids service in China, Iran (Islamic Republic of), Japan and Uzbekistan. In the band 1 668.4-1 675 MHz, administrations are urged not to implement new systems in the meteorological aids service and are encouraged to migrate existing meteorological aids service operations to other bands as soon as practicable. (WRC-03)
5.380	The bands 1 670 - 1 675 MHz and 1 800 - 1 805 MHz are intended for use, on a worldwide basis, by administrations wishing to implement aeronautical public correspondence. The use of the band 1 670 - 1 675 MHz by stations in the systems for public correspondence with aircraft is limited to transmissions from aeronautical stations and the use of the band 1 800 - 1 805 MHz is limited to transmissions from aircraft stations.
5.380A	In the band 1 670-1 675 MHz, stations in the mobile-satellite service shall not cause harmful interference to, nor constrain the development of, existing earth stations in the meteorological-satellite service notified in accordance with Resolution [COM5/13] (WRC 03). (WRC-03)
5.382	Different category of service: in Saudi Arabia, Armenia, Azerbaijan, Bahrain, Belarus, Bosnia and Herzegovina, Bulgaria, the Congo, Egypt, the United Arab Emirates, Eritrea, Ethiopia, Guinea, Hungary, Iraq, Israel, Jordan, Kazakhstan, Kuwait, the Former Yugoslav Republic of Macedonia, Lebanon, Mauritania, Moldova, Mongolia, Oman, Uzbekistan, Poland, Qatar, Syrian Arab Republic, Kyrgyzstan, Romania, the Russian Federation, Somalia, Tajikistan, Tanzania, Turkmenistan, Ukraine, Yemen and Serbia and Montenegro, the allocation of the band 1 690-1 700 MHz to the fixed and mobile, except aeronautical mobile, services is on a primary basis (see No. 5.33), and in the Dem. People's Rep. of Korea, the allocation of the band 1 690-1 700 MHz to the fixed service is on a primary basis (see No. 5.33) and to the mobile, except aeronautical mobile, service on a secondary basis. (WRC 03)
5.384A	The bands, or portions of the bands, 1 710-1 885 MHz and 2 500-2 690 MHz, are identified for use by administrations wishing to implement International Mobile Telecommunications-2000 (IMT-2000) in accordance with Resolution 223 (WRC-2000). This identification does not preclude the use of these bands by any application of the services to which they are allocated and does not establish priority in the Radio Regulations.
5.385	Additional allocation: the band 1 718.8-1 722.2 MHz is also allocated to the radio astronomy service on a secondary basis for spectral line observations.
5.387	Additional allocation: in Azerbaijan, Belarus, Georgia, Kazakhstan, Mongolia, Kyrgyzstan, Slovakia, Romania, Tajikistan and Turkmenistan, the band 1 770-1 790 MHz is also allocated to the meteorological-satellite service on a primary basis, subject to agreement obtained under No. 9.21. (WRC 03)
5.388	The bands 1 885-2 025 MHz and 2 110-2 200 MHz are intended for use, on a worldwide basis, by administrations wishing to implement International Mobile Telecommunications-2000 (IMT-2000). Such use does not preclude the use of these bands by other services to which they are allocated. The bands should be made available for IMT-2000 in accordance with Resolution 212 (Rev.WRC-97). (See also Resolution 223 (WRC-2000).)
5.388A	In Regions 1 and 3, the bands 1 885-1 980 MHz, 2 010-2 025 MHz and 2 110-2 170 MHz and, in Region 2, the bands 1 885-1 980 MHz and 2 110-2 160 MHz may be used by high altitude platform stations as base stations to provide International Mobile Telecommunications 2000 (IMT 2000), in accordance with Resolution 221 (Rev.WRC 03). Their use by IMT 2000 applications using high altitude platform stations as base stations does not preclude the use of these bands by any station in the services to which they are allocated and does not establish priority in the Radio Regulations. (WRC 03)
5.389A	The use of the bands 1 980 - 2 010 MHz and 2 170 - 2 200 MHz by the mobile-satellite service is subject to coordination under Resolution 46 (Rev.WRC-97)/No. 9.11A and to the provisions of Resolution 716 (WRC-95). The use of these bands shall not commence before 1 January 2000; however the use of the band 1 980 - 1 990 MHz in Region 2 shall not commence before 1 January 2005.
5.391	In making assignments to the mobile service in the bands 2 025-2 110 MHz and 2 200-2 290 MHz, administrations shall not introduce high-density mobile systems, as described in Recommendation ITU-R SA.1154, and shall take that Recommendation into account for the introduction of any other type of mobile system.
5.392	Administrations are urged to take all practicable measures to ensure that space-to-space transmissions between two or more non-geostationary satellites, in the space research, space operations and Earth exploration-satellite services in the bands 2 025 - 2 110 MHz and 2 200 - 2 290 MHz, shall not impose any constraints on Earth-to-space, space-to-Earth and other space-to-space transmissions of those services and in those bands between geostationary and non-geostationary satellites.

KK-Joot-no	Kaato Kegutation Jootnote text
5.392A	Additional allocation: in Russia, the band 2 160 - 2 200 MHz is also allocated to the space research service (space-to-Earth) on a primary basis until 1 January 2005. Stations in the space research service shall not cause harmful interference to, or claim protection from, stations in the fixed and mobile services operating in this frequency band.
5.395	In France and Turkey, the use of the band 2 310-2 360 MHz by the aeronautical mobile service for telemetry has priority over other uses by the mobile service. (WRC 03)
5.397	Different category of service: in France, the band 2 450 - 2 500 MHz is allocated on a primary basis to the radiolocation service (see No. 5.33). Such use is subject to agreement with administrations having services operating or planned to operate in accordance with the Table of Frequency Allocations which may be affected.
5.398	In respect of the radiodetermination-satellite service in the band 2 483.5 - 2 500 MHz, the provisions of No. 4.10 do not apply.
5.399	In Region 1, in countries other than those listed in No. 5.400, harmful interference shall not be caused to, or protection shall not be claimed from, stations of the radiolocation service by stations of the radiodetermination satellite service.
5.402	The use of the band 2 483.5 - 2 500 MHz by the mobile-satellite and the radiodetermination-satellite services is subject to the coordination under Resolution 46 (Rev.WRC-97)/No. 9.11A. Administrations are urged to take all practicable steps to prevent harmful interference to the radio astronomy service from emissions in the 2 483.5 - 2 500 MHz band, especially those caused by second-harmonic radiation that would fall into the 4 990 -5 000 MHz band allocated to the radio astronomy service worldwide.
5.403	Subject to agreement obtained under No. 9.21, the band 2 520 - 2 535 MHz (until 1 January 2005 the band 2 500 - 2 535 MHz) may also be used for the mobile-satellite (space-to-Earth), except aeronautical mobile-satellite, service for operation limited to within national boundaries. The provisions of Resolution 46 (Rev.WRC-97)/No. 9.11A apply.
5.405	Additional allocation: in France, the band 2 500 - 2 550 MHz is also allocated to the radiolocation service on a primary basis. Such use is subject to agreement with the administrations having services operating or planned to operate in accordance with the Table which may be affected.
5.409	Administrations shall make all practicable efforts to avoid developing new tropospheric scatter systems in the band 2 500 - 2 690 MHz.
5.410	The band 2 500 - 2 690 MHz may be used for tropospheric scatter systems in Region 1, subject to agreement obtained under No. 9.21.
5.411	When planning new tropospheric scatter radio-relay links in the band 2 500 - 2 690 MHz, all possible measures shall be taken to avoid directing the antennae of these links towards the geostationary-satellite orbit.
5.412	Alternative allocation: in Azerbaijan, Bulgaria, Kyrgyzstan and Turkmenistan, the band 2 500-2 690 MHz is allocated to the fixed and mobile, except aeronautical mobile, services on a primary basis
5.413	In the design of systems in the broadcasting-satellite service in the bands between 2 500 MHz and 2 690 MHz, administrations are urged to take all necessary steps to protect the radio astronomy service in the band 2 690 - 2 700 MHz.
5.414	The allocation of the frequency band 2 500 - 2 520 MHz to the mobile-satellite service (space-to-Earth) shall be effective on 1 January 2005 and is subject to coordination under Resolution 46 (Rev.WRC-97)/No. 9.11A.
5.416	The use of the band 2 520-2 670 MHz by the broadcasting-satellite service is limited to national and regional systems for community reception, subject to agreement obtained under No. 9.21. (WRC-03)
5.417C	Use of the band 2 605-2 630 MHz by non geostationary-satellite systems in the broadcasting-satellite service (sound), pursuant to No. 5.418bis, for which complete Appendix 4 coordination information, or notification information, has been received after 4 July 2003, is subject to the application of the provisions of No. 9.12. (WRC 03)
5.417D	Use of the band 2 605-2 630 MHz by geostationary-satellite networks for which complete Appendix 4 coordination information, or notification information, has been received after 4 July 2003 is subject to the application of the provisions of No. 9.13 with respect to non geostationary-satellite systems in the broadcasting-satellite service (sound), pursuant to No. 5.418bis, and No. 22.2 does not apply. (WRC 03)
5.418B	Use of the band 2 630-2 655 MHz by non geostationary-satellite systems in the broadcasting-satellite service (sound), pursuant to No. 5.418, for which complete Appendix 4 coordination information, or notification information, has been received after 2 June 2000, is subject to the application of the provisions of No. 9.12. (WRC 03)
5.418C	Use of the band 2 630 2 655 MHz by geostationary-satellite networks for which complete Appendix 4 coordination information, or notification information, has been received after 2 June 2000 is subject to the application of the provisions of No. 9.13 with respect to non geostationary-satellite systems in the broadcasting-satellite service (sound), pursuant to No. 5.418 and No. 22.2 does not apply. (WRC 03)
5.419	The allocation of the frequency band 2 670 - 2 690 MHz to the mobile-satellite service shall be effective from 1 January 2005. When introducing systems of the mobile-satellite service in this band, administrations shall take all necessary steps to protect the satellite systems operating in this band prior to 3 March 1992. The coordination of mobile-satellite systems in the band shall be in accordance with Resolution 46 (Rev.WRC-97)/No. 9.11A.
5.420	The band 2 655 - 2 670 MHz (until 1 January 2005 the band 2 655 - 2 690 MHz) may also be used for the mobile-satellite (Earth-to-space), except aeronautical mobile-satellite, service for operation limited to within national boundaries, subject to agreement obtained under No. 9.21. The coordination under Resolution 46 (Rev.WRC-97)/No. 9.11A applies.

RR-foot-no

Radio Regulation footnote text

RR-foot-no	Radio Regulation footnote text
5.422	Additional allocation: in Saudi Arabia, Armenia, Azerbaijan, Bahrain, Belarus, Bosnia and Herzegovina, Brunei Darussalam, Congo, Côte d'Ivoire, Cuba, Egypt, the United Arab Emirates, Eritrea, Ethiopia, Gabon, Georgia, Guinea, Guinea-Bissau, Iran (Islamic Republic of), Iraq, Israel, Jordan, Lebanon, Mauritania, Moldova, Mongolia, Nigeria, Oman, Uzbekistan, Pakistan, the Philippines, Qatar, Syrian Arab Republic, Kyrgyzstan, the Dem. Rep. of the Congo, Romania, the Russian Federation, Somalia, Tajikistan, Tunisia, Turkmenistan, Ukraine, Yemen and Serbia and Montenegro, the band 2 690-2 700 MHz is also allocated to the fixed and mobile, except aeronautical mobile, services on a primary basis. Such use is limited to equipment in operation by 1 January 1985. (WRC 03)
5.423	In the band 2 700 - 2 900 MHz, ground-based radars used for meteorological purposes are authorised to operate on a basis of equality with stations of the aeronautical radionavigation service.
5.424A	In the band 2 900-3 100 MHz, stations in the radiolocation service shall not cause harmful interference to, nor claim protection from, radar systems in the radionavigation service. (WRC 03)
5.425	In the band 2 $900 - 3100$ MHz, the use of the shipborne interrogator-transponder system (SIT) shall be confined to the sub-band 2 $930 - 2950$ MHz.
5.426	The use of the band 2 900 - 3 100 MHz by the aeronautical radionavigation service is limited to ground-based radars.
5.427	In the bands 2 900 - 3 100 MHz and 9 300 - 9 500 MHz, the response from radar transponders shall not be capable of being confused with the response from radar beacons (racons) and shall not cause interference to ship or aeronautical radars in the radionavigation service, having regard, however, to No. 4.9 of these Regulations.
5.428	Additional allocation: in Azerbaijan, Cuba, Mongolia, Kyrgyzstan, Romania and Turkmenistan, the band 3 100-3 300 MHz is also allocated to the radionavigation service on a primary basis. (WRC 03)
5.430	Additional allocation: in Azerbaijan, Cuba, Mongolia, Kyrgyzstan, Romania and Turkmenistan, the band 3 300-3 400 MHz is also allocated to the radionavigation service on a primary basis. (WRC 03)
5.431	Additional allocation: in Germany, Israel and the United Kingdom, the band 3 400-3 475 MHz is also allocated to the amateur service on a secondary basis. (WRC 03)
5.438	Use of the band 4 200 - 4 400 MHz by the aeronautical radionavigation service is reserved exclusively for radio altimeters installed on board aircraft and for the associated transponders on the ground. However, passive sensing in the earth exploration-satellite and space research services may be authorised in this band on a secondary basis (no protection is provided by the radio altimeters).
5.440	The standard frequency and time signal-satellite service may be authorised to use the frequency 4 202 MHz for space-to-Earth transmissions and the frequency 6 427 MHz for Earth-to-space transmissions. Such transmissions shall be confined within the limits of 2 MHz of these frequencies, subject to agreement obtained under No. 9.21.
5.441	The use of the bands 4 500-4 800 MHz (space-to-Earth), 6 725-7 025 MHz (Earth-to-space) by the fixed-satellite service shall be in accordance with the provisions of Appendix 30B. The use of the bands 10.7-10.95 GHz (space-to-Earth), 11.2-11.45 GHz (space-to-Earth) and 12.75-13.25 GHz (Earth-to-space) by geostationary-satellite systems in the fixed-satellite service shall be in accordance with the provisions of Appendix 30B. The use of the bands 10.7-10.95 GHz (space-to-Earth), 11.2-11.45 GHz (space-to-Earth) and 12.75-13.25 GHz (Earth-to-space) by a non-geostationary-satellite system in the fixed-satellite service is subject to application of the provisions of No. 9.12 for coordination with other non-geostationary-satellite systems in the fixed-satellite service shall not claim protection from geostationary-satellite networks in the fixed-satellite service operating in accordance with the Radio Regulations, irrespective of the dates of receipt by the Bureau of the complete coordination or notification information, as appropriate, for the non-GSO FSS systems and of the complete coordination or notification information, as appropriate, for the GSO networks, and No. 5.43A does not apply. Non-geostationary-satellite systems in the fixed-satellite service in the above bands shall be operated in such a way that any unacceptable interference that may occur during their operation shall be rapidly eliminated.
5.442	In the bands 4 825 - 4 835 MHz and 4 950 - 4 990 MHz, the allocation to the mobile service is restricted to the mobile, except aeronautical mobile, service.
5.443B	In order not to cause harmful interference to the microwave landing system operating above 5 030 MHz, the aggregate power flux-density produced at the Earth's surface in the band 5 030-5 150 MHz by all the space stations within any radionavigation-satellite service system (space-to-Earth) operating in the band 5 010 5 030 MHz shall not exceed –124.5 dB(W/m2) in a 150 kHz band. In order not to cause harmful interference to the radio astronomy service in the band 4 990-5 000 MHz, radionavigation-satellite service systems operating in the band 5 010-5 030 MHz shall comply with the limits in the band 4 990-5 000 MHz defined in Resolution [COM5/1] (WRC 03). (WRC 03)
5.444	The band 5 030-5 150 MHz is to be used for the operation of the international standard system (microwave landing system) for precision approach and landing. The requirements of this system shall take precedence over other uses of this band. For the use of this band, No. 5.444A and Resolution 114 (Rev.WRC 03) apply. (WRC 03)

RR-foot-no Radio Regulation footnote text 5.444A Additional allocation: the band 5 091-5 150 MHz is also allocated to the fixed-satellite service (Earth-to-space) on a primary basis. This allocation is limited to feeder links of non geostationary mobile-satellite systems in the mobile-satellite service and is subject to coordination under No. 9.11A. In the band 5 091-5 150 MHz, the following conditions also apply: prior to 1 January 2018, the use of the band 5 091-5 150 MHz by feeder links of non geostationary-satellite systems in the mobile-satellite service shall be made in accordance with Resolution 114 (Rev.WRC 03); prior to 1 January 2018, the requirements of existing and planned international standard systems for the aeronautical radionavigation service which cannot be met in the 5 000-5 091 MHz band, shall take precedence over other uses of this after 1 January 2012, no new assignments shall be made to earth stations providing feeder links of non-geostationary mobile-satellite systems - after 1 January 2018, the fixed-satellite service will become secondary to the aeronautical radionavigation service. (WRC 03) 5.446 Additional allocation: in the countries listed in Nos. 5.369 and 5.400, the band 5 150 - 5 216 MHz is also allocated to the radiodetermination-satellite service (space-to-Earth) on a primary basis, subject to agreement obtained under No. 9.21. In Region 2, the band is also allocated to the radiodetermination-satellite service (space-to-Earth) on a primary basis. In Regions 1 and 3, except those countries listed in Nos. 5.369 and 5.400, the band is also allocated to the radiodeterminationsatellite service (space-to-Earth) on a secondary basis. The use by the radiodetermination-satellite service is limited to feeder links in conjunction with the radiodetermination-satellite service operating in the bands 1 610 - 1 626.5 MHz and/or 2 483.5 -2 500 MHz. The total power flux-density at the Earth's surface shall in no case exceed -159 dB(W/m<sup>2</sup>) in any 4 kHz band for all angles of arrival. 5.446A The use of the bands 5 150-5 350 MHz and 5 470-5 725 MHz by the stations in the mobile service shall be in accordance with Resolution [COM5/16] (WRC 03). (WRC 03) 5.446B In the band 5 150-5 250 MHz, stations in the mobile service shall not claim protection from earth stations in the fixedsatellite service. No. 5.43A does not apply to the mobile service with respect to fixed-satellite service earth stations. 5.447 Additional allocation: in Germany, Austria, Belgium, Denmark, Spain, Estonia, Finland, France, Greece, Israel, Italy, Japan, Jordan, Lebanon, Liechtenstein, Lithuania, Luxembourg, Malta, Norway, Pakistan, the Netherlands, Portugal, Syria, the United Kingdom, Sweden, Switzerland and Tunisia, the band 5 150-5 250 MHz is also allocated to the mobile service, on a primary basis, subject to agreement obtained under No. 9.21 5.447A The allocation to the fixed-satellite service (Earth-to-space) is limited to feeder links of non-geostationary-satellite systems in the mobile-satellite service and is subject to coordination under Resolution 46 (Rev.WRC-97)/ No. 9.11A. 5.447B Additional allocation: the band 5 150 - 5 216 MHz is also allocated to the fixed-satellite service (space-to-Earth) on a primary basis. This allocation is limited to feeder links of non-geostationary-satellite systems in the mobile-satellite service and is subject to provisions of Resolution 46 (Rev.WRC-97)/ No. 9.11A. The power flux-density at the Earth's surface produced by space stations of the fixed-satellite service operating in the space-to-Earth direction in the band 5 150 - 5 216 MHz shall in no case exceed -164 dB(W/m<sup>2</sup>) in any 4 kHz band for all angles of arrival. 5.447C Administrations responsible for fixed-satellite service networks in the band 5 150 - 5 250 MHz operated under Nos. 5.447A and 5.447B shall coordinate on an equal basis in accordance with Resolution 46 (Rev.WRC-97)/No. 9.11A with administrations responsible for non-geostationary-satellite networks operated under No. 5.446 and brought into use prior to 17 November 1995. Satellite networks operated under No. 5.446 brought into use after 17 November 1995 shall not claim protection from, and shall not cause harmful interference to, stations of the fixed-satellite service operated under Nos. 5.447A and 5.447B. 5.447D The allocation of the band 5 250 - 5 255 MHz to the space research service on a primary basis is limited to active spaceborne sensors. Other uses of the band by the space research service are on a secondary basis. 5.447F In the band 5 250-5 350 MHz, stations in the mobile service shall not claim protection from the radiolocation service, the Earth exploration-satellite service (active) and the space research service (active). These services shall not impose on the mobile service more stringent protection criteria, based on system characteristics and interference criteria, than those stated in Recommendations ITU R M.1638 and ITU R SA.1632. (WRC 03) Additional allocation: in Azerbaijan, Libyan Arab Jamahiriya, Mongolia, Kyrgyzstan, Slovakia, Romania and 5.448 Turkmenistan, the band 5 250-5 350 MHz is also allocated to the radionavigation service on a primary basis.

5.448A

The Earth exploration-satellite (active) and space research (active) services in the frequency band 5 250-5 350 MHz shall not claim protection from the radiolocation service. No. 5.43A does not apply. (WRC-03)

5.448B

The Earth exploration-satellite service (active) operating in the band 5 350-5 570 MHz and space research service (active) operating in the band 5 460-5 570 MHz shall not cause harmful interference to the aeronautical radionavigation service in the band 5 350-5 460 MHz, the radionavigation service in the band 5 460-5 470 MHz and the maritime radionavigation service in the band 5 470-5 570 MHz. (WRC 03)

5.448C

The space research service (active) operating in the band 5 350-5 460 MHz shall not cause harmful interference to nor claim protection from other services to which this band is allocated. (WRC 03)

5.448D

In the frequency band 5 350-5 470 MHz, stations in the radiolocation service shall not cause harmful interference to, nor claim protection from, radar systems in the aeronautical radionavigation service operating in accordance with No. 5.449. (WRC 03)

RR-foot-no	Radio Regulation footnote text
5.449	The use of the band 5 350 - 5 470 MHz by the aeronautical radionavigation service is limited to airborne radars and associated airborne beacons.
5.450	Additional allocation: in Austria, Azerbaijan, Iran (Islamic Republic of), Mongolia, Kyrgyzstan, Romania, Turkmenistan and Ukraine, the band 5 470-5 650 MHz is also allocated to the aeronautical radionavigation service on a primary basis. (WRC-03)
5.450A	In the band 5 470-5 725 MHz, stations in the mobile service shall not claim protection from radiodetermination services. Radiodetermination services shall not impose on the mobile service more stringent protection criteria, based on system characteristics and interference criteria, than those stated in Recommendation ITU R M.1638. (WRC 03)
5.450B	In the frequency band 5 470-5 650 MHz, stations in the radiolocation service, except ground-based radars used for meteorological purposes in the band 5 600-5 650 MHz, shall not cause harmful interference to, nor claim protection from, radar systems in the maritime radionavigation service. (WRC 03)
5.451	Additional allocation: in the United Kingdom, the band 5 470 - 5 850 MHz is also allocated to the land mobile service on a secondary basis. The power limits specified in Nos. 21.2, 21.3, 21.4 and 21.5 shall apply in the band 5 725 - 5 850 MHz.
5.452	Between 5 600 MHz and 5 650 MHz, ground-based radars used for meteorological purposes are authorised to operate on a basis of equality with stations of the maritime radionavigation service.
5.454	Different category of service: in Azerbaijan, Georgia, Mongolia, Uzbekistan, Kyrgyzstan, the Russian Federation, Tajikistan and Turkmenistan, the allocation of the band 5 670-5 725 MHz to the space research service is on a primary basis (see No. 5.33). (WRC 03)
5.455	Additional allocation: in Armenia, Azerbaijan, Belarus, Cuba, Georgia, Hungary, Kazakhstan, Latvia, Moldova, Mongolia, Uzbekistan, Kyrgyzstan, the Russian Federation, Tajikistan, Turkmenistan and Ukraine, the band 5 670-5 850 MHz is also allocated to the fixed service on a primary basis. (WRC 03)
5.456	Additional allocation: in Germany and in Cameroon, the band 5 755 - 5 850 MHz is also allocated to the fixed service on a primary basis.
5.457A	In the bands 5 925-6 425 MHz and 14-14.5 GHz, earth stations located on board vessels may communicate with space stations of the fixed-satellite service. Such use shall be in accordance with Resolution [COM4/20] (WRC 03). (WRC 03)
5.458	In the band 6 425 - 7 075 MHz, passive microwave sensor measurements are carried out over the oceans. In the band 7 075 - 7 250 MHz, passive microwave sensor measurements are carried out. Administrations should bear in mind the needs of the Earth exploration-satellite (passive) and space research (passive) services in their future planning of the bands 6 425 -7 025 MHz and 7 075 - 7 250 MHz.
5.458A	In making assignments in the band 6 700 - 7 075 MHz to space stations of the fixed-satellite service, administrations are urged to take all practicable steps to protect spectral line observations of the radio astronomy service in the band 6 650 - 6 675.2 MHz from harmful interference from unwanted emissions.
5.458B	The space-to-Earth allocation to the fixed-satellite service in the band 6 700 - 7 075 MHz is limited to feeder links for non-geostationary satellite systems of the mobile-satellite service and is subject to coordination under Resolution 46 (Rev.WRC-97)/No. 9.11A. The use of the band 6 700 - 7 075 MHz (space-to-Earth) by feeder links for non-geostationary satellite systems in the mobile-satellite service is not subject to No. 22.2.
5.458C	Administrations making submissions in the band 7 025 - 7 075 MHz (Earth-to-space) for geostationary-satellite systems in the fixed-satellite service after 17 November 1995 shall consult on the basis of relevant ITU-R Recommendations with the administrations that have notified and brought into use non-geostationary-satellite systems in this frequency band before 18 November 1995 upon request of the latter administrations. This consultation shall be with a view to facilitating shared operation of both geostationary-satellite systems in the fixed-satellite service and non-geostationary-satellite systems in this band.
5.459	Additional allocation: in Russia, the frequency bands 7 100 - 7 155 MHz and 7 190 - 7 235 MHz are also allocated to the space operation service (Earth-to-space) on a primary basis, subject to agreement obtained under No. 9.21.
5.460	The use of the band 7 145-7 190 MHz by the space research service (Earth-to-space) is restricted to deep space; no emissions to deep space shall be effected in the band 7 190-7 235 MHz. Geostationary satellites in the space research service operating in the band 7 190-7 235 MHz shall not claim protection from existing and future stations of the fixed and mobile services and No. 5.43A does not apply. (WRC 03)
5.461	Additional allocation: the bands 7 250 - 7 375 MHz (space-to-Earth) and 7 900 - 8 025 MHz (Earth-to-space) are also allocated to the mobile-satellite service on a primary basis, subject to agreement obtained under No. 9.21.
5.461A	The use of the band 7 450-7 550 MHz by the meteorological-satellite service (space-to-Earth) is limited to geostationary-satellite systems. Non-geostationary meteorological-satellite systems in this band notified before 30 November 1997 may continue to operate on a primary basis until the end of their lifetime.
5.461B	The use of the band 7 750-7 850 MHz by the meteorological-satellite service (space-to-Earth) is limited to non-geostationary satellite systems.

RR-foot-no	Radio Regulation footnote text
5.462A	In Regions 1 and 3 (except for Japan), in the band 8 025-8 400 MHz, the earth exploration-satellite service using geostationary satellites shall not produce a power flux-density in excess of the following provisional values for angles of arrival (?), without the consent of the affected administration: $-174 \text{ dB}(\text{W/m 2}) \text{ in a 4 kHz band} \qquad \text{for } 0^{\circ} ? ? < 5^{\circ} \\ -174 + 0.5 \text{ (q} - 5) \text{ dB}(\text{W/m 2}) \text{ in a 4 kHz band for } 5^{\circ} ? ? < 25^{\circ} \\ -164 \text{ dB}(\text{W/m 2}) \text{ in a 4 kHz band} \qquad \text{for } 25^{\circ} ? ? ? 90^{\circ} \\ \text{These values are subject to study under Resolution } 124 \text{ (WRC-97)}.$
5.463	Aircraft stations are not permitted to transmit in the band 8 025 - 8 400 MHz.
5.465	In the space research service, the use of the band 8 400 - 8 450 MHz is limited to deep space.
5.469	Additional allocation: in Armenia, Azerbaijan, Belarus, Georgia, Hungary, Lithuania, Moldova, Mongolia, Uzbekistan, Poland, Kyrgyzstan, the Czech Rep., Romania, the Russian Federation, Tajikistan, Turkmenistan and Ukraine, the band 8 500-8 750 MHz is also allocated to the land mobile and radionavigation services on a primary basis. (WRC 03)
5.469A	In the band 8 550-8 650 MHz, stations in the earth exploration-satellite service (active) and space research service (active) shall not cause harmful interference to, or constrain the use and development of, stations of the radiolocation service.
5.470	The use of the band 8 750 - 8 850 MHz by the aeronautical radionavigation service is limited to airborne Doppler navigation aids on a centre frequency of 8 800 MHz.
5.471	Additional allocation: in Algeria, Germany, Bahrain, Belgium, China, the United Arab Emirates, France, Greece, Indonesia, the Islamic Republic of Iran, Libya, the Netherlands, Qatar and Sudan, the bands 8 825 - 8 850 MHz and 9 000 - 9 200 MHz are also allocated to the maritime radionavigation service, on a primary basis, for use by shore-based radars only.
5.472	In the bands 8 850 - 9 000 MHz and 9 200 - 9 225 MHz, the maritime radionavigation service is limited to shore-based radars.
5.473	Additional allocation: in Armenia, Austria, Azerbaijan, Belarus, Bulgaria, Cuba, Georgia, Hungary, Moldova, Mongolia, Uzbekistan, Poland, Kyrgyzstan, Romania, the Russian Federation, Tajikistan, Turkmenistan and Ukraine, the bands 8 850-9 000 MHz and 9 200-9 300 MHz are also allocated to the radionavigation service on a primary basis. (WRC 03)
5.474	In the band 9 200 - 9 500 MHz, search and rescue transponders (SART) may be used, having due regard to the appropriate ITU-R Recommendation (see also Article 31).
5.475	The use of the band 9 300 - 9 500 MHz by the aeronautical radionavigation service is limited to airborne weather radars and ground-based radars. In addition, ground-based radar beacons in the aeronautical radionavigation service are permitted in the band 9 300 - 9 320 MHz on condition that harmful interference is not caused to the maritime radionavigation service. In the band 9 300 - 9 500 MHz, ground-based radars used for meteorological purposes have priority over other radiolocation devices.
5.476	In the band 9 300 - 9 320 MHz in the radionavigation service, the use of shipborne radars, other than those existing on 1 January 1976, is not permitted until 1 January 2001.
5.476A	In the band 9 500-9 800 MHz, stations in the earth exploration-satellite service (active) and space research service (active) shall not cause harmful interference to, or constrain the use and development of, stations of the radio-navigation and radiolocation services.
5.477	Different category of service: in Algeria, Saudi Arabia, Austria, Bahrain, Bangladesh, Brunei, Darussalam, Cameroon, the Republic of Korea, Egypt, the United Arab Emirates, Eritrea, Ethiopia, Guyana, India, Indonesia, the Islamic Republic of Iran, Iraq, Jamaica, Japan, Jordan Kuwait, Lebanin, Liberia, Malaysia, Negeria, Oman, Pakistan, Quatar, Democratic People's Republic of Korea, Singapore, Somalia Sudan Sweden, Trinidad and Tobago and Yemen, the allocation of the band 9800-10000 MHz to the fixed service is on a primary basis (see No. 5.33)
5.478	Additional allocation: in Azerbaijan, Bulgaria, Mongolia, Kyrgyzstan, Romania, Turkmenistan and Ukraine, the band 9 800-10 000 MHz is also allocated to the radionavigation service on a primary basis. (WRC 03)
5.479	The band 9 975 - 10 025 MHz is also allocated to the meteorological-satellite service on a secondary basis for use by weather radars.
5.481	Additional allocation: in Germany, Angola, Brazil, China, Costa Rica, Côte d'Ivoire, El Salvador, Ecuador, Spain, Guatemala, Hungary, Japan, Kenya, Morocco, Nigeria, Oman, Uzbekistan, Paraguay, Peru, the Dem. People's Rep. of Korea, Tanzania, Thailand and Uruguay, the band 10.45-10.5 GHz is also allocated to the fixed and mobile services on a primary basis. (WRC 03)
5.482	In the band 10.6-10.68 GHz, stations of the fixed and mobile, except aeronautical mobile, services shall be limited to a maximum equivalent isotropically radiated power of 40 dBW and the power delivered to the antenna shall not exceed –3 dBW. These limits may be exceeded subject to agreement obtained under No. 9.21. However, in Saudi Arabia. Armenia

services are not applicable. (WRC 03)

dBW. These limits may be exceeded subject to agreement obtained under No. 9.21. However, in Saudi Arabia, Armenia, Azerbaijan, Bahrain, Bangladesh, Belarus, China, the United Arab Emirates, Georgia, India, Indonesia, Iran (Islamic Republic of), Iraq, Japan, Kazakhstan, Kuwait, Latvia, Lebanon, Moldova, Nigeria, Pakistan, the Philippines, Qatar, Syrian Arab Republic, Tajikistan and Turkmenistan, the restrictions on the fixed and mobile, except aeronautical mobile,

## RR-foot-no Radio Regulation footnote text

5.483	Additional allocation: in Saudi Arabia, Armenia, Azerbaijan, Bahrain, Belarus, Bosnia and Herzegovina, China, Colombia, Korea (Rep. of), Costa Rica, Egypt, the United Arab Emirates, Georgia, Iran (Islamic Republic of), Iraq, Israel, Jordan, Kazakhstan, Kuwait, Lebanon, Mongolia, Uzbekistan, Qatar, Kyrgyzstan, the Dem. People's Rep. of Korea, Romania, Tajikistan, Turkmenistan, Yemen and Serbia and Montenegro, the band 10.68-10.7 GHz is also allocated to the fixed and mobile, except aeronautical mobile, services on a primary basis. Such use is limited to equipment in operation by 1 January 1985. (WRC 03)
5.484	In Region 1, the use of the band 10.7 - 11.7 GHz by the fixed-satellite service (Earth-to-space) is limited to feeder links for the broadcasting-satellite service.
5.484A	The use of the bands 10.95-11.2 GHz (space-to-Earth), 11.45-11.7 GHz (space-to-Earth), 11.7-12.2 GHz (space-to-Earth) in Region 2, 12.2-12.75 GHz (space-to-Earth) in Region 3, 12.5-12.75 GHz (space-to-Earth) in Region 1, 13.75-14.5 GHz (Earth-to-space), 17.8-18.6 GHz (space-to-Earth), 19.7-20.2 GHz (space-to-Earth), 27.5-28.6 GHz (Earth-to-space), 29.5-30 GHz (Earth-to-space) by a non-geostationary-satellite system in the fixed-satellite service is subject to application of the provisions of No. 9.12 for coordination with other non-geostationary-satellite systems in the fixed-satellite service. Non-geostationary-satellite systems in the fixed-satellite service operating in accordance with the Radio Regulations, irrespective of the dates of receipt by the Bureau of the complete coordination or notification information, as appropriate, for the non-GSO FSS systems and of the complete coordination or notification information, as appropriate, for the GSO networks, and No. 5.43A does not apply. Non-geostationary-satellite systems in the fixed-satellite service in the above bands shall be operated in such a way that any unacceptable interference that may occur during their operation shall be rapidly eliminated.
5.487	In the band 11.7-12.5 GHz in Regions 1 and 3, the fixed, fixed-satellite, mobile, except aeronautical mobile, and broadcasting services, in accordance with their respective allocations, shall not cause harmful interference to, or claim protection from, broadcasting-satellite stations operating in accordance with the Regions 1 and 3 Plan in Appendix 30. (WRC 03)
5.487A	Additional allocation: in Region 1, the band 11.7-12.5 GHz, in Region 2, the band 12.2-12.7 GHz and, in Region 3, the band 11.7-12.2 GHz, are also allocated to the fixed-satellite service (space-to-Earth) on a primary basis, limited to non geostationary systems and subject to application of the provisions of No. 9.12 for coordination with other non-geostationary-satellite systems in the fixed-satellite service. Non-geostationary-satellite systems in the fixed satellite service shall not claim protection from geostationary-satellite networks in the broadcasting-satellite service operating in accordance with the Radio Regulations, irrespective of the dates of receipt by the Bureau of the complete coordination or notification information, as appropriate, for the non-geostationary-satellite systems in the fixed-satellite service and of the complete coordination or notification information, as appropriate, for the geostationary-satellite networks, and No. 5.43A does not apply. Non-geostationary-satellite systems in the fixed-satellite service in the above bands shall be operated in such a way that any unacceptable interference that may occur during their operation shall be rapidly eliminated. (WRC 03)
5.492	Assignments to stations of the broadcasting-satellite service which are in conformity with the appropriate regional Plan or included in the Regions 1 and 3 List in Appendix 30 may also be used for transmissions in the fixed-satellite service (space-to-Earth), provided that such transmissions do not cause more interference, or require more protection from interference, than the broadcasting-satellite service transmissions operating in conformity with the Plan or the List, as appropriate.
5.495	Additional allocation: in Bosnia and Herzegovina, Croatia, France, Greece, Liechtenstein, Monaco, Uganda, Portugal, Romania, Slovenia, Switzerland, Tanzania, Tunisia and Serbia and Montenegro, the band 12.5-12.75 GHz is also allocated to the fixed and mobile, except aeronautical mobile, services on a secondary basis. (WRC 03)
5.496	Additional allocation: in Austria, Azerbaijan, Kyrgyzstan and Turkmenistan, the band 12.5-12.75 GHz is also allocated to the fixed service and the mobile, except aeronautical mobile, service on a primary basis. However, stations in these services shall not cause harmful interference to fixed-satellite service earth stations of countries in Region 1 other than those listed in this footnote. Coordination of these earth stations is not required with stations of the fixed and mobile services of the countries listed in this footnote. The power flux-density limit at the Earth's surface given in Article 21, Table 21-4, for the fixed-satellite service shall apply on the territory of the countries listed in this footnote.
5.497	The use of the band 13.25 - 13.4 GHz by the aeronautical radionavigation service is limited to Doppler navigation aids.
5.498A	The earth exploration-satellite (active) and space research (active) services operating in the band 13.25-13.4 GHz shall not cause harmful interference to, or constrain the use and development of, the aeronautical radionavigation service.
5.500	Additional allocation: in Algeria, Angola, Saudi Arabia, Bahrain, Brunei Darussalam, Cameroon, Egypt, the United Arab Emirates, Gabon, Indonesia, Iran (Islamic Republic of), Iraq, Israel, Jordan, Kuwait, Lebanon, Madagascar, Malaysia, Mali, Malta, Morocco, Mauritania, Nigeria, Pakistan, Qatar, Syria, Senegal, Singapore, Sudan, Chad and Tunisia, the band 13.4-14 GHz is also allocated to the fixed and mobile services on a primary basis.
5.501	Additional allocation: in Azerbaijan, Hungary, Japan, Mongolia, Kyrgyzstan, Romania, the United Kingdom and Turkmenistan, the band 13.4-14 GHz is also allocated to the radionavigation service on a primary basis. (WRC 03)

5.501A

5.501B

harmful interference to, or constrain the use and development of, the radiolocation service.

The allocation of the band 13.4 - 13.75 GHz to the space research service on a primary basis is limited to active spaceborne sensors. Other uses of the band by the space research service are on a secondary basis.

In the band 13.4-13.75 GHz, the earth exploration-satellite (active) and space research (active) services shall not cause

5.502

In the band 13.75-14 GHz, an earth station of a geostationary fixed-satellite service network shall have a minimum antenna diameter of 1.2 m and an earth station of a non geostationary fixed-satellite service system shall have a minimum antenna diameter of 4.5 m. In addition, the e.i.r.p., averaged over one second, radiated by a station in the radiolocation or radionavigation services shall not exceed 59 dBW for elevation angles above 2° and 65 dBW at lower angles. Before an administration brings into use an earth station in a geostationary-satellite network in the fixed-satellite service in this band with an antenna size smaller than 4.5 m, it shall ensure that the power flux-density produced by this earth station does not exceed:

- $-115 \text{ dB(W/(m2 \cdot 10 \text{ MHz}))}$  for more than 1% of the time produced at 36 m above sea level at the low water mark, as officially recognized by the coastal state;
- -115 dB(W/(m2 10 MHz)) for more than 1% of the time produced 3 m above ground at the border of the territory of an administration deploying or planning to deploy land mobile radars in this band, unless prior agreement has been obtained. For earth stations within the fixed-satellite service having an antenna diameter greater than or equal to 4.5 m, the e.i.r.p. of any emission should be at least 68 dBW and should not exceed 85 dBW. (WRC 03)

5.503

In the band 13.75-14 GHz, geostationary space stations in the space research service for which information for advance publication has been received by the Bureau prior to 31 January 1992 shall operate on an equal basis with stations in the fixed-satellite service; after that date, new geostationary space stations in the space research service will operate on a secondary basis. Until those geostationary space stations in the space research service for which information for advance publication has been received by the Bureau prior to 31 January 1992 cease to operate in this band:

- in the band 13.77-13.78 GHz, the e.i.r.p. density of emissions from any earth station in the fixed-satellite service operating with a space station in geostationary-satellite orbit shall not exceed:
- i) 4.7D + 28 dB(W/40 kHz), where D is the fixed-satellite service earth station antenna diameter (m) for antenna diameters equal to or greater than 1.2 m and less than 4.5 m;
- ii)  $49.2 + 20 \log(D/4.5) dB(W/40 \text{ kHz})$ , where D is the fixed-satellite service earth station antenna diameter (m) for antenna diameters equal to or greater than 4.5 m and less than 31.9 m;
- iii) 66.2 dB(W/40 kHz) for any fixed-satellite service earth station for antenna diameters (m) equal to or greater than 31.9 m;
- iv) 56.2 dB(W/4 kHz) for narrow-band (less than 40 kHz of necessary bandwidth) fixed-satellite service earth station emissions from any fixed-satellite service earth station having an antenna diameter of 4.5 m or greater;
- the e.i.r.p. density of emissions from any earth station in the fixed-satellite service operating with a space station in non-geostationary-satellite orbit shall not exceed 51 dBW in the 6 MHz band from 13.772 to 13.778 GHz.

Automatic power control may be used to increase the e.i.r.p. density in these frequency ranges to compensate for rain attenuation, to the extent that the power flux-density at the fixed-satellite service space station does not exceed the value resulting from use by an earth station of an e.i.r.p. meeting the above limits in clear-sky conditions. (WRC 03)

5.504

The use of the band 14 - 14.3 GHz by the radionavigation service shall be such as to provide sufficient protection to space stations of the fixed-satellite service (see Recommendation 708).

5.504A

In the band 14-14.5 GHz, aircraft earth stations in the secondary aeronautical mobile-satellite service may also communicate with space stations in the fixed-satellite service. The provisions of Nos. 5.29, 5.30 and 5.31 apply. (WRC 03)

5.504B

Aircraft earth stations operating in the aeronautical mobile-satellite service in the band 14-14.5 GHz shall comply with the provisions of Annex 1, Part C of Recommendation ITU R M.1643, with respect to any radio astronomy station performing observations in the 14.47-14.5 GHz band located on the territory of Spain, France, India, Italy, the United Kingdom and South Africa. (WRC 03)

5.506

The band 14 - 14.5 GHz may be used, within the fixed-satellite service (Earth-to-space), for feeder links for the broadcasting-satellite service, subject to coordination with other networks in the fixed-satellite service. Such use of feeder links is reserved for countries outside Europe.

5.506A

In the band 14-14.5 GHz, ship earth stations with an e.i.r.p. greater than 21 dBW shall operate under the same conditions as earth stations located on board vessels, as provided in Resolution [COM4/20] (WRC 03). This footnote shall not apply to ship earth stations for which the complete Appendix 4 information has been received by the Radiocommunication Bureau prior to 5 July 2003. (WRC-03)

5.506B

Earth stations located on board vessels communicating with space stations in the fixed-satellite service may operate in the frequency band 14-14.5 GHz without the need for prior agreement from Cyprus, Greece and Malta, within the minimum distance given in Resolution [COM4/20] (WRC 03) from these countries. (WRC 03)

5.508

Additional allocation: in Germany, Bosnia and Herzegovina, France, Italy, The Former Yugoslav Republic of Macedonia, Libyan Arab Jamahiriya, the United Kingdom, Slovenia and Serbia and Montenegro, the band 14.25-14.3 GHz is also allocated to the fixed service on a primary basis. (WRC 03)

5.508A

In the band 14.25-14.3 GHz, the power flux-density produced on the territory of the countries of Saudi Arabia, Botswana, China, Côte d'Ivoire, Egypt, France, Guinea, India, Iran, Italy, Kuwait, Lesotho, Nigeria, Oman, Syrian Arab Republic, the United Kingdom and Tunisia by any aircraft earth station in the aeronautical mobile-satellite service shall not exceed the limits given in Annex 1, Part B of Recommendation ITU R M.1643, unless otherwise specifically agreed by the affected administration(s). The provisions of this footnote in no way derogate the obligations of the aeronautical mobile-satellite service to operate as a secondary service in accordance with No. 5.29. (WRC 03)

5.509A

In the band 14.3-14.5 GHz, the power flux-density produced on the territory of the countries of Saudi Arabia, Botswana, Cameroon, China, Côte d'Ivoire, Egypt, France, Gabon, Guinea, India, Iran, Italy, Kuwait, Lesotho, Morocco, Nigeria, Oman, Syrian Arab Republic, the United Kingdom, Sri Lanka, Tunisia and Viet Nam by any aircraft earth station in the aeronautical mobile-satellite service shall not exceed the limits given in Annex 1, Part B of Recommendation ITU R M.1643, unless otherwise specifically agreed by the affected administration(s). The provisions of this footnote in no way derogate the obligations of the aeronautical mobile-satellite service to operate as a secondary service in accordance with No. 5.29. (WRC 03)

#### Radio Regulation footnote text RR-foot-no

- 5.510 The use of the band 14.5 - 14.8 GHz by the fixed-satellite service (Earth-to-space) is limited to feeder links for the broadcasting-satellite service. This use is reserved for countries outside Europe.
- 5.511 Additional allocation: in Saudi Arabia, Bahrain, Bosnia and Herzegovina, Cameroon, Egypt, the United Arab Emirates, Guinea, the Islamic Republic of Iran, Iraq, Israel, Kuwait, Lebanon, Libya, Pakistan, Qatar, Syria, Slovenia, Somalia and Yugoslavia, the band 15.35-15.4 GHz is also allocated to the fixed and mobile services on a secondary basis.
- 5.511A The band 15.43-15.63 GHz is also allocated to the fixed-satellite service (space-to-Earth) on a primary basis. Use of the band 15.43-15.63 GHz by the fixed-satellite service (space-to-Earth and Earth-to-space) is limited to feeder links of nongeostationary systems in the mobile-satellite service, subject to coordination under No. 9.11A. The use of the frequency band 15.43-15.63 GHz by the fixed-satellite service (space-to-Earth) is limited to feeder links of non-geostationary systems in the mobile-satellite service for which advance publication information has been received by the Bureau prior to 2 June 2000. In the space-to-Earth direction, the minimum earth station elevation angle above and gain towards the local horizontal plane and the minimum coordination distances to protect an earth station from harmful interference shall be in accordance with Recommendation ITU-R S.1341. In order to protect the radio astronomy service in the band 15.35-15.4 GHz, the aggregate power flux-density radiated in the 15.35-15.4 GHz band by all the space stations within any non-GSO MSS feeder-link (space-to-Earth) system operating in the 15.43-15.63 GHz band shall not exceed the level of -156 dB(W/m2) in a 50 MHz bandwidth, into any radio astronomy observatory site for more than 2% of the time.
- 5.511C Stations operating in the aeronautical radionavigation service shall limit the effective e.i.r.p. in accordance with Recommendation ITU-R 1340. The minimum coordination distance required to protect the aeronautical radionavigation stations (No. 4.10 applies) from harmful interference from feeder link earth stations and the maximum e.i.r.p. transmitted towards the local horizontal plane by a feeder link earth station shall be in accordance with Recommendation ITU-R 1340.
- 5.511D Fixed-satellite service systems for which complete information for advance publication has been received by the Bureau by 21 November 1997 may operate in the bands 15.4-15.43 GHz and 15.63-15.7 GHz in the space-to-Earth direction and 15.63-15.65 GHz in the Earth-to-space direction. In the bands 15.4-15.43 GHz and 15.65-15.7 GHz, emissions from a nongeostationary space station shall not exceed the power flux-density limits at the Earth's surface of -146 dB(W/m2/MHz) for any angle of arrival. In the band 15.63-15.65 GHz, where an administration plans emissions from a non-geostationary space station that exceed -146 dB(W/m2/MHz) for any angle of arrival, it shall coordinate under Resolution 46 (Rev.WRC-97)/No. 9.11A with the affected administrations. Stations in the fixed-satellite service operating in the band 15.63-15.65 GHz in the Earth-to-space direction shall not cause harmful interference to stations in the aeronautical radionavigation service (No. 4.10 applies).
  - Additional allocation: in Algeria, Angola, Saudi Arabia, Austria, Bahrain, Bangladesh, Bosnia and Herzegovina, Brunei Darussalam, Cameroon, the Congo, Costa Rica, Egypt, El Salvador, the United Arab Emirates, Eritrea, Finland, Guatemala, India, Indonesia, Iran (Islamic Republic of), Jordan, Kenya, Kuwait, Libyan Arab Jamahiriya, Malaysia, Mali, Morocco, Mauritania, Mozambique, Nepal, Nicaragua, Oman, Pakistan, Qatar, Singapore, Slovenia, Somalia, Sudan, Swaziland, Tanzania, Chad, Togo, Yemen and Serbia and Montenegro, the band 15.7-17.3 GHz is also allocated to the fixed and mobile services on a primary basis. (WRC-03)
    - Spaceborne active sensors operating in the band 17.2-17.3 GHz shall not cause harmful interference to, or constrain the development of, the radiolocation and other services allocated on a primary basis.
    - Additional allocation: in Algeria, Angola, Saudi Arabia, Austria, Bahrain, Bangladesh, Bosnia and Herzegovina, Cameroon, Costa Rica, El Salvador, the United Arab Emirates, Finland, Guatemala, India, Iran (Islamic Republic of), Iraq, Israel, Italy, Japan, Jordan, Kuwait, Libyan Arab Jamahiriya, Lithuania, Nepal, Nicaragua, Nigeria, Oman, Uzbekistan, Pakistan, Qatar, Kyrgyzstan, Slovenia, Sudan and Serbia and Montenegro, the band 17.3-17.7 GHz is also allocated to the fixed and mobile services on a secondary basis. The power limits given in Nos. 21.3 and 21.5 shall apply.
    - The use of the band 17.3-18.1 GHz by geostationary-satellite systems in the fixed-satellite service (Earth-to-space) is limited to feeder links for the broadcasting-satellite service. The use of the band 17.3-17.8 GHz in Region 2 by systems in the fixed-satellite service (Earth-to-space) is limited to geostationary satellites. For the use of the band 17.3-17.8 GHz in Region 2 by feeder links for the broadcasting-satellite service in the band 12.2-12.7 GHz, see Article 11. The use of the bands 17.3-18.1 GHz (Earth-to-space) in Regions 1 and 3 and 17.8-18.1 GHz (Earth-to-space) in Region 2 by nongeostationary-satellite systems in the fixed-satellite service is subject to application of the provisions of No. 9.12 for coordination with other non-geostationary-satellite systems in the fixed-satellite service. Non-geostationary-satellite systems in the fixed-satellite service shall not claim protection from geostationary-satellite networks in the fixed-satellite service operating in accordance with the Radio Regulations, irrespective of the dates of receipt by the Bureau of the complete coordination or notification information, as appropriate, for the non-GSO FSS systems and of the complete coordination or notification information, as appropriate, for the GSO networks, and No. 5.43A does not apply. Nongeostationary-satellite systems in the fixed-satellite service in the above bands shall be operated in such a way that any unacceptable interference that may occur during their operation shall be rapidly eliminated.
  - In the band 17.3-17.7 GHz, earth stations of the fixed-satellite service (space-to-Earth) in Region 1 shall not claim protection from the broadcasting-satellite service feeder-link earth stations operating under Appendix 30A, nor put any limitations or restrictions on the locations of the broadcasting-satellite service feeder-link earth stations anywhere within the service area of the feeder link. (WRC 03)

- 5.512
- 5.513A
- 5.514
- 5.516

## RR-foot-no Radio Regulation footnote text

KK-jooi-no	Kuno Regulation Journole text
5.516B	The following bands are identified for use by high-density applications in the fixed-satellite service (HDFSS): 17.3-17.7 GHz (space-to-Earth) in Region 1 18.3-19.3 GHz (space-to-Earth) in Region 2 19.7-20.2 GHz (space-to-Earth) in Regions 39.5-40 GHz (space-to-Earth) in Region 1 40-40.5 GHz (space-to-Earth) in Region 2 47.5-47.9 GHz (space-to-Earth) in Region 2 47.5-47.9 GHz (space-to-Earth) in Region 1 48.2-48.54 GHz (space-to-Earth) in Region 1 49.44-50.2 GHz (space-to-Earth) in Region 1 and 27.5-27.82 GHz (Earth-to-space) in Region 1 28.35-28.45 GHz (Earth-to-space) in Region 2 22.45-28.94 GHz (Earth-to-space) in Region 2 23.45-28.94 GHz (Earth-to-space) in Region 2 29.46-30 GHz (Earth-to-space) in Region 2 29.46-30 GHz (Earth-to-space) in Region 2 21.5 GHz (Earth-to-space) in Region 2 22.5-29.46 GHz (Earth-to-space) in Region 2 23.5 GHz (Earth-to-spac
	relation to these bands. See Resolution [COM5/6] (WRC 03). (WRC 03)
5.519	Additional allocation: the band 18.1 - 18.3 GHz is also allocated to the meteorological-satellite service (space-to-Earth) on a primary basis. Its use is limited to geostationary satellites and shall be in accordance with the provisions of Article 21, Table 21-4.
5.520	The use of the band 18.1-18.4 GHz by the fixed-satellite service (Earth-to-space) is limited to feeder links of geostationary-satellite systems in the broadcasting-satellite service
5.521	Alternative allocation: in Germany, Denmark, the United Arab Emirates and Greece, the band 18.1-18.4 GHz is allocated to the fixed, fixed-satellite (space-to-Earth) and mobile services on a primary basis (see No. 5.33). The provisions of No. 5.519 also apply. (WRC 03)
5.522A	The emissions of the fixed service and the fixed-satellite service in the band 18.6-18.8 GHz are limited to the values given in Nos. 21.5A and 21.16.2, respectively
5.522B	The use of the band 18.6-18.8 GHz by the fixed-satellite service is limited to geostationary systems and systems with an orbit of apogee greater than 20 000 km.
5.523A	The use of the bands 18.8-19.3 GHz (space-to-Earth) and 28.6-29.1 GHz (Earth-to-space) by geostationary and non-geostationary fixed-satellite service networks is subject to the application of the provisions of No. 9.11A/Resolution 46 (Rev.WRC-97) and No. 22.2 does not apply. Administrations having geostationary-satellite networks under coordination prior to 18 November 1995 shall cooperate to the maximum extent possible to coordinate pursuant to No. 9.11A/Resolution 46 (Rev.WRC-97) with non-geostationary-satellite networks for which notification information has been received by the Bureau prior to that date, with a view to reaching results acceptable to all the parties concerned. Non-geostationary-satellite networks shall not cause unacceptable interference to geostationary fixed-satellite service networks for which complete Appendix 4 notification information is considered as having been received by the Bureau prior to 18 November 1995.
5.523B	The use of the band 19.3 - 19.6 GHz (Earth-to-space) by the FSS is limited to feeder links for non-GSO systems in the MSS. Such use is subject to the application of the provisions of Resolution 46 (Rev.WRC-97)/No. 9.11A, and No. 22.2 does not apply.
5.523C	No. 22.2 of the Radio Regulations shall continue to apply in the bands 19.3 - 19.6 GHz and 29.1 - 29.4 GHz, between feeder links of non-geostationary mobile-satellite service networks and those fixed-satellite service networks for which complete Appendix 4 coordination information, or notification information, is considered as having been received by the Bureau prior to 18 November 1995.
5.523D	The use of the band 19.3-19.7 GHz (space-to-Earth) by geostationary fixed-satellite service systems and by feeder links for non-geostationary-satellite systems in the mobile-satellite service is subject to the application of the provisions of Resolution 46 (Rev.WRC-97)/ No. 9.11A, but not subject to the provisions of No. 22.2. The use of this band for other non-geostationary fixed-satellite service systems, or for the cases indicated in Nos. 5.523C and 5.523E, is not subject to the provisions of Resolution 46 (Rev.WRC-97)/No. 9.11A and shall continue to be subject to Articles S9 (except No. 9.11A) and 11 procedures, and to the provisions of No. 22.2.
5.523E	No. 22.2 of the Radio Regulations shall continue to apply in the bands 19.6-19.7 GHz and 29.4-29.5 GHz, between feeder links of non-geostationary mobile-satellite service networks and those fixed-satellite service networks for which complete Appendix 4 coordination information, or notification information, is considered as having been received by the Bureau by 21 November 1997.
5.525	In order to facilitate interregional coordination between networks in the mobile-satellite and fixed-satellite services, carriers in the mobile-satellite service that are most susceptible to interference shall, to the extent practicable, be located in the higher parts of the bands 19.7-20.2 GHz and 29.5-30 GHz

KK-Joot-no	Radio Regulation Jootnote text
5.526	In the bands 19.7 - 20.2 GHz and 29.5 - 30 GHz in Region 2, and in the bands 20.1 - 20.2 GHz and 29.9 - 30 GHz in Regions 1 and 3, networks which are both in the fixed-satellite service and in the mobile-satellite service may include links between earth stations at specified or unspecified points or while in motion, through one or more satellites for point-to-point and point-to-multipoint communications.
5.527	In the bands 19.7-20.2 GHz and 29.5-30 GHz, the provisions of No 4.10 do not apply with respect to the mobile-satellite service
5.528	The allocation to the mobile-satellite service is intended for use by networks which use narrow spot-beam antennas and other advanced technology at the space stations. Administrations operating systems in the mobile-satellite service in the band 19.7 - 20.1 GHz in Region 2 and in the band 20.1 - 20.2 GHz shall take all practicable steps to ensure the continued availability of these bands for administrations operating fixed and mobile systems in accordance with the provisions of No. 5.524.
5.530	In Regions 1 and 3, the allocation to the broadcasting-satellite service in the band 21.4 - 22 GHz shall come into effect on 1 April 2007. The use of this band by the broadcasting-satellite service after that date and on an interim basis prior to that date is subject to the provisions of Resolution 525 (WARC-92).
5.532	The use of the band 22.21 - 22.5 GHz by the earth exploration-satellite (passive) and space research (passive) services shall not impose constraints upon the fixed and mobile, except aeronautical mobile, services.
5.535A	The use of the band 29.1-29.5 GHz (Earth-to-space) by the fixed-satellite service is limited to geostationary-satellite systems and feeder links to non-geostationary-satellite systems in the mobile-satellite service. Such use is subject to the application of the provisions of Resolution 46(Rev.WRC-97)/No. 9.11A, but not subject to the provisions of No. 22.2, except as indicated in Nos. 5.523C and 5.523E where such use is not subject to the provisions of Resolution 46 (Rev.WRC-97)/No. 9.11A and shall continue to be subject to Articles S9 (except No. 9.11A) and 11 procedures, and to the provisions of No. 22.2.
5.536	Use of the 25.25 - 27.5 GHz band by the inter-satellite service is limited to space research and Earth exploration-satellite applications, and also transmissions of data originating from industrial and medical activities in space.
5.536A	Administrations operating earth stations in the Earth exploration-satellite service or the space research service shall not claim protection from stations in the fixed and mobile services operated by other administrations. In addition, earth stations in the Earth exploration-satellite service or in the space research service should be operated taking into account Recommendations ITU R SA.1278 and ITU R SA.1625, respectively. (WRC 03)
5.536B	In Germany, Saudi Arabia, Austria, Belgium, Brazil, Bulgaria, China, the Republic of Korea, Denmark, Egypt, United Arab Emirates, Spain, Estonia, Finland, France, Hungary, India, Islamic Republic of Iran, Ireland, Israel, Italy, Jordan, Kenya, Kuwait, Lebanon, Libya, Liechtenstein, Lithuania, Moldova, Norway, Oman, Uganda, Pakistan, the Philippines, Poland, Portugal, Syria, Slovakia, Czech Republic, Romania, the United Kingdom, Singapore, Sweden, Switzerland, Tanzania, Turkey, Viet Nam and Zimbabwe, earth stations operating in the earth exploration-satellite service in the band 25.5-27 GHz shall not claim protection from, or constrain the use and deployment of, stations of the fixed and mobile services.
5.536C	In Algeria, Saudi Arabia, Bahrain, Botswana, Brazil, Cameroon, Comoros, Cuba, Djibouti, Egypt, United Arab Emirates, Estonia, Finland, Iran (Islamic Rep. of), Israel, Jordan, Kenya, Kuwait, Lithuania, Malaysia, Morocco, Nigeria, Oman, Qatar, Syrian Arab Republic, Somalia, Sudan, Tanzania, Tunisia, Uruguay, Zambia and Zimbabwe, earth stations operating in the space research service in the band 25.5-27 GHz shall not claim protection from, or constrain the use and deployment of, stations of the fixed and mobile services. (WRC 03)
5.537A	In Bhutan, Korea (Rep. of), the Russian Federation, Indonesia, Iran (Islamic Republic of), Japan, Kazakhstan, Lesotho, Malaysia, Maldives, Mongolia, Myanmar, Uzbekistan, Pakistan, Philippines, Kyrgyzstan, the Dem. People's Rep. of Korea, Sri Lanka, Thailand and Viet Nam, the allocation to the fixed service in the band 27.5 28.35 GHz may also be used by high altitude platform stations (HAPS). The use of HAPS within the band 27.5 28.35 GHz is limited, within the territory of the countries listed above, to a single 300 MHz sub band. Such use of 300 MHz of the fixed-service allocation by HAPS in the above countries is further limited to operation in the HAPS-to-ground direction and shall not cause harmful interference to, nor claim protection from, other types of fixed-service systems or other co primary services. Furthermore, the development of these other services shall not be constrained by HAPS. See Resolution [COM5/17] (WRC 03). (WRC 03)
5.538	Additional allocation: the bands 27.500 - 27.501 GHz and 29.999 - 30.000 GHz are also allocated to the fixed-satellite service (space-to-Earth) on a primary basis for the beacon transmissions intended for up-link power control. Such space-to-Earth transmissions shall not exceed an equivalent isotropically radiated power (e.i.r.p.) of 10 dBW in the direction of adjacent satellites on the geostationary-satellite orbit. In the band 27.500 - 27.501 GHz, such space-to-Earth transmissions shall not produce a power flux-density in excess of the values specified in Article 21, Table 21-4 on the Earth's surface.
5.539	The band 27.5 - 30 GHz may be used by the fixed-satellite service (Earth-to-space) for the provision of feeder links for the broadcasting-satellite service.
5.540	Additional allocation: the band 27.501 - 29.999 GHz is also allocated to the fixed-satellite service (space-to-Earth) on a secondary basis for beacon transmissions intended for up-link power control.
5.541	In the band 28.5 - 30 GHz, the earth exploration-satellite service is limited to the transfer of data between stations and not to the primary collection of information by means of active or passive sensors.

RR-foot-no

Radio Regulation footnote text

- RR-foot-no Radio Regulation footnote text 5.541A Feeder links of non-geostationary networks in the mobile-satellite service and geostationary networks in the fixed-satellite service operating in the band 29.1-29.5 GHz (Earth-to-space) shall employ uplink adaptive power control or other methods of fade compensation, such that the earth station transmissions shall be conducted at the power level required to meet the desired link performance while reducing the level of mutual interference between both networks. These methods shall apply to networks for which Appendix 4 coordination information is considered as having been received by the Bureau after 17 May 1996 and until they are changed by a future competent world radiocommunication conference. Administrations submitting Appendix 4 information for coordination before this date are encouraged to utilize these techniques to the extent practicable. 5.543 The band 29.95 - 30 GHz may be used for space-to-space links in the earth exploration-satellite service for telemetry, tracking, and control purposes, on a secondary basis. In Bhutan, Korea (Rep. of), the Russian Federation, Indonesia, Iran (Islamic Republic of), Japan, Kazakhstan, Lesotho, 5.543A Malaysia, Maldives, Mongolia, Myanmar, Uzbekistan, Pakistan, Philippines, Kyrgyzstan, the Dem. People's Rep. of Korea, Sri Lanka, Thailand and Viet Nam, the allocation to the fixed service in the band 31-31.3 GHz may also be used by systems using high altitude platform stations (HAPS) in the ground-to-HAPS direction. The use of the band 31-31.3 GHz by systems using HAPS is limited to the territory of the countries listed above and shall not cause harmful interference to, nor claim protection from, other types of fixed-service systems, systems in the mobile service and systems operated under No. 5.545. Furthermore, the development of these services shall not be constrained by HAPS. Systems using HAPS in the band 31-31.3 GHz shall not cause harmful interference to the radio astronomy service having a primary allocation in the band 31.3-31.8 GHz, taking into account the protection criterion as given in Recommendation ITU R RA.769. In order to ensure the protection of satellite passive services, the level of unwanted power density into a HAPS ground station antenna in the band 31.3-31.8 GHz shall be limited to 106 dB(W/MHz) under clear-sky conditions, and may be increased up to -100 dB(W/MHz) under rainy conditions to take account of rain attenuation, provided the effective impact on the passive satellite does not exceed the impact under clear-sky conditions as given above. See Resolution [COM5/17] (WRC 03). (WRC 03) 5.544 In the band 31 - 31.3 GHz the power flux-density limits specified in Article 21, Table 21-4 shall apply to the space research service. 5.545 Different category of service: in Armenia, Azerbaijan, Georgia, Mongolia, Kyrgyzstan, Tajikistan and Turkmenistan, the allocation of the band 31-31.3 GHz to the space research service is on a primary basis (see No. 5.33). (WRC 03) 5.546 Different category of service: in Saudi Arabia, Armenia, Azerbaijan, Belarus, Egypt, the United Arab Emirates, Spain, Estonia, Finland, Georgia, Hungary, Iran (Islamic Republic of), Israel, Jordan, Latvia, Lebanon, Moldova, Mongolia, Uzbekistan, Poland, Syrian Arab Republic, Kyrgyzstan, Romania, the United Kingdom, the Russian Federation, South Africa, Tajikistan, Turkmenistan and Turkey, the allocation of the band 31.5-31.8 GHz to the fixed and mobile, except aeronautical mobile, services is on a primary basis (see No. 5.33). (WRC 03) 5.547 The bands 31.8-33.4 GHz, 37-40 GHz, 40.5-43.5 GHz, 51.4-52.6 GHz, 55.78-59 GHz and 64-66 GHz are available for
  - The bands 31.8-33.4 GHz, 37-40 GHz, 40.5-43.5 GHz, 51.4-52.6 GHz, 55.78-59 GHz and 64-66 GHz are available for high-density applications in the fixed service (see Resolutions 75 (WRC 2000) and 79 (WRC 2000)). Administrations should take this into account when considering regulatory provisions in relation to these bands. Because of the potential deployment of high-density applications in the fixed-satellite service in the bands 39.5-40 GHz and 40.5-42 GHz (see No. 5.BC03), administrations should further take into account potential constraints to high-density applications in the fixed service, as appropriate. (WRC 03)
- 5.547A Administrations should take practical measures to minimize the potential interference between stations in the fixed service and airborne stations in the radionavigation service in the 31.8-33.4 GHz band, taking into account the operational needs of the airborne radar systems
- In designing systems for the inter-satellite service in the band 32.3-33 GHz, for the radionavigation service in the band 32-33 GHz, and for the space research service (deep space) in the band 31.8-32.3 GHz, administrations shall take all necessary measures to prevent harmful interference between these services, bearing in mind the safety aspects of the radionavigation service (see Recommendation 707). (WRC-03)
  - Additional allocation: in Saudi Arabia, Bahrain, Bangladesh, Egypt, the United Arab Emirates, Gabon, Indonesia, the Islamic Republic of Iran, Iraq, Israel, Jordan, Kuwait, Lebanon, Libya, Malaysia, Mali, Malta, Morocco, Mauritania, Nepal, Nigeria, Oman, Pakistan, the Philippines, Qatar, Syria, Senegal, Singapore, Somalia, Sudan, Sri Lanka, Togo, Tunisia, Yemen and Zaire, the band 33.4-36 GHz is also allocated to the fixed and mobile services on a primary basis.
- 5.549A In the band 35.5-36.0 GHz, the mean power flux-density at the Earth's surface, generated by any spaceborne sensor in the Earth exploration-satellite service (active) or space research service (active), for any angle greater than 0.8° from the beam centre shall not exceed 73.3 dB(W/m2) in this band. (WRC 03)
- 5.550 Different category of service: in Armenia, Azerbaijan, Belarus, Georgia, Mongolia, Uzbekistan, Kyrgyzstan, the Russian Federation, Tajikistan and Turkmenistan, the allocation of the band 34.7-35.2 GHz to the space research service is on a primary basis (see No. 5.33). (WRC 03)

5.549

5.551H

The equivalent power flux-density (epfd) produced in the band 42.5-43.5 GHz by all space stations in any non-geostationary-satellite system in the fixed-satellite service (space-to-Earth), or in the broadcasting-satellite service (space-to-Earth) operating in the 42-42.5 GHz band, shall not exceed the following values at the site of any radio astronomy station for more than 2% of the time:

-230 dB(W/m2) in 1 GHz and -246 dB(W/m2) in any 500 kHz of the 42.5-43.5 GHz band at the site of any radio astronomy station registered as a single-dish telescope; and

-209~dB(W/m2) in any 500 kHz of the 42.5-43.5 GHz band at the site of any radio astronomy station registered as a very long baseline interferometry station.

These epfd values shall be evaluated using the methodology given in Recommendation ITU R S.1586 and the reference antenna pattern and the maximum gain of an antenna in the radio astronomy service given in Recommendation ITU R RA.1631 and shall apply over the whole sky and for elevation angles higher than the minimum operating angle  $\theta$ min of the radiotelescope (for which a default value of 5° should be adopted in the absence of notified information). These values shall apply at any radio astronomy station that either:

-was in operation prior to 5 July 2003 and has been notified to the Radiocommunication Bureau before 4 January 2004; or -was notified before the date of receipt of the complete Appendix 4 information for coordination or notification, as appropriate, for the space station to which the limits apply.

Other radio astronomy stations notified after these dates may seek an agreement with administrations that have authorized the space stations. In Region 2, Resolution [COM5/7] (WRC 03) shall apply. The limits in this footnote may be exceeded at the site of a radio astronomy station of any country whose administration so agreed. (WRC-03)

5.551I

The power flux-density in the band 42.5-43.5 GHz produced by any geostationary space station in the fixed-satellite service (space-to-Earth), or the broadcasting-satellite service (space-to-Earth) operating in the 42-42.5 GHz band, shall not exceed the following values at the site of any radio astronomy station:

-137 dB(W/m2) in 1 GHz and -153 dB(W/m2) in any 500 kHz of the 42.5-43.5 GHz band at the site of any radio astronomy station registered as a single-dish telescope; and

-116 dB(W/m2) in any 500 kHz of the 42.5-43.5 GHz band at the site of any radio astronomy station registered as a very long baseline interferometry station.

These values shall apply at the site of any radio astronomy station that either:

-was in operation prior to 5 July 2003 and has been notified to the Radiocommunication Bureau before 4 January 2004; or -was notified before the date of receipt of the complete Appendix 4 information for coordination or notification, as appropriate, for the space station to which the limits apply.

Other radio astronomy stations notified after these dates may seek an agreement with administrations that have authorized the space stations. In Region 2, Resolution [COM5/7] (WRC 03) shall apply. The limits in this footnote may be exceeded at the site of a radio astronomy station of any country whose administration so agreed. (WRC-03)

5.552

The allocation of the spectrum for the fixed-satellite service in the bands 42.5 - 43.5 GHz and 47.2 - 50.2 GHz for Earth-to-space transmission is greater than that in the band 37.5 - 39.5 GHz for space-to-Earth transmission in order to accommodate feeder links to broadcasting satellites. Administrations are urged to take all practicable steps to reserve the band 47.2 - 49.2 GHz for feeder links for the broadcasting-satellite service operating in the band 40.5 - 42.5 GHz.

5.552A

The allocation to the fixed service in the bands 47.2-47.5 GHz and 47.9-48.2 GHz is designated for use by high altitude platform stations. The use of the bands 47.2-47.5 GHz and 47.9-48.2 GHz is subject to the provisions of Resolution 122 (WRC-97).

5.553

In the bands 43.5-47 GHz and 66-71 GHz, stations in the land mobile service may be operated subject to not causing harmful interference to the space radiocommunication services to which these bands are allocated (see No. 5.43).

5.554

In the bands 43.5-47 GHz, 66-71 GHz, 95-100 GHz, 123-130 GHz, 191.8-200 GHz and 252-265 GHz, satellite links connecting land stations at specified fixed points are also authorized when used in conjunction with the mobile-satellite service or the radionavigation-satellite service

5.554A

The use of the bands 47.5-47.9 GHz, 48.2-48.54 GHz and 49.44-50.2 GHz by the fixed-satellite service (space-to-Earth) is limited to geostationary satellites. (WRC 03)

5.555

Additional allocation: the band 48.94-49.04 GHz is also allocated to the radio astronomy service on a primary basis.

5.555B

The power flux-density in the band 48.94-49.04 GHz produced by any geostationary space station in the fixed-satellite service (space-to-Earth) operating in the bands 48.2-48.54 GHz and 49.44-50.2 GHz shall not exceed –151.8 dB(W/m2) in any 500 kHz band at the site of any radio astronomy station. (WRC 03)

5.556

In the bands 51.4-54.25 GHz, 58.2-59 GHz and 64-65 GHz, radio astronomy observations may be carried out under national arrangements

5.556A

Use of the bands 54.25-56.9 GHz, 57-58.2 GHz and 59-59.3 GHz by the inter-satellite service is limited to satellites in the geostationary-satellite orbit. The single-entry power flux-density at all altitudes from 0 km to 1 000 km above the Earth's surface produced by a station in the inter-satellite service, for all conditions and for all methods of modulation, shall not exceed -147 dB(W/m 2 /100 MHz) for all angles of arrival.

5.557A

In the band 55.78-56.26 GHz, in order to protect stations in the Earth exploration-satellite service (passive), the maximum power density delivered by a transmitter to the antenna of a fixed service station is limited to –26 dB(W/MHz).

5.558

In the bands 55.78-58.2 GHz, 59-64 GHz, 66-71 GHz, 122.25-123 GHz, 130-134 GHz, 167-174.8 GHz and 191.8-200 GHz, stations in the aeronautical mobile service may be operated subject to not causing harmful interference to the intersatellite service (see No. 5.43).

KK-Joot-no	kaato kegutation jootnote text
5.558A	Use of the band 56.9-57 GHz by inter-satellite systems is limited to links between satellites in geostationary-satellite orbit and to transmissions from non-geostationary satellites in high-Earth orbit to those in low-Earth orbit. For links between satellites in the geostationary-satellite orbit, the single entry power flux-density at all altitudes from 0 km to 1 000 km above the Earth's surface, for all conditions and for all methods of modulation, shall not exceed –147 dB(W/m 2 /100 MHz) for all angles of arrival.
5.559	In the band 59-64 GHz, airborne radars in the radiolocation service may be operated subject to not causing harmful interference to the inter-satellite service (see No. 5.43).
5.559A	The band 75.5-76 GHz is also allocated to the amateur and amateur-satellite services on a primary basis until the year 2006.
5.56	The stations of services to which the bands 14-19.95 kHz and 20.05-70 kHz and in Region 1 also the bands 72-84 kHz and 86-90 kHz are allocated may transmit standard frequency and time signals. Such stations shall be afforded protection from harmful interference. In Armenia, Azerbaijan, Belarus, Bulgaria, Georgia, Kazakstan, Mongolia, Uzbekistan, Kyrgyzstan, Slovakia, the Czech Republic, Russian Federation, Tajikistan, Turkmenistan and Ukraine, the frequencies 25 kHz and 50 kHz will be used for this purpose under the same condi-tions. (WRC-97)
5.560	In the band 78 - 79 GHz radars located on space stations may be operated on a primary basis in the earth exploration-satellite service and in the space research service.
5.560A	The 81-81.5 GHz band is also allocated to the amateur and amateur-satellite services on a secondary basis.
5.561	In the band 74-76 GHz, stations in the fixed, mobile and broadcasting services shall not cause harmful interference to stations of the fixed-satellite service or stations of the broadcasting-satellite service operating in accordance with the decisions of the appropriate frequency assignment planning conference for the broadcasting-satellite service.
5.562	The use of the band 94 - 94.1 GHz by the earth exploration-satellite (active) and space research (active) services is limited to spaceborne cloud radars.
5.562A	Transmissions from space stations of the Earth exploration-satellite service (active) that are directed into the main beam of a radio astronomy antenna have the potential to damage some radio astronomy receivers. Space agencies operating the transmitters and the radio astronomy stations concerned should mutually plan their operations so as to avoid such occurrences to the maximum extent possible.
5.562B	Use of this allocation is limited to space-based radio astronomy only
5.562C	Use of the band 116-122.25 GHz by the inter-satellite service is limited to satellites in the geostationary-satellite orbit. The single-entry power flux-density produced by a station in the inter-satellite service, for all conditions and for all methods of modulation, at all altitudes from 0 km to 1 000 km above the Earth's surface and in the vicinity of all geostationary orbital positions occupied by passive sensors, shall not exceed –148 dB(W/(m2? MHz)) for all angles of arrival.
5.562E	The allocation to the Earth exploration-satellite service (active) is limited to the band 133.5-134 GHz.
5.562F	In the band 155.5-158.5 GHz, the allocation to the Earth exploration-satellite (passive) and space research (passive) services shall terminate on 1 January 2018
5.562G	The date of entry into force of the allocation to the fixed and mobile services in the band 155.5-158.5 GHz shall be 1 January 2018.
5.562H	Use of the bands 174.8-182 GHz and 185-190 GHz by the inter-satellite service is limited to satellites in the geostationary satellite orbit. The single-entry power flux-density produced by a station in the inter-satellite service, for all conditions and for all methods of modulation, at all altitudes from 0 km to 1 000 km above the Earth's surface and in the vicinity of all geostationary orbital positions occupied by passive sensors, shall not exceed –144 dB(W/(m2? MHz)) for all angles of arrival.
5.563A	In the bands 200-209 GHz, 235-238 GHz, 250-252 GHz and 265-275 GHz, ground-based passive atmospheric sensing is carried out to monitor atmospheric constituents.
5.563B	The band 237.9-238 GHz is also allocated to the Earth exploration-satellite service (active) and the space research service (active) for spaceborne cloud radars only.
5.565	The frequency band 275-1 000 GHz may be used by administrations for experimentation with, and development of, various active and passive services. In this band a need has been identified for the following spectral line measurements for passive services: - radio astronomy service: 275-323 GHz, 327-371 GHz, 388-424 GHz, 426-442 GHz, 453-510 GHz, 623-711 GHz, 795-909 GHz and 926-945 GHz; - Earth exploration-satellite service (passive) and space research service (passive): 275-277 GHz, 294-306 GHz, 316-334 GHz, 342-349 GHz, 363-365 GHz, 371-389 GHz, 416-434 GHz, 442-444 GHz, 496-506 GHz, 546-568 GHz, 624-629 GHz, 634-654 GHz, 659-661 GHz, 684-692 GHz, 730-732 GHz, 851-853 GHz and 951-956 GHz. Future research in this largely unexplored spectral region may yield additional spectral lines and continuum bands of interest to the passive services. Administrations are urged to take all practicable steps to protect these passive services from harmful interference until the date when the allocation table is established in the above-mentioned frequency band.

RR-foot-no

Radio Regulation footnote text

## Relevant CEPT ECC/ERC Decisions and Recommendations

ECCERC document	ECCERC document title
ECC DEC (01)02	CT2 applications in 900 MHz
ECC DEC (02)01	RTTT
ECC DEC (02)03	Narrow Band Digital Land Mobile PMR/PAMR
ECC DEC (02)04	Terrestrial (fixed service/broadcasting service) systems and uncoordinated Earth stations in the fixed satellite service and broadcasting-satellite service (space to Earth) in the band 40.5 – 42.5 GHz
ECC DEC (02)05	Frequency bands for railway purposes 876-880/921-925 MHz
ECC DEC (02)06	UMTS/IMT-2000 in the band 2500-2690 MHz
ECC DEC (02)07	Harmonised use of 1670-1675/1800-1805 MHz withdrawal of teh ERC Decision (92)01 TFTS
ECC DEC (03)01	Introduction of 200 kHz wide band digital land mobile PMR/PAMR in the 400 MHz and 800/900 MHz bands
ECC DEC (03)02	Designation of 1479.5-1492 MHz for use by Satellite Digital Audio Broadcasting systems
ERC DEC (00)01	Frequency bands for UMTS extending ERC DEC (97)07
ERC DEC (00)02	37.5-40.5 GHz for Fixed and Fixed Satellite Service
ERC DEC (00)07	Shared use of 17.7-19.7 GHz for Fixed and Fixed Satellite Service
ERC DEC (00)08	Use of 10.7-12.5 GHz by the Fixed and Broadcasting-satellite/Fixed-satellite service
ERC DEC (00)09	Use of 27.5-29.5 GHz by the Fixed and Fixed Satellite Service
ERC DEC (01)01	Non-specific SRD in 6765-6795 kHz and 13.553-13.567 MHz
ERC DEC (01)02	Non-specific SRD in 26.957-27.283 MHz
ERC DEC (01)03	Non-specific SRD in 40.660-40.700 MHz
ERC DEC (01)04	Non-specific SRD in 868-868.6 MHz, 868.7-869.2 MHz, 869.4-869.65 MHz and 869.7-870 MHz
ERC DEC (01)05	Non-specific SRD in 2400-2483.5 MHz
ERC DEC (01)06	Non-specific SRD in 5725-5875 MHz
ERC DEC (01)07	Radio-LAN SRDs in 2400-2483.5 MHz
ERC DEC (01)08	Movement Detection and Alert SRDs in 2400-2483.5 MHz
ERC DEC (01)09	Alarm SRDs in 868.6-868.7 MHz,
ERC DEC (01)10	Model control sRDs in 26.995, 27.045, 27.095, 27.145 and 27.195 MHz
ERC DEC (01)11	Flying Model control in 34.995-35.225 MHz
ERC DEC (01)12	Model control in 40.665, 40.675, 40.685 and 40.695 MHz
ERC DEC (01)17	Medical implant SRDs in 402-405 MHz
ERC DEC (01)18	Wireless Audio SRD Applications in 863-865 MHz
ERC DEC (01)19	DMO frequencies for emergency services
ERC DEC (01)20	Air-ground-Air (AGA) frequencies for emergency services
ERC DEC (01)21	DMO frequencies for digital land mobile systems
ERC DEC (94)01	Frequency bands for GSM systems
ERC DEC (94)02	Frequencies for ERMES
ERC DEC (94)03	Frequencies for DECT
ERC DEC (95)03	Frequency bands for DCS 1800
ERC DEC (96)01	Frequency bands for Emergency Services
ERC DEC (96)02	Frequency bands and implementation of standard for CEPT PR27 equipment
ERC DEC (96)04	Frequency bands for TETRA
ERC DEC (96)06	Harmonised frequency bands for Social Alarms
12 January 2004	European Common Allocation Table ECC Decuments Page 190

ECCERC document	ECCERC document title
ERC DEC (97)02	Extended frequency bands for GSM
ERC DEC (97)03	S-PCS in 1610-1626.5 MHz, 2483.5-2500 MHz, 1980-2010 MHz and 2170-2200 MHz
ERC DEC (97)04	Transitional arrangements for Fixed and Mobile-satellite service in 1980-2010 MHz and 2170-2200 MHz
ERC DEC (97)06	Harmonised frequency bands for Social Alarms
ERC DEC (97)07	Frequency bands for UMTS
ERC DEC (98)25	Harmonised frequency band for PMR446
ERC DEC (99)06	Harmonised introduction of S-PCS <1GHz
ERC DEC (99)15	Harmonised frequency band 40.5-43.5 GHz for MWS including MVDS
ERC DEC (99)17	Frequencies for Shipborne Automatic Identification System (AIS)
ERC DEC (99)23	Harmonised frequency bands for HIPERLANs
ERC DEC (99)25	Harmonised spectrum for UMTS in 1900-1980 MHz, 2010-2025 MHz and 2110-2170 MHz
ECC REC 01-04	Multimedia Wireless Systems in the band 40.5 - 43.5 GHz
ECC REC 02-06	Digital Fixed Services Systems operating in the frequency range 7125-8500 MHz
ECC REC 02-02	Digital Fixed Service - frequency band 31.0-31.3 GHz
ECC REC 03-03	Safeguard the future use of Terrestrial UMTS/IMT-2000 in the 2.5 GHz range with respect to Broadcasting Satellite Systems
ERC REC 00-04	Meteor scatter applications
ERC REC 00-05	Fixed wireless access in 24.5-26.5 GHz
ERC REC 01-01	Border coordination of UMTS/IMT-2000 systems
ERC REC 01-02	Channel arrangement for digital fixed service in 31.8-33.4 GHz
ERC REC 12-02	Channel arrangement for 12.75-13.25 GHz
ERC REC 12-03	Channel arrangement for 17.7-19.7 GHz
ERC REC 12-05	Channel arrangement for 10.0-10.68 GHz
ERC REC 12-06	Channel arrangement for 10.7-11.7 GHz
ERC REC 12-07	Channel arrangement for 15.23-15.35 GHz
ERC REC 12-08	Channel arrangement for 3600-4200 MHz
ERC REC 12-09	Channel arrangement for 57.0-59.0 GHz
ERC REC 12-10	Channel arrangement for 48.5-50.2 GHz
ERC REC 12-11	Channel arrangement for 51.4-52.6 GHz
ERC REC 12-12	Channel arrangement for 55.78-57.0 GHz
ERC REC 13-03	Use of the band 14.0-14.5 GHz for VSAT and SNG
ERC REC 13-04	Fixed Wireless Access in 3-29.5 GHz
ERC REC 14-01	Channel arrangement for 5925-6425 MHz
ERC REC 14-02	Channel arrangement for 6425-7125 MHz
ERC REC 14-03	Channel arrangement for 3400-3600 MHz
ERC REC 25-10	Frequencies for ENG/OB video links
ERC REC 62-01	135.7-137.8 kHz for the Amateur Service
ERC REC 62-02	Civil and Military Airborne Telemetry applications
ERC REC 70-03	ERC Recommendation relating to the use of Short Range Devices (SRD)
ERC REC T/R 02-02	Harmonised frequency band for the emergency services
ERC REC T/R 12-01	Channel arrangements for analogue and digital terrestrial fixed systems in 37-39.5 GHz
ERC REC T/R 13-01	Channel arrangement for fixed services in the range 1-3 GHz

ECCERC document	ECCERC document title	

ERC REC T/R 13-02	Channel arrangement for fixed services in the range 22.0-29.5 GHz
ERC REC T/R 22-01	Frequencies likely to be allocated to international railways
ERC REC T/R 22-03	Terrestrial fixed and mobile systems in 54.25-66 GHz
ERC REC T/R 22-05	Frequencies for mobile digital trunked radio systems
ERC REC T/R 22-06	HIPERLANs in the 5 GHz and 17 GHz frequency range
ERC REC T/R 22-07	Frequency bands for DCS1800
ERC REC T/R 25-05	Broadcasting and Land Mobile Service planning parameters for TV band I and III
ERC REC T/R 25-06	Broadcasting and Land Mobile Service planning parameters for TV band I and III
ERC REC T/R 25-08	Land Mobile Service in the range 29.7 - 960 MHz
ERC REC T/R 25-09	Frequencies in the 900 MHz band for railways
ERC REC T/R 32-02	On-board communication stations
ERC REC T/R 42-01	Frequencies for TFTS

Standard name	Short Standard title	Harmonised Standard Art 3.2 of RTTE Directive
EN 300 065	Navtex	EN 300 065-2
EN 300 086	PMR analogue speech	EN 300 082-2
EN 300 113	PMR Data and speech	EN 300 113-2
EN 300 135	CB - FM	EN 300 135-2
EN 300 152	EPIRB	EN 300 152-2
EN 300 162	Maritime mobile VHF	EN 300 162-2
EN 300 219	PMR internal antenna analogue speech	EN 300 219-2
EN 300 220	SRD 25 - 1000 MHz	EN 300 220-3
EN 300 224	On site paging	EN 300 224-2
EN 300 296	PMRintegral antenna analogue speech	EN 300 296-2
EN 300 328	RLANs	EN 300 328-2
EN 300 330	SRD 9 kHz - 25 MHz	EN 300 330-2
EN 300 341	PMR specific response	EN 300 341-2
EN 300 390	PMR data and speech integral antenna	EN 300 390-2
EN 300 422	Radio microphones	EN 300 442-2
EN 300 433	CB DSB and SSB	EN 300 433-2
EN 300 440	SRD 1-40 GHz	EN 300 440-2
EN 300 471	Access protocol	EN 300 471-2
EN 300 674	RTTT in 5.8 GHz	EN 300 674-2
EN 300 698	Maritime inland waterways	EN 300 698-3
EN 300 718	Avalanche Beacons	EN 300 718-2
EN 300 720	UHF on bord communication	EN 300 720-2
EN 300 761	AVI for railways	EN 300 761-2
EN 300 836	HIPERLANS	EN 300 836
EN 301 025	DCS VHF bands	EN 301 025-2
EN 301 091	RTTT in 76-77 GHz	EN 301 091-2
EN 301 178	Portable maritime non GMDSS	EN 301 178-2
EN 301 357	SRD Audio in 863-865 MHz	EN 301 357-2
EN 301 360	FSS - SIT	EN 301 360-2
EN 301 406	DECT	EN 301 406
EN 301 419	GSM	EN 301 419-1, EN 301 419- 2, EN 301 419-3

Standard name	Short Standard title	Harmonised Standard Art 3.2 of RTTE Directive
EN 301 423	TFTS	EN 301 423
EN 301 426	LMES in 1.5/1.6 GHz	EN 301 426
EN 301 427	LMES in 11/12/14 GHz	EN 301 427
EN 301 428	VSAT in 11/12/14 GHz	EN 301 428
EN 301 430	SNG in 11/12/14 GHz	EN 301 430
EN 301 441	S-PCN in 1.6/2.4 GHz	EN 301 441
EN 301 442	S-PCN in 2 GHz	EN 301 442
EN 301 443	VSAT in 4 and 6 GHz	EN 301 443
EN 301 444	LMES in 1.5/1.6 GHz	EN 301 444
EN 301 459	SIT/SUT in 29.5-30 GHz	EN 301 459
EN 301 502	GSM base stations an repeater	EN 301 502
EN 301 511	GSM/DCS mobile stations	EN 301 511
EN 301 681	mobile earth st S-PCN 1.5/1.6 GHz	EN 301 681
EN 301 721	MES LEO below 1 GHz	EN 301 721
EN 301 751	Point to point digital fixed links	EN 301 751
EN 301 753	Point to multipoint digital fixed links	EN 301 753
EN 301 783	Amateur radio equipment	EN 301 783-2
EN 301 796	CT1 and CT1+	EN 301 796
EN 301 797	CT2	EN 301 797
EN 301 840	Radio microphones in 1785-1800 MHz	EN 301 840
EN 303 035	TETRA	EN 303 035-2

## LIST OF ABBREVIATIONS AS USED IN THIS DOCUMENT

AGA - Air Ground Air

BSS - Broadcasting Satellite Service

CEPT - European Conference of Postal and Telecommunications Administrations

CRS - Central Radio Station

DCS 1800 - Digital Communication System

DEC - ERC/ECC Decision

DECT - Digital Enhanced Cordless Telecommunication System

DME - Distance Measuring Equipment

DMO - Direct Mode Operation

DSI - Detailed Spectrum Investigation

DVB-T - Terrestrial Digital Video Broadcasting

ECA - European Common Allocation

ECC - Electronic Communications Committee

ECP - European Common Proposal

EESS - Earth Exploration-Satellite Service

EGSM - Extended GSM

ENG - Electronic News Gathering

EPIRB - Emergency Position-Indicating Radiobeacon
ERC - European Radiocommunications Committee

ERMES - European Radio Messaging System
 ERO - European Radiocommunications Office
 FB - Base station (in a mobile radio system)

FDD - Frequency Division Duplex
FM - Frequency modulation
FSS - Fixed Satellite Service
FWA - Fixed Wireless Access

GMDSS - Global Maritime Distress and Safety System

GNSS - Global Navigation Satellite System

GSM - Global System for Mobile Communications

HAPS - High Altitude Platform SystemsHDTV - High Definition Television

HIPERLAN - High Performance Radio Local Area Network

ILS - Instrument Landing System

**IBCN** 

UMTS/IMT-2000- International Mobile Telecommunications
ISM - Industrial, Scientific and Medical applications

ITU - International Telecommunication Union

JTIDS - Joint Tactical Information Distribution System

MIDS - Multifunctional Information Distribution System

- Integrated Broadband Communications Network

ML - Mobile station (in a mobile radio system)

MLS - Microwave Landing SystemMSI - Maritime Safety InformationMSS - Mobile Satellite Service

MWS - Multimedia Wireless Systems

NATO - North Atlantic Treaty Organisation NGSO - Non-geostationary Satellite Orbit

OB - Outside Broadcasting

OR - Off-Route

PAMR - Public Access Mobile Radio (PMR)

PMR - Professional Mobile Radio, Privat Mobile Radio

R - Route

RA - Radio Astronomy

SAB - Services Ancillary to Broadcasting
SAP - Services Ancillary to Programming

S-PCS - Satellite Personal Communication System

SRD - Short Range Device

TETRA - Terrestrial Trunked Radio

RFID - Radio Frequency Identification systems

RLAN - Radio Local Area Network

RR - Radio Regulations

RTTT - Road Transport & Traffic Telematics

SNG - Satellite News Gathering
SRD - Short Range Devices

SSR - Secondary Surveillance Radar

T-DAB - Terrestrial Digital Audio Broadcasting

TACAN - Tactical Air Navigation System

TS - Terminal Station

UMTS/IMT-2000- International Mobile Telecommunications

VLBI - Very Long Baseline Interferometry (Radio Astronomy)

VOR - VHF Omni-directional Range
VTS - Vessel Traffic System (radar)
VSAT - Very Small Aperture Terminal

WARC-92 - World Administrative Radio Conference 1992

WRC(95) - World Radiocommunication Conference 1995 (or other year)